

Resource Evaluation Report

2019 Geological & Geophysical Data Inventory

Outer Continental Shelf

By Paul Godfriaux

Resource Evaluation Report

2019 Geological & Geophysical Data Inventory

Outer Continental Shelf

By Paul Godfriaux

A work of this nature requires assistance from numerous sources. We would like to thank Chad Vaughn (BOEM, Gulf of Mexico Regional Office), Dan Lasco and Louis Niglio (BOEM, Alaska Regional Office), and Kevin Smith (BOEM, Pacific Regional Office) for contributing to the development of this report.

U.S. Department of the Interior
Bureau of Ocean Energy Management
Office of Strategic Resources
Resource Evaluation Division

Sterling, Virginia
2020

Contents

| | |
|---|----|
| Abbreviations | iv |
| Introduction | 1 |
| Permits, Data Acquisition, and Reimbursement | 1 |
| Geophysical Data Surveys | 3 |
| Common Depth Point, 3-D, 4-D, 4-C, AVO, Gravity, and Magnetic Surveys..... | 3 |
| Geological Data Collection | 4 |
| Bottom Sampling and Shallow Coring | 4 |
| Deep Stratigraphic..... | 4 |
| High Resolution Data..... | 4 |
| G&G Data Release | 5 |
| Analysis of Present BOEM Data Coverage on the OCS | 5 |
| Mileage/Blocks..... | 5 |
| Geological and/or Geophysical Exploration Permits | 6 |
| Expenditures..... | 7 |
| Recent Developments | 8 |
| Tables | 9 |
| Appendix | 15 |
| Alaska Tables for Data Inventory, Permits Expenditures | 17 |
| Atlantic Tables for Data Inventory, Permits, Expenditures..... | 21 |
| Gulf of Mexico Tables for Data Inventory, Permits, Expenditures | 25 |
| Pacific Tables for Data Inventory, Permits, Expenditures | 29 |

Figures

| | |
|--|---|
| Figure 1: Outer Continental Shelf Planning Areas | 2 |
| Figure 2: Seismic Data Purchases by Fiscal Year | 6 |
| Figure 3: Permits Issued by Type per Calendar Year | 7 |

Tables

- 1. Summary of Estimates of CDP (2-D) Seismic Miles in the BOEM Inventory Through FY 2019 by Planning Area (Rounded off to Nearest 1,000 Miles).....9
- 2. Summary of BOEM-Purchased 2-D Seismic Data for FY 1968-201910
- 3. Summary of BOEM-Purchased 3-D Seismic Data for FY 1968-201910
- 4. Summary of BOEM’s G&G Data Inventory, by Data Type and Region, FY 1968-201911
- 5. Total Number of Permits Issued for G&G Exploration.....12
- 6. Summary of G&G Data Expenditures by Data Type and Region, FY 1968-2019 (in nominal dollars)13
- 7. Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data, FY 1968-2019 (in nominal dollars)14

Abbreviations

| | |
|-------|--|
| AVO | Amplitude Variation with Offset |
| BOEM | Bureau of Ocean Energy Management |
| BSEE | Bureau of Safety and Environmental Enforcement |
| CDP | Common Depth Point Seismic Data |
| CFR | Code of Federal Regulations |
| COST | Continental Offshore Stratigraphic Test |
| CSEM | Controlled Source Electromagnetic survey |
| DOI | Department of the Interior |
| DST | Deep Stratigraphic Test (well) |
| FY | Fiscal Year |
| G&G | Geological and Geophysical |
| GOM | Gulf of Mexico |
| GRAV | Gravity Data |
| HRD | High-Resolution Data |
| MAG | Magnetic Data |
| MMS | Minerals Management Service |
| OBS | Ocean Bottom Seismometers |
| OCS | Outer Continental Shelf |
| OCSLA | Outer Continental Shelf Lands Act |
| 4-C | Four Component Seismic Data |
| 2-D | Two-Dimensional Seismic Data |
| 3-D | Three-Dimensional Seismic Data |
| 4-D | Four-Dimensional Seismic Data |

Introduction

This report catalogs the historical and current geological and geophysical (G&G) data permitting activities and purchases of the Bureau of Ocean Energy Management's (BOEM) Resource Evaluation Program.

BOEM's regulations at 30 CFR Part 551 govern the process for prelease G&G exploration for oil, gas, and sulphur resources on the Outer Continental Shelf (OCS). Part 551 applies not only to G&G exploration but also to scientific research. The purpose of these regulations is to prescribe (1) when a permit or the filing of a notice is required to conduct G&G activities on the OCS and (2) operating procedures for conducting exploration, as well as requirements for disclosing data and information, conditions for reimbursing permittees for certain costs, and other conditions under which exploration must be conducted. Similar regulations addressing prelease prospecting activities for minerals other than oil, gas, or sulphur can be found in 30 CFR Part 580.

The focus of this report is primarily on the raw data, such as the totals for permits issued, data acquired, and expenditures for these data. These items are influenced by a number of factors, including overall trends of oil and gas prices, limited access to OCS acreage due to legislative and presidential moratoria, and the shift of industry investment to international opportunities.

This report tracks all data by fiscal year with the exception of permits issued, which is tracked by calendar year due to BOEM permit-issuance procedure. This report includes transactions through the end of Fiscal Year 2019; however, permitting data is included through December 31, 2019. All dollar amounts are reported in nominal United States dollar values and are not adjusted for inflation.

Permits, Data Acquisition, and Reimbursement

BOEM administers certain provisions of the Outer Continental Shelf Lands Act (OCSLA) through regulations found at Title 30 of the Code of Federal Regulations (CFR). These regulations govern permitting, data acquisition and release, leasing, and post-lease operations on the OCS.

For administrative and planning purposes, BOEM has established four OCS regions comprised of 26 planning areas. The four regions are Alaska, Pacific, Atlantic and Gulf of Mexico (GOM). The planning areas are shown in Figure 1.




Figure 1: Outer Continental Shelf Planning Areas

BOEM issues permits to industry to allow for the collection of prelease G&G data and approves the collection of post-lease G&G data to inform industry-submitted Exploration and/or Development Plans. These G&G permits, issued by the regional Offices of Resource Evaluation set forth the specific requirements for each data-gathering activity. These requirements include the area where the data may be collected, the timing of the activity, approved equipment and methods, environmental mitigations, and other relevant information.

BOEM does not typically acquire G&G data directly. Instead, BOEM typically obtains G&G data from lessees and permittees. By regulation, BOEM has access to certain permitted seismic data and information (such as processed, analyzed or interpreted data) as soon as the data become available, and lessees and operators are required, upon request, to provide BOEM with data collected on their leases. Data acquired via G&G permits constitute approximately 90 percent of the BOEM seismic data inventory, and permittees and lessees are only reimbursed for the cost of data reproduction. However, if industry has collected data in areas not under BOEM jurisdiction, e.g., state waters or adjacent foreign waters, and BOEM requests that data, BOEM pays the significantly higher “market price” for obtaining it.

Geophysical Data Surveys

Common Depth Point, 3-D, 4-D, 4-C, AVO, Gravity, and Magnetic Surveys

The two-dimensional (2-D) geophysical data in the BOEM inventory is common depth point (CDP) seismic information collected along a survey line. Also known as common midpoint or common reflection point data, the data are derived from a common location in the ocean sub-bottom where sound waves originating from various positions of the seismic (sound) source near the ocean surface are reflected back to the surface. Table 1 shows estimates of the amount of 2-D data in the BOEM inventory in miles, by BOEM planning area.

While in the past a majority of data were collected in 2-D, currently the vast majority of geophysical data and information in the BOEM inventory is three-dimensional (3-D) seismic information. This is especially true for Gulf of Mexico (GOM) OCS data. By collecting data along parallel, closely spaced survey lines, spatial relationships are determined in three dimensions.

The evolution of 3-D seismic data and information in conjunction with the advancement of interactive computer workstations has made it possible to more closely define and assess the potential for oil and gas occurrence on the OCS, especially with regard to subsalt prospects. Compared with the results of 2-D surveys, 3-D information provides greater detail and delineation of the subsurface geologic conditions associated with the occurrence of oil and gas.

As 3-D seismic technology evolved, 3-D reflection techniques began to not only portray subsurface structure and stratigraphy but started to reveal information about fluids within the subsurface as well. Three dimensional seismic surveys that are shot over the same area at different times can now detect changes from one fluid/gas to another (where present), e.g., oil to gas.

Thus, time-lapse 3-D seismic surveys, known more commonly as 4-D seismic surveys, have been used to monitor fluid movement in producing reservoirs where changes in fluid content are imaged with seismic techniques over a period of time. To date, the main purpose of these surveys has been reservoir management, e.g., determining where and how long to drain hydrocarbon-bearing areas, and monitoring gas injection or steam or water flooding during enhanced recovery operations.

A specialized processing technique that can be used with both 2-D and 3-D seismic data is Amplitude Variation with Offset (AVO). AVO involves the variation in amplitude of a seismic reflection with the angle of incidence or source-geophone distance and is processed using the raw data gathered. It can be used as a direct hydrocarbon gas indicator.

Another type of data acquisition is 2-D or 3-D four component (4-C) surveys, which involves the recording of marine seismic data with ocean bottom seismometers (OBS) on the sea floor. Each OBS consists of a hydrophone, recording pressure changes of passing P-waves, and three orthogonal geophones recording movement in three components of direction (x, y, and

z axes) of passing shear waves (s-waves). Three dimensional 4-C is a recording of multiple parallel lines of seismometers achieved by recording seismic waves from each line simultaneously or in sequence by recording a line of geophones, moving the line a short distance and parallel to the previous line, etc.

Magnetic surveys measure the magnetic field or a component (such as the vertical component) at a series of different locations over an area of interest, usually to locate concentrations of magnetic anomalies or to determine depth to basement. Gravity surveys produce measurements of the gravitational field at a series of different locations over an area of interest, and are used to identify density differences that may indicate different rock types. Gravity data are usually displayed as anomaly maps.

Controlled Source Electromagnetic (CSEM) surveys are being conducted in areas of the GOM and elsewhere. Although not a new technology, it is a relatively new application for the deeper water OCS provinces. The data gathered from these surveys are often used in conjunction with seismic reflection data to generate direct recognition of hydrocarbon fluid resistivity in potential subsurface reservoirs.

Geological Data Collection

Bottom Sampling and Shallow Coring

In general, bottom samples are obtained by dropping a weighted tube to the ocean floor and recovering it with an attached wire line. Shallow coring (no deeper than 500 ft.) is performed by conventional rotary drilling equipment to obtain a near-surface sample of the rocks or sediment of the seabed.

Deep Stratigraphic Tests

A deep stratigraphic test, as defined in 30 CFR 551.1, means, “drilling that involves the penetration into the sea bottom of more than 500 feet (152 meters).” These wells are sometimes known as Continental Offshore Stratigraphic Test (COST) wells and are drilled primarily to gather geological information. Conversely, shallow test drilling, as defined in the same regulations, means, “drilling into the sea bottom to depths less than those specified in the definition of a deep stratigraphic test.” Three COST wells drilled on the OCS have encountered hydrocarbons: the COST B-3 (Atlantic), Point Conception No.1 (California), and the Norton COST No. 2 (Alaska). A discussion of the deep stratigraphic test program is described in OCS Report # MMS-90-0028.

High Resolution Data

Up until 1982, all BOEM regional offices directly acquired pre-lease, tract-specific, shallow hazards data, or, high-resolution data (HRD). After BOEM established the area-wide leasing program in 1982, the detailed shallow hazards analysis function was shifted to the post-sale phase, and it is now the responsibility of the lessee to collect site-specific hazards data.

A company must obtain a G&G permit from BOEM to conduct a prelease hazards survey. Shallow hazards survey data and information are available to BOEM and BSEE under terms of permit or lease and regulations and are submitted to BOEM as part of the safety review process.

G&G Data Release

BOEM's regulations at 30 CFR § 551.14(b)(1) and § 550.197 establish the release timeframes for proprietary G&G data and information. Prelease geophysical information will not be released to the public for 25 years; raw geophysical data is held for 50 years before it is released to the public. The proprietary term for geological information is 10 years. The Minerals Management Service (MMS), a BOEM predecessor agency, first released geophysical data sets in 2001, which included data sets from southern Alaska, the Arctic, the Bering Sea, Southern California through Washington/ Oregon, the North, Mid, and South Atlantic planning areas, and in Eastern, Central, and Western GOM areas. The data may be searched for and downloaded at the National Archive of Marine Seismic Surveys (NAMSS): <https://walrus.wr.usgs.gov/NAMSS/>. Additional information can be found at the BOEM regional homepage at: <http://www.boem.gov/BOEM-Regions/>.

Analysis of BOEM Data Coverage on the OCS

Mileage/Blocks

BOEM has amassed a large inventory of both 2-D and 3-D seismic data. Table 1 shows the coverage of 2-D seismic data, by region and planning area, that BOEM purchased through FY 2019. Tables 2 and 3 summarize the total amount of 2-D and 3-D data purchased by year through FY 2019. Figure 2 illustrates a visual representation of the data listed in Tables 2 and 3. Table 4 summarizes BOEM data inventory by type and location through FY 2019. BOEM currently has 330,000 blocks of 3-D seismic information and 3.3 million line-miles of conventional 2-D seismic information. In comparison to 2018, this represents a 2.5% increase in cumulative 3-D seismic data inventory and a 4.4% increase in cumulative 2-D seismic data inventory. Each block of 3-D data coverage provides much more information than a 2-D seismic line-mile.

BOEM has not purchased all the permit data shot and recorded by industry primarily because of either poor data quality or the redundancy in available data sets. Since the early 1990s, the volume of 3-D seismic data has increased in concert with the development and use of interactive computer workstations. For some areas where BOEM previously obtained 2-D or 3-D seismic information, BOEM continues to purchase new information as a result of the use of state-of-the-art acquisition methods and equipment, or the reprocessing of previously-acquired data using more modern techniques.




Figure 2: Seismic Data Purchases by Fiscal Year

Geological and/or Geophysical Exploration Permits

A leading indicator of the amount of OCS oil and gas activity is the number and associated mileage/blocks of prelease exploration permits that BOEM issues to industry each year. Table 5 presents the statistics of G&G exploration permitting for the OCS since 1960, with a differentiation between geological permits and geophysical permits from 1969 to 2019. Figure 3 displays the permitting data by calendar year. Since 1960, BOEM has, on average, issued approximately 210 permits per year (Tables A-2, A-6, A-10, and A-14 show total permits by OCS Region.). The greatest number for one year was 574 in 1983.

Most OCS oil and gas activity has been in the GOM. The GOM Region has granted 84 percent of all BOEM permits issued, followed by the Alaska Region with eight percent. The Pacific Region has granted six percent of permits issued, followed by the Atlantic Region with about two percent.

It should be noted that since 1969, approximately 94 percent of the permits issued have been for geophysical exploration, while geological exploration permits have accounted for only five percent. While the total number of 3-D permits issued compared to all permits issued is rather small (10 percent), when compared with the total geophysical permits issued over the past 10 years, 3-D permits (including 4D) have comprised 43 percent of geophysical permits during that period. Permits for deep stratigraphic test wells or COST wells make up about six percent of all geological permits.

Permitting for all regions has declined since the number of permits issued peaked in 1983 (Figure 3). The regional differences can be attributed to factors such as leasing moratoria, operating conditions such as hurricanes/arctic ice, and the discovery of new hydrocarbon plays.




Figure 3: Permits Issued by Type per Calendar Year

Expenditures

Under 30 CFR § 551.13(a), BOEM can purchase OCS G&G data for the cost of data reproduction. As a result, BOEM purchases large amounts of data at costs much lower than market price.

Tables 6 and 7 show the total expenditures for G&G data since 1968 for those data presented in Table 4, including the distribution of G&G expenditures by Region¹. The GOM and Alaska have the largest portion of the expenditures with 41 and 36 percent, respectively. Alaska has over twice the offshore area of the other three Regions combined. On the other hand, the GOM, with over 95 percent of OCS production, possesses the largest database of G&G data.

The Atlantic Region (14 percent) and the Pacific (9 percent) are comparable in terms of expenditures. The Pacific Region has the smallest expenditures for G&G data because much of the OCS offshore California, Washington and Oregon was under moratoria from the 1980s to 2008. The main difference between the Atlantic and Pacific regions is the purchase of high-resolution data in the Atlantic (see Table 6).

¹ All dollar values in this report are nominal and have not been adjusted for inflation.

The average cost per mile for data (Table 7) was high in the Alaska Region from the late 1970s into the 1990s and for the Atlantic Region in the 1980s. The Alaska Region purchased a large amount of data collected in State waters (1979 to 1990), and BOEM was required to pay full market price for this non-OCS dataset. The price varied from \$1,500 to \$6,000 per mile and is reflected in the unusually high average cost per mile shown in Table 7.

Overall, the early to mid-1980s saw a dramatic increase in expenditures by BOEM, as more reprocessed data were acquired to address area-wide leasing and a more aggressive proposed OCS leasing schedule. However, due to regulatory changes in reimbursement procedures in 1986, the cost per mile has dropped dramatically. With a typically less-aggressive leasing schedule and new exploration theatres worldwide, total expenditures have steadily decreased from the 1980s to the present.

BSEE's Acquisition Operations conducted a market survey in December 2015 to establish current industry pricing, from which BSEE recommended and adopted a reimbursement rate of \$2/gigabyte for all G&G. Industry responses to the survey and an analysis of occupational categories and associated labor rates indicated that the previous \$20.48/gigabyte rate was no longer a fair reimbursement rate for G&G data.

Recent Developments

- **Five IHAs approved in the Atlantic:** On November 30, 2018, five Incidental Harassment Authorizations (IHA) were approved by NOAA Fisheries for deep-penetration seismic permit applications on the Atlantic OCS.
- **BOEM approves Atlantic G&G permit:** On November 18, 2019, BOEM issued the Atlantic OCS Permit E19-005 to CGG Services, which authorizes an airborne gravity/magnetic survey.

Table 1. Summary of Estimates of CDP (2-D) Seismic Miles in the BOEM Inventory Through FY 2019 by Planning Area (Rounded off to Nearest 1,000 Miles)

| Planning Area | Estimated Mileage |
|-----------------------|--------------------------|
| Alaska | |
| Gulf of Alaska | 36,000 |
| Cook Inlet | 21,000 |
| Kodiak | 23,000 |
| Shumagin | 10,000 |
| North Aleutian | 43,000 |
| St. George Basin | 50,000 |
| Aleutian Arc | < 500 |
| Bowers Basin | <1,000 |
| Aleutian Basin | <1,000 |
| St. Matthew-Hall | 10,000 |
| Norton Basin | 25,000 |
| Navarin Basin | 55,000 |
| Hope Basin | 9,000 |
| Chukchi Sea | 140,000 |
| Beaufort Sea | <u>88,000</u> |
| Total | 512,000 |
| Atlantic | |
| North Atlantic | 146,000 |
| Mid-Atlantic | 94,000 |
| South Atlantic | 75,000 |
| Straits of Florida | <u>11,000</u> |
| Total | 326,000 |
| Gulf of Mexico | |
| Eastern GOM | 231,000 |
| Central GOM | 1,522,000 |
| Western GOM | <u>572,000</u> |
| Total | 2,325,000 |
| Pacific | |
| Southern California | 85,000 |
| Central California | 21,000 |
| Northern California | 19,000 |
| Wash./Oregon | <u>8,000</u> |
| Total | 133,000 |

Figures may vary by 1-2%

Table 2. Summary of BOEM-Purchased 2-D Seismic Data for FY 1968-2019

| FY | Total Miles |
|--------------|--------------------|
| 1968-1975 | 269,814 |
| 1976 | 108,922 |
| 1977 | 42,808 |
| 1978 | 54,426 |
| 1979 | 31,489 |
| 1980 | 19,400 |
| 1981 | 69,904 |
| 1982 | 79,961 |
| 1983 | 120,743 |
| 1984 | 89,853 |
| 1985 | 71,521 |
| 1986 | 47,287 |
| 1987 | 113,680 |
| 1988 | 78,920 |
| 1989 | 53,494 |
| 1990 | 85,280 |
| 1991 | 40,513 |
| 1992 | 49,191 |
| 1993 | 25,482 |
| 1994 | 7,138 |
| 1995 | 8,930 |
| 1996 | 33,296 |
| 1997 | 39,682 |
| 1998 | 90,981 |
| 1999 | 30,135 |
| 2000 | 64,710 |
| 2001 | 6,668 |
| 2002 | 1,506 |
| 2003 | 48,154 |
| 2004 | 101,282 |
| 2005 | 48,829 |
| 2006 | 170,379 |
| 2007 | 108,080 |
| 2008 | 2,953 |
| 2009 | 35,130 |
| 2010 | 195,487 |
| 2011 | 135,884 |
| 2012 | 46,923 |
| 2013 | 46,694 |
| 2014 | 248 |
| 2015 | 147,555 |
| 2016 | 299,028 |
| 2017 | 26,318 |
| 2018 | 10,061 |
| 2019 | 137,695 |
| Total | 3,296,434 |

Figures may vary by 1-2%.

Table 3. Summary of BOEM-Purchased 3-D Seismic Data for FY 1968-2019

| FY | Total Blocks |
|--------------|---------------------|
| 1968-1992 | 0 |
| 1993 | 1,563 |
| 1994 | 1,420 |
| 1995 | 1,826 |
| 1996 | 1,470 |
| 1997 | 3,129 |
| 1998 | 3,460 |
| 1999 | 3,226 |
| 2000 | 6,161 |
| 2001 | 3,602 |
| 2002 | 7,182 |
| 2003 | 6,272 |
| 2004 | 6,193 |
| 2005 | 4,996 |
| 2006 | 6,495 |
| 2007 | 11,855 |
| 2008 | 22,606 |
| 2009 | 27,547 |
| 2010 | 23,137 |
| 2011 | 9,259 |
| 2012 | 37,092 |
| 2013 | 34,132 |
| 2014 | 21,294 |
| 2015 | 33,427 |
| 2016 | 30,764 |
| 2017 | 8,566 |
| 2018 | 5,686 |
| 2019 | 8,218 |
| Total | 330,578 |

Figures may vary by 1-2%.

Table 4. Summary of BOEM's G&G Data Inventory, by Data Type and Region, FY 1968-2019

| Data Type | Region | Mileage* |
|---------------------------------|----------------|------------------|
| 2-D Seismic | Alaska | 512,096 |
| | Atlantic | 326,204 |
| | Gulf of Mexico | 2,325,293 |
| | Pacific | <u>132,841</u> |
| | Total | 3,296,434 |
| High Resolution | Alaska | 59,855 |
| | Atlantic | 49,509 |
| | Gulf of Mexico | 176,612 |
| | Pacific | <u>30,582</u> |
| | Total | 316,558 |
| CDP Interpretations | Alaska | 84,683 |
| | Atlantic | 104,665 |
| | Gulf of Mexico | 293,925 |
| | Pacific | <u>42,365</u> |
| | Total | 465,774 |
| Gravity and Magnetics | Alaska | 380,999 |
| | Atlantic | 15,783 |
| | Gulf of Mexico | 856,253 |
| | Pacific | <u>110,150</u> |
| | Total | 1,363,185 |
| 3-D Seismic | Alaska | 862 |
| | Atlantic | 0 |
| | Gulf of Mexico | 329,664 |
| | Pacific | <u>52</u> |
| | Total | 330,578 |
| 3-D/4-C | Alaska | 0 |
| | Atlantic | 0 |
| | Gulf of Mexico | 8,659 |
| | Pacific | <u>0</u> |
| | Total | 8,659 |
| 3D-AVO | Alaska | 81 |
| | Atlantic | 0 |
| | Gulf of Mexico | 25,200 |
| | Pacific | <u>0</u> |
| | Total | 25,281 |
| Deep Stratigraphic Tests | Alaska | 14 |
| | Atlantic | 5 |
| | Gulf of Mexico | 14 |
| | Pacific | <u>2</u> |
| | Total | 35 |

(*3-D seismic, 3-D/4-C data, and AVO are measured in blocks and Deep Stratigraphic Test units are wells drilled.)

Figures may vary 1-2%.

Table 5. Total Number of Permits Issued for G&G Exploration

| Year | A | B | C | D | E | F | G |
|--------------|---------------|--------------|------------|-----------|--------------|-----------|-----------|
| 1960-1968 | 2,353 | --- | --- | --- | --- | --- | --- |
| 1969 | 258 | 249 | 9 | 0 | 0 | 0 | 0 |
| 1970 | 213 | 203 | 10 | 0 | 0 | 0 | 0 |
| 1971 | 210 | 205 | 5 | 0 | 0 | 0 | 0 |
| 1972 | 220 | 210 | 10 | 0 | 0 | 0 | 0 |
| 1973 | 339 | 321 | 18 | 0 | 0 | 0 | 0 |
| 1974 | 357 | 345 | 12 | 2 | 0 | 0 | 0 |
| 1975 | 510 | 487 | 23 | 3 | 0 | 0 | 0 |
| 1976 | 420 | 400 | 20 | 7 | 0 | 0 | 0 |
| 1977 | 452 | 436 | 16 | 4 | 0 | 0 | 0 |
| 1978 | 342 | 329 | 13 | 2 | 0 | 0 | 0 |
| 1979 | 276 | 265 | 11 | 0 | 0 | 0 | 0 |
| 1980 | 318 | 302 | 16 | 1 | 0 | 0 | 0 |
| 1981 | 394 | 383 | 11 | 0 | 0 | 0 | 0 |
| 1982 | 502 | 490 | 12 | 3 | 0 | 0 | 0 |
| 1983 | 574 | 542 | 32 | 1 | 16 | 0 | 0 |
| 1984 | 543 | 518 | 25 | 0 | 18 | 0 | 0 |
| 1985 | 398 | 382 | 16 | 0 | 38 | 0 | 0 |
| 1986 | 211 | 207 | 4 | 0 | 32 | 0 | 0 |
| 1987 | 298 | 282 | 16 | 0 | 42 | 0 | 0 |
| 1988 | 313 | 289 | 24 | 0 | 45 | 0 | 0 |
| 1989 | 249 | 237 | 12 | 1 | 47 | 0 | 0 |
| 1990 | 251 | 241 | 9 | 0 | 57 | 1 | 0 |
| 1991 | 170 | 156 | 12 | 0 | 45 | 2 | 0 |
| 1992 | 141 | 137 | 3 | 0 | 53 | 1 | 0 |
| 1993 | 147 | 135 | 11 | 0 | 70 | 1 | 0 |
| 1994 | 133 | 117 | 16 | 0 | 53 | 0 | 0 |
| 1995 | 104 | 92 | 11 | 0 | 50 | 1 | 0 |
| 1996 | 136 | 120 | 16 | 0 | 59 | 0 | 0 |
| 1997 | 159 | 139 | 20 | 0 | 69 | 0 | 1 |
| 1998 | 157 | 143 | 14 | 0 | 59 | 0 | 1 |
| 1999 | 111 | 98 | 13 | 0 | 44 | 0 | 0 |
| 2000 | 80 | 73 | 5 | 0 | 32 | 2 | 0 |
| 2001 | 110 | 103 | 7 | 0 | 33 | 0 | 0 |
| 2002 | 80 | 75 | 5 | 0 | 20 | 0 | 3 |
| 2003 | 107 | 100 | 3 | 0 | 29 | 4 | 2 |
| 2004 | 103 | 91 | 10 | 0 | 21 | 2 | 0 |
| 2005 | 101 | 93 | 6 | 0 | 25 | 2 | 0 |
| 2006 | 87 | 82 | 2 | 0 | 24 | 3 | 0 |
| 2007 | 95 | 92 | 2 | 0 | 32 | 1 | 0 |
| 2008 | 112 | 104 | 1 | 2 | 23 | 7 | 0 |
| 2009 | 84 | 64 | 12 | 4 | 9 | 8 | 1 |
| 2010 | 55 | 46 | 4 | 0 | 8 | 5 | 1 |
| 2011 | 42 | 33 | 3 | 0 | 19 | 6 | 0 |
| 2012 | 44 | 38 | 2 | 0 | 20 | 4 | 4 |
| 2013 | 47 | 40 | 2 | 0 | 15 | 5 | 4 |
| 2014 | 68 | 65 | 3 | 0 | 22 | 0 | 3 |
| 2015 | 77 | 70 | 7 | 0 | 15 | 0 | 4 |
| 2016 | 24 | 22 | 1 | 0 | 22 | 1 | 0 |
| 2017 | 37 | 29 | 7 | 1 | 8 | 1 | 1 |
| 2018 | 43 | 35 | 8 | 0 | 12 | 0 | 3 |
| 2019 | 66 | 52 | 9 | 0 | 21 | 5 | 3 |
| Total | 12,721 | 9,767 | 539 | 31 | 1,207 | 62 | 31 |

A=Total Number of Geological, Geophysical, and Strategic Minerals Permits Issued

B=Number of Geophysical Permits Issued

C=Number of Geological Permits Issued

D=Number of Geological Permits Issued for Deep Stratigraphic Tests

E=Number of Geophysical Permits Issued for 3-D Seismic Data

F=Number of Permits Issued for Strategic (Nonenergy) Minerals

G=Number of Permits Issued for 4-D Seismic Data (*Figures may vary 1-2%*)

Table 6. Summary of G&G Data Expenditures by Data Type and Region, FY 1968-2019 (in nominal dollars)

| Data Type | Region | Expenditures (\$)* |
|-----------------------|---------------|---------------------------|
| Alaska | | |
| 2-D Seismic | | 40,949,737 |
| High Resolution | | 11,134,058 |
| CDP Interpretations | | 439,793 |
| Gravity and Magnetics | | 1,027,238 |
| 3-D Seismic | | 1,511,327 |
| 3-D/4-C | | 0 |
| AVO | | 28,048 |
| Total | | 55,090,071 |
| Atlantic | | |
| 2-D Seismic | | 11,428,150 |
| High Resolution | | 9,751,232 |
| CDP Interpretations | | 242,774 |
| Gravity and Magnetics | | 2,902 |
| 3-D Seismic | | 0 |
| 3-D/4-C | | 0 |
| AVO | | 0 |
| Total | | 21,425,058 |
| Gulf of Mexico | | |
| 2-D Seismic | | 32,277,913 |
| High Resolution CDP | | 12,740,402 |
| Interpretations | | 1,096,580 |
| Gravity and Magnetics | | 892,971 |
| 3-D Seismic (ex. AVO) | | 12,752,035 |
| 3-D/4-C | | 2,787 |
| AVO | | 351,487 |
| Total | | 60,114,184 |
| Pacific | | |
| 2-D Seismic | | 9,553,194 |
| High Resolution | | 3,696,394 |
| CDP Interpretations | | 72,175 |
| Gravity and Magnetics | | 534,363 |
| 3-D Seismic | | 27,925 |
| 3-D/4-C | | 0 |
| AVO | | 0 |
| Total | | 13,884,051 |

*BOEM has had additional expenditures through its G&G data purchasing budget for other general purchases such as field tapes, special processing, navigation tapes, interpretive hardware and software for evaluation purposes, and geological studies, scanning, and purchases of digital tapes of in-house analog data. Detailed annual expenditures, by region, are shown in Tables A-3, A-7, A-11, and A-15.

Figures may vary 1-2%.

**Table 7. Summary of Average Cost Per Mile by BOEM for
2-D Seismic Data, FY 1968-2019 (in
nominal dollars)**

| FY | Average Cost (\$/Mile) |
|-----------|-------------------------------|
| 1968-1975 | 33.60 |
| 1976 | 34.90 |
| 1977 | 30.00 |
| 1978 | 73.60 |
| 1979 | 99.70 |
| 1980 | 91.50 |
| 1981 | 100.70 |
| 1982 | 107.00 |
| 1983 | 102.50 |
| 1984 | 121.10 |
| 1985 | 105.90 |
| 1986 | 102.00 |
| 1987 | 48.30 |
| 1988 | 32.70 |
| 1989 | 26.10 |
| 1990 | 18.00 |
| 1991 | 19.86 |
| 1992 | 7.49 |
| 1993 | 13.33 |
| 1994 | 75.84 |
| 1995 | 22.02 |
| 1996 | 39.04 |
| 1997 | 5.45 |
| 1998 | 3.18 |
| 1999 | 1.40 |
| 2000 | 1.29 |
| 2001 | 68.61/1.34* |
| 2002 | 2.11* |
| 2003 | 470.81/0.99* |
| 2004 | 1.83 |
| 2005 | 0.21 |
| 2006 | 0.17 |
| 2007 | 0.12 |
| 2008 | 161.09/0.49 |
| 2009 | 6.19 |
| 2010 | 0.08 |
| 2011 | 0.11 |
| 2012 | 0.06 |
| 2013 | 0.15 |
| 2014 | 1.21 |
| 2015 | 0.05 |
| 2016 | 0.02 |
| 2017 | 0.13 |
| 2018 | 30.58** |
| 2019 | 15.26*** |

Note: Summaries reflect average cost per mile for all CDP Information acquired both State and Federal. Average costs reflect only those dollars assigned to the bureauwide G&G budget and do not reflect monies allocated from Regional funds. *The \$68.61 total includes the cost for data in Cuban waters at the market price; the average cost per line mile for data in Federal waters is \$1.34. Likewise, \$470.81 represents the market costs to acquire offshore Canadian data; the average cost per line mile for data in Federal waters is \$0.99 in 2003. Same for \$161.09 and \$0.49. The \$2.11 total includes velocity models for depth data. ** In 2018 2D data was only purchased in the Atlantic and costs vary widely in this area. *** In 2019, a large portion of Atlantic data were purchased, raising the average cost. *Figures may vary 1-2%*

Appendix

Alaska OCS Region

| | | |
|-----|---|----|
| A-1 | Summary of G&G Data Inventory for Alaska by FY | 17 |
| A-2 | Number of Permits Issued for G&G Exploration in Alaska..... | 18 |
| A-3 | Summary of Expenditures by BOEM for G&G Data by FY for Alaska (in nominal dollars)..... | 19 |
| A-4 | Summary of Average Cost Per Mile by BOEM for 2-D seismic Data by FY for Alaska (in nominal dollars)..... | 20 |

Atlantic OCS Region

| | | |
|-----|---|----|
| A-5 | Summary of G&G Data Inventory for the Atlantic (by FY)..... | 21 |
| A-6 | Number of Permits Issued for G&G Exploration in the Atlantic..... | 22 |
| A-7 | Summary of Expenditures by BOEM for G&G Data by FY for the Atlantic (in nominal dollars)..... | 23 |
| A-8 | Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data by FY for the Atlantic (in nominal dollars)..... | 24 |

Gulf of Mexico OCS Region

| | | |
|------|---|----|
| A-9 | Summary of G&G Data Inventory for the Gulf of Mexico (by FY)..... | 25 |
| A-10 | Number of Permits Issued for G&G Exploration in the Gulf of Mexico | 26 |
| A-11 | Summary of Expenditures by BOEM for G&G Data by FY for the Gulf of Mexico (in nominal dollars)..... | 27 |
| A-12 | Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data by FY for the Gulf of Mexico (in nominal dollars)..... | 28 |

Pacific OCS Region

A-13 Summary of G&G Data Inventory for the Pacific (by FY).....29

A-14 Number of Permits Issued for G&G Exploration in the Pacific30

A-15 Summary of Expenditures by BOEM for G&G data by FY
for the Pacific (in nominal dollars)31

A-16 Summary of Average Cost Per Mile by BOEM for 2-D Seismic
Data by FY for the Pacific (in nominal dollars)32

Table A-1. Summary of G&G Data Inventory for Alaska by FY

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D | 3D-AVO | DST |
|--------------|----------------|---------------|-----------------|----------------|-------------|------------|-----------|
| 1968-1975 | 70,306 | 5,500 | 32,819 | 55,710 | 0 | 0 | 1 |
| 1976 | 37,785 | 19,163 | 30,164 | 0 | 0 | 0 | 4 |
| 1977 | 11,952 | 5,606 | 21,700 | 23,470 | 0 | 0 | 4 |
| 1978 | 28,524 | 0 | 0 | 36,625 | 0 | 0 | 0 |
| 1979 | 8,538 | 5,412 | 0 | 25,465 | 0 | 0 | 0 |
| 1980 | 10,109 | 7,703 | 0 | 0 | 0 | 0 | 1 |
| 1981 | 35,430 | 4,590 | 0 | 14,969 | 0 | 0 | 0 |
| 1982 | 16,624 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1983 | 51,903 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1984 | 30,961 | 7,904 | 0 | 5,850 | 0 | 0 | 0 |
| 1985 | 30,270 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 21,603 | 1,600 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 49,532 | 470 | 0 | 80,826 | 0 | 0 | 0 |
| 1988 | 14,963 | 1,741 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 3,136 | 166 | 0 | 9,543 | 0 | 0 | 0 |
| 1990 | 8,557 | 0 | 0 | 11,046 | 0 | 0 | 0 |
| 1991 | 3,964 | 0 | 0 | 1,500 | 0 | 0 | 0 |
| 1992 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 1,893 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 2,422 | 0 | 0 | 102,845 | 0 | 0 | 0 |
| 1995 | 737 | 0 | 0 | 3,000 | 0 | 0 | 0 |
| 1996 | 315 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1997 | 382 | 0 | 0 | 0 | 3* | 0 | 0 |
| 1998 | 273 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 7* | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 12* | 0 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 11* | 0 | 0 |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 32,281 | 0 | 0 | 1,915 | 204 | 0 | 0 |
| 2008 | 0 | 0 | 0 | 0 | 54 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 20 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 315 | 66* | 0 |
| 2011 | 486 | 0 | 0 | 0 | 227 | 15* | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 3,662 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 0 | 0 | 0 | 2,253 | 0 | 0 | 0 |
| 2019 | 35,488 | 0 | 0 | 5,982 | 9 | 0 | 0 |
| Total | 512,096 | 59,855 | 84,683 | 380,999 | 862* | 81* | 14 |

*Purchases for 3-D seismic and AVO data are measured in blocks; all other purchases in this table are measured in miles. The DST dates are assigned based upon completion dates and are measured in terms of wells completed. All other data units are line miles.

Table A-2. Number of Permits Issued for G&G Exploration in Alaska

| Year | A | B | C | D | E | F |
|--------------|--------------|------------|------------|-----------|-----------|----------|
| 1960-1968 | 75 | --- | --- | --- | --- | --- |
| 1969 | 31 | 28 | 3 | 0 | 0 | 0 |
| 1970 | 40 | 36 | 4 | 0 | 0 | 0 |
| 1971 | 27 | 26 | 1 | 0 | 0 | 0 |
| 1972 | 17 | 17 | 0 | 0 | 0 | 0 |
| 1973 | 33 | 32 | 1 | 0 | 0 | 0 |
| 1974 | 47 | 44 | 3 | 0 | 0 | 0 |
| 1975 | 82 | 74 | 8 | 1 | 0 | 0 |
| 1976 | 69 | 61 | 8 | 4 | 0 | 0 |
| 1977 | 33 | 29 | 4 | 4 | 0 | 0 |
| 1978 | 9 | 8 | 1 | 0 | 0 | 0 |
| 1979 | 32 | 30 | 2 | 0 | 0 | 0 |
| 1980 | 41 | 36 | 5 | 1 | 0 | 0 |
| 1981 | 54 | 49 | 5 | 0 | 0 | 0 |
| 1982 | 85 | 79 | 6 | 3 | 0 | 0 |
| 1983 | 103 | 80 | 23 | 1 | 0 | 0 |
| 1984 | 70 | 62 | 8 | 0 | 0 | 0 |
| 1985 | 63 | 56 | 7 | 0 | 0 | 0 |
| 1986 | 18 | 17 | 1 | 0 | 0 | 0 |
| 1987 | 18 | 14 | 4 | 0 | 0 | 0 |
| 1988 | 13 | 9 | 4 | 0 | 0 | 0 |
| 1989 | 17 | 14 | 3 | 0 | 0 | 0 |
| 1990 | 19 | 15 | 3 | 0 | 0 | 1 |
| 1991 | 7 | 4 | 1 | 0 | 0 | 2 |
| 1992 | 7 | 6 | 0 | 0 | 0 | 1 |
| 1993 | 11 | 10 | 0 | 0 | 2 | 1 |
| 1994 | 3 | 3 | 0 | 0 | 1 | 0 |
| 1995 | 1 | 1 | 0 | 0 | 1 | 0 |
| 1996 | 6 | 6 | 0 | 0 | 5 | 0 |
| 1997 | 5 | 4 | 1 | 0 | 0 | 0 |
| 1998 | 2 | 2 | 0 | 0 | 2 | 0 |
| 1999 | 2 | 2 | 0 | 0 | 2 | 0 |
| 2000 | 1 | 1 | 0 | 0 | 1 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2003 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2004 | 1 | 1 | 0 | 0 | 1 | 0 |
| 2005 | 1 | 1 | 0 | 0 | 1 | 0 |
| 2006 | 4 | 4 | 0 | 0 | 3 | 0 |
| 2007 | 5 | 4 | 1 | 0 | 3 | 0 |
| 2008 | 4 | 4 | 0 | 0 | 4 | 0 |
| 2009 | 1 | 1 | 0 | 0 | 1 | 0 |
| 2010 | 2 | 2 | 0 | 0 | 1 | 0 |
| 2011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 2 | 1 | 0 | 0 | 0 | 1 |
| 2013 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2014 | 3 | 3 | 0 | 0 | 3 | 0 |
| 2015 | 1 | 1 | 0 | 0 | 1 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2019 | 1 | 1 | 0 | 0 | 1 | 0 |
| Total | 1,070 | 882 | 107 | 14 | 33 | 6 |

Dashed lines = Individual breakouts not established

A=Total Number of Geological, Geophysical, and Strategic Minerals Permits

B=Number of Geophysical Permits C=Number of Geological Permits

D=Number of Geological Permits Issued for Deep Stratigraphic Tests E=Number of Geophysical Permits Issued for 3-D

Seismic Data F=Number of Permits Issued for Strategic (Nonenergy) Minerals

**Table A-3. Summary of Expenditures by BOEM for G&G
Data by FY for Alaska (in nominal dollars)**

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D | 3D-AVO | DST |
|--------------|---------------------|---------------------|------------------------|--------------------|--------------------|-----------------|------------|
| 1968-1975 | 2,803,939 | 119,700 | 160,832 | 7,515 | 0 | 0 | 0 |
| 1976 | 1,628,153 | 1,598,789 | 268,961 | 0 | 0 | 0 | 0 |
| 1977 | 271,035 | 36,473 | 10,000 | 49,450 | 0 | 0 | 0 |
| 1978 | 2,956,280 | 0 | 0 | 408,679 | 0 | 0 | 0 |
| 1979 | 2,180,700 | 2,019,512 | 0 | 125,148 | 0 | 0 | 0 |
| 1980 | 1,086,423 | 5,789,936 | 0 | 0 | 0 | 0 | 0 |
| 1981 | 5,231,130 | 1,531,458 | 0 | 69,286 | 0 | 0 | 0 |
| 1982 | 1,817,736 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1983 | 5,673,514 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 4,118,626 | 19,238 | 0 | 27,072 | 0 | 0 | 0 |
| 1985 | 3,669,129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 2,780,556 | 950 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 2,301,780 | 400 | 0 | 249,951 | 0 | 0 | 0 |
| 1988 | 1,339,007 | 3,425 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 347,872 | 5,917 | 0 | 21,851 | 0 | 0 | 0 |
| 1990 | 832,476 | 0 | 0 | 51,681 | 0 | 0 | 0 |
| 1991 | 518,613 | 0 | 0 | 15,573 | 0 | 0 | 0 |
| 1992 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 139,117 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 579,129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 167,170 | 0 | 0 | 750 | 0 | 0 | 0 |
| 1996 | 113,071 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1997 | 195,855 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1998 | 192,947 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 358,155 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 348,073 | 0 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 762,911 | 0 | 0 |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 2,329 | 0 | 0 | 152 | 29,226 | 0 | 0 |
| 2008 | 0 | 0 | 0 | 0 | 9,401 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 392 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 3,106 | 28,048 | 0 |
| 2011 | 2 | 0 | 0 | 0 | 63 | 0 | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 1,574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 0 | 0 | 0 | 130 | 0 | 0 | 0 |
| 2019 | 8,260 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | \$40,956,423 | \$11,125,798 | \$439,793 | \$1,027,238 | \$1,511,327 | \$28,048 | \$0 |

Table A-4. Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data by FY for Alaska (in nominal dollars)

| Year | Average Cost (\$/Mile) |
|-------------|-------------------------------|
| 1968-1975 | 39.88 |
| 1976 | 43.09 |
| 1977 | 22.68 |
| 1978 | 103.64 |
| 1979 | 255.41 |
| 1980 | 107.47 |
| 1981 | 147.65 |
| 1982 | 109.34 |
| 1983 | 109.31 |
| 1984 | 133.03 |
| 1985 | 121.21 |
| 1986 | 128.71 |
| 1987 | 46.47 |
| 1988 | 89.49 |
| 1989 | 110.93 |
| 1990 | 97.29 |
| 1991 | 130.85 |
| 1992 | --- |
| 1993 | 73.48 |
| 1994 | 239.18 |
| 1995 | 475.85 |
| 1996 | 358.96 |
| 1997 | 512.71 |
| 1998 | 706.77 |
| 1999 | --- |
| 2000 | --- |
| 2001 | --- |
| 2002 | --- |
| 2003 | --- |
| 2004 | --- |
| 2005 | --- |
| 2006 | --- |
| 2007 | --- |
| 2008 | 0.07 |
| 2009 | --- |
| 2010 | --- |
| 2011 | 0.04 |
| 2012 | --- |
| 2013 | --- |
| 2014 | --- |
| 2015 | 0.43 |
| 2016 | --- |
| 2017 | --- |
| 2018 | --- |
| 2019 | 0.23 |

Note: Summaries reflect average cost per mile for all CDP Information acquired both State and Federal. Average costs reflect only those dollars assigned to the bureauwide G&G budget and do not reflect monies allocated from Regional funds. Dashed lines indicate G&G dollars were not spent on CDP information.

Table A-5. Summary of G&G Data Purchases for the Atlantic (by FY)

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D | DST |
|--------------|----------------|---------------|------------------------|-----------------|------------|------------|
| 1968-1975 | 41,958 | 1,740 | 11,802 | 14,267 | 0 | 0 |
| 1976 | 25,211 | 23,867 | 29,822 | 1,076 | 0 | 2 |
| 1977 | 21,032 | 6,100 | 3,177 | 440 | 0 | 2 |
| 1978 | 14,281 | 0 | 0 | 0 | 0 | 0 |
| 1979 | 6,877 | 0 | 0 | 0 | 0 | 1 |
| 1980 | 585 | 10,660 | 0 | 0 | 0 | 0 |
| 1981 | 9,950 | 7,142 | 0 | 0 | 0 | 0 |
| 1982 | 19,074 | 0 | 0 | 0 | 0 | 0 |
| 1983 | 30,077 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 9,386 | 0 | 0 | 0 | 0 | 0 |
| 1985 | 1,640 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 424 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 2,356 | 0 | 0 | 0 | 0 | 0 |
| 1988 | 827 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 2,730 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 31 | 0 | 0 | 0 | 0 | 0 |
| 1991 | 1,042 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 2,377 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1996 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1997 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1998 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2003 | 23,109 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2008 | 969 | 0 | 0 | 0 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 10,061 | 0 | 0 | 0 | 0 | 0 |
| 2019 | 102,207 | 0 | 59,864 | 0 | 0 | 0 |
| Total | 326,204 | 49,509 | 104,665 | 15,783 | 0 | 5 |

Note: The DST dates are assigned based upon completion dates and are measured in terms of wells completed. All other data units line miles.

Table A-6. Number of Permits Issued for G&G Exploration in the Atlantic

| Year | A | B | C | D | E | F |
|--------------|------------|------------|-----------|----------|----------|-----------|
| 1960-1968 | 45 | --- | --- | --- | --- | --- |
| 1969 | 7 | 7 | 0 | 0 | 0 | 0 |
| 1970 | 4 | 3 | 1 | 0 | 0 | 0 |
| 1971 | 4 | 4 | 0 | 0 | 0 | 0 |
| 1972 | 4 | 4 | 0 | 0 | 0 | 0 |
| 1973 | 4 | 4 | 0 | 0 | 0 | 0 |
| 1974 | 2 | 2 | 0 | 0 | 0 | 0 |
| 1975 | 29 | 23 | 6 | 1 | 0 | 0 |
| 1976 | 35 | 28 | 7 | 3 | 0 | 0 |
| 1977 | 20 | 20 | 0 | 0 | 0 | 0 |
| 1978 | 17 | 13 | 4 | 1 | 0 | 0 |
| 1979 | 9 | 9 | 0 | 0 | 0 | 0 |
| 1980 | 15 | 15 | 0 | 0 | 0 | 0 |
| 1981 | 17 | 16 | 1 | 0 | 0 | 0 |
| 1982 | 11 | 11 | 0 | 0 | 0 | 0 |
| 1983 | 10 | 10 | 0 | 0 | 0 | 0 |
| 1984 | 6 | 6 | 0 | 0 | 0 | 0 |
| 1985 | 2 | 1 | 1 | 0 | 0 | 0 |
| 1986 | 3 | 2 | 1 | 0 | 0 | 0 |
| 1987 | 2 | 0 | 2 | 0 | 0 | 0 |
| 1988 | 4 | 4 | 0 | 0 | 0 | 0 |
| 1989 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 1 | 1 | 0 | 0 | 0 | 0 |
| 1991 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 1 | 0 | 0 | 0 | 0 | 1 |
| 1996 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1997 | 2 | 1 | 1 | 0 | 0 | 0 |
| 1998 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 1 | 0 | 0 | 0 | 0 | 1 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 2 | 0 | 0 | 0 | 0 | 2 |
| 2005 | 2 | 0 | 0 | 0 | 0 | 2 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 1 | 0 | 0 | 0 | 0 | 1 |
| 2008 | 2 | 0 | 0 | 0 | 0 | 2 |
| 2009 | 2 | 0 | 0 | 0 | 0 | 2 |
| 2010 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2011 | 5 | 0 | 0 | 0 | 0 | 5 |
| 2012 | 2 | 0 | 0 | 0 | 0 | 2 |
| 2013 | 3 | 0 | 0 | 0 | 0 | 3 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 2 | 0 | 1 | 0 | 0 | 1 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2019 | 4 | 1 | 0 | 0 | 0 | 3 |
| Total | 280 | 185 | 25 | 5 | 0 | 25 |

Dashed lines = Individual breakouts not established

A=Total Number of Geological, Geophysical, and Strategic Minerals Permits

B=Number of Geophysical Permits C=Number of Geological Permits

D=Number of Geological Permits Issued for Deep Stratigraphic Tests E=Number of Geophysical

Permits Issued for 3-D Seismic Data F=Number of Permits Issued for Strategic (Nonenergy) Minerals

Table A-7. Summary of Expenditures by BOEM for G&G Data by FY for the Atlantic (in nominal dollars)

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D | DST |
|--------------|---------------------|--------------------|------------------------|-----------------|------------|------------|
| 1968-1975 | 309,029 | 4,900 | --- | --- | 0 | 0 |
| 1976 | 196,687 | 2,256,167 | 45,282 | 2,902 | 0 | 0 |
| 1977 | 242,868 | 1,968,513 | 9,992 | 0 | 0 | 0 |
| 1978 | 581,562 | 0 | 0 | 0 | 0 | 0 |
| 1979 | 119,250 | 0 | 0 | 0 | 0 | 0 |
| 1980 | 51,096 | 4,278,448 | 0 | 0 | 0 | 0 |
| 1981 | 179,682 | 1,243,204 | 0 | 0 | 0 | 0 |
| 1982 | 1,882,723 | 0 | 0 | 0 | 0 | 0 |
| 1983 | 1,718,584 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 1,500,298 | 0 | 0 | 0 | 0 | 0 |
| 1985 | 287,135 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 87,307 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 438,792 | 0 | 0 | 0 | 0 | 0 |
| 1988 | 71,510 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 120,042 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 150 | 0 | 0 | 0 | 0 | 0 |
| 1991 | 2,790 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 1,933 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1996 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1997 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1998 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2003 | 1,080,000 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2008 | 156,100 | 0 | 0 | 0 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 307,629 | 0 | 0 | 0 | 0 | 0 |
| 2019 | 2,092,983 | 0 | 187,500 | 0 | 0 | 0 |
| Total | \$11,428,150 | \$9,751,232 | \$242,774 | \$2,902 | \$0 | \$0 |

Note: Dashed lines = No expenditures are available for CDP interpretations or gravity and magnetic data for 1968-1975.

Table A-8. Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data by FY for the Atlantic (in nominal dollars)

| Year | Average Cost (\$/Mile) |
|-------------|-------------------------------|
| 1968-1975 | 7.37 |
| 1976 | 7.80 |
| 1977 | 11.55 |
| 1978 | 40.72 |
| 1979 | 17.34 |
| 1980 | 87.34 |
| 1981 | 18.06 |
| 1982 | 98.70 |
| 1983 | 57.14 |
| 1984 | 159.85 |
| 1985 | 175.08 |
| 1986 | 205.91 |
| 1987 | 186.24 |
| 1988 | 86.47 |
| 1989 | 43.97 |
| 1990 | 4.84 |
| 1991 | 2.68 |
| 1992 | 0.81 |
| 1993 | --- |
| 1994 | --- |
| 1995 | --- |
| 1996 | --- |
| 1997 | --- |
| 1998 | --- |
| 1999 | --- |
| 2000 | --- |
| 2001 | --- |
| 2002 | --- |
| 2003 | 470.81 |
| 2004 | --- |
| 2005 | --- |
| 2006 | --- |
| 2007 | --- |
| 2008 | 161.09 |
| 2009 | --- |
| 2010 | --- |
| 2011 | --- |
| 2012 | --- |
| 2013 | --- |
| 2014 | --- |
| 2015 | --- |
| 2016 | --- |
| 2017 | --- |
| 2018 | 30.58 |
| 2019 | 20.48 |

Note: Summaries reflect average cost per mile for all CDP Information acquired both State and Federal. Average costs reflect only those dollars assigned to the bureauwide G&G budget and do not reflect monies allocated from Regional funds.

Table A-9. Summary of G&G Data Purchases for the Gulf of Mexico (by FY)

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D (All)* | 3-D/4-C* | 3D-AVO* | DST |
|--------------|------------------|----------------|-----------------|----------------|----------------|--------------|---------------|-----------|
| 1968-1975 | 143,458 | 88,549 | 120,038 | 19,670 | 0 | 0 | 0 | 2 |
| 1976 | 31,474 | 9,367 | 19,380 | 56,272 | 0 | 0 | 0 | 0 |
| 1977 | 4,485 | 18,119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1978 | 7,188 | 8,275 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1979 | 11,681 | 5,018 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1980 | 4,758 | 15,940 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1981 | 16,454 | 500 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1982 | 28,700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1983 | 26,290 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 40,828 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1985 | 31,430 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 22,616 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 43,073 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1988 | 56,265 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 43,121 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1990 | 76,692 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1991 | 35,507 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 46,814 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 23,589 | 0 | 0 | 0 | 1,563 | 0 | 0 | 0 |
| 1994 | 4,416 | 0 | 0 | 0 | 1,420 | 0 | 0 | 0 |
| 1995 | 8,193 | 0 | 0 | 0 | 1,826 | 0 | 0 | 0 |
| 1996 | 32,797 | 0 | 0 | 0 | 1,458 | 0 | 0 | 0 |
| 1997 | 39,300 | 0 | 0 | 0 | 3,105 | 0 | 0 | 0 |
| 1998 | 90,708 | 0 | 0 | 178,305 | 3,452 | 0 | 0 | 0 |
| 1999 | 30,135 | 0 | 0 | 52,000 | 3,219 | 0 | 0 | 0 |
| 2000 | 64,710 | 0 | 0 | 284,084 | 6,138 | 0 | 0 | 0 |
| 2001 | 6,668 | 0 | 0 | 0 | 3,602 | 0 | 0 | 0 |
| 2002 | 1,506 | 0 | 0 | 0 | 7,171 | 0 | 0 | 0 |
| 2003 | 25,045 | 0 | 0 | 0 | 6,272 | 0 | 1,492 | 0 |
| 2004 | 101,282 | 0 | 0 | 0 | 6,193 | 37 | 67 | 0 |
| 2005 | 48,829 | 0 | 0 | 0 | 4,996 | 0 | 0 | 0 |
| 2006 | 170,379 | 0 | 0 | 0 | 6,495 | 0 | 0 | 0 |
| 2007 | 75,799 | 0 | 0 | 0 | 11,651 | 0 | 0 | 0 |
| 2008 | 1,984 | 0 | 0 | 79,082 | 22,552 | 0 | 0 | 0 |
| 2009 | 35,130 | 0 | 0 | 0 | 27,527 | 0 | 0 | 10 |
| 2010 | 195,487 | 0 | 0 | 0 | 22,822 | 0 | 0 | 0 |
| 2011 | 135,398 | 0 | 0 | 0 | 9,032 | 0 | 0 | 0 |
| 2012 | 46,923 | 0 | 0 | 0 | 37,092 | 3,846 | 0 | 0 |
| 2013 | 46,694 | 0 | 0 | 0 | 34,132 | 420 | 0 | 0 |
| 2014 | 248 | 0 | 0 | 0 | 21,294 | 3,651 | 1,896 | 0 |
| 2015 | 143,893 | 0 | 0 | 3,175 | 33,427 | 541 | 3,248 | 0 |
| 2016 | 299,028** | 0 | 0 | 0 | 30,764 | 0 | 9,095 | 0 |
| 2017 | 26,318 | 0 | 0 | 0 | 8,566 | 0 | 1,990 | 1 |
| 2018 | 0 | 30,825 | 154,507 | 0 | 5,686 | 164 | 2,935 | 0 |
| 2019 | 0 | 19 | 0 | 183,665 | 8,209 | 0 | 4,477 | 0 |
| Total | 2,325,293 | 176,612 | 293,925 | 856,253 | 329,664 | 8,659 | 25,200 | 14 |

Note: *Purchases for 3-D seismic, 3-D/4-C data, and AVO data are measured in OCS blocks; all other purchases, in this table are measured in miles. The DST dates are assigned based upon completion dates and are measured in terms of wells completed.

**High figure is due to purchase of reprocessed old data and not due to new seismic acquisitions by industry.

Figures may vary by 1-2%

Table A-10. Number of Permits Issued for G&G Exploration in the Gulf of Mexico

| Year | A | B | C | D | E | F | G |
|--------------|---------------|--------------|------------|----------|--------------|-----------|-----------|
| 1960-1968 | 2,071 | --- | --- | --- | --- | --- | --- |
| 1969 | 207 | 204 | 3 | 0 | 0 | 0 | 0 |
| 1970 | 166 | 162 | 4 | 0 | 0 | 0 | 0 |
| 1971 | 179 | 175 | 4 | 0 | 0 | 0 | 0 |
| 1972 | 198 | 188 | 10 | 0 | 0 | 0 | 0 |
| 1973 | 272 | 264 | 8 | 0 | 0 | 0 | 0 |
| 1974 | 284 | 275 | 9 | 2 | 0 | 0 | 0 |
| 1975 | 353 | 348 | 5 | 0 | 0 | 0 | 0 |
| 1976 | 292 | 289 | 3 | 0 | 0 | 0 | 0 |
| 1977 | 368 | 361 | 7 | 0 | 0 | 0 | 0 |
| 1978 | 278 | 278 | 0 | 0 | 0 | 0 | 0 |
| 1979 | 211 | 204 | 7 | 0 | 0 | 0 | 0 |
| 1980 | 231 | 225 | 6 | 0 | 0 | 0 | 0 |
| 1981 | 283 | 280 | 3 | 0 | 0 | 0 | 0 |
| 1982 | 344 | 341 | 3 | 0 | 0 | 0 | 0 |
| 1983 | 416 | 416 | 0 | 0 | 16 | 0 | 0 |
| 1984 | 411 | 408 | 3 | 0 | 18 | 0 | 0 |
| 1985 | 300 | 295 | 5 | 0 | 38 | 0 | 0 |
| 1986 | 170 | 169 | 1 | 0 | 32 | 0 | 0 |
| 1987 | 258 | 252 | 6 | 0 | 42 | 0 | 0 |
| 1988 | 263 | 251 | 12 | 0 | 45 | 0 | 0 |
| 1989 | 232 | 223 | 9 | 1 | 47 | 0 | 0 |
| 1990 | 227 | 222 | 5 | 0 | 57 | 0 | 0 |
| 1991 | 163 | 152 | 11 | 0 | 45 | 0 | 0 |
| 1992 | 134 | 131 | 3 | 0 | 53 | 0 | 0 |
| 1993 | 136 | 125 | 11 | 0 | 68 | 0 | 0 |
| 1994 | 130 | 114 | 16 | 0 | 52 | 0 | 0 |
| 1995 | 102 | 91 | 11 | 0 | 49 | 0 | 0 |
| 1996 | 130 | 114 | 16 | 0 | 54 | 0 | 0 |
| 1997 | 152 | 134 | 18 | 0 | 69 | 0 | 1 |
| 1998 | 155 | 141 | 14 | 0 | 57 | 0 | 1 |
| 1999 | 109 | 96 | 13 | 0 | 42 | 0 | 0 |
| 2000 | 78 | 72 | 5 | 0 | 31 | 1 | 0 |
| 2001 | 110 | 103 | 7 | 0 | 33 | 0 | 0 |
| 2002 | 79 | 74 | 5 | 0 | 20 | 0 | 3 |
| 2003 | 106 | 99 | 3 | 0 | 28 | 4 | 2 |
| 2004 | 100 | 90 | 10 | 0 | 14 | 0 | 0 |
| 2005 | 98 | 92 | 6 | 0 | 24 | 0 | 0 |
| 2006 | 82 | 77 | 2 | 0 | 21 | 3 | 0 |
| 2007 | 89 | 88 | 1 | 0 | 29 | 0 | 0 |
| 2008 | 106 | 100 | 1 | 2 | 19 | 5 | 0 |
| 2009 | 81 | 63 | 12 | 0 | 8 | 6 | 5 |
| 2010 | 53 | 44 | 4 | 0 | 7 | 5 | 1 |
| 2011 | 37 | 33 | 3 | 0 | 19 | 1 | 0 |
| 2012 | 40 | 37 | 2 | 0 | 20 | 1 | 4 |
| 2013 | 43 | 39 | 2 | 0 | 15 | 2 | 4 |
| 2014 | 65 | 62 | 3 | 0 | 19 | 0 | 3 |
| 2015 | 76 | 69 | 7 | 0 | 15 | 0 | 4 |
| 2016 | 22 | 22 | 0 | 0 | 22 | 0 | 0 |
| 2017 | 37 | 29 | 7 | 0 | 8 | 1 | 1 |
| 2018 | 42 | 34 | 8 | 0 | 12 | 0 | 3 |
| 2019 | 61 | 50 | 9 | 0 | 20 | 2 | 3 |
| Total | 10,630 | 8,205 | 323 | 5 | 1,168 | 31 | 35 |

Dashed lines = Individual breakouts not established; A=Total Number of Geological, Geophysical, and Strategic Minerals Permits; B=Number of Geophysical Permits; C=Number of Geological Permits; D=Number of Geological Permits Issued for Deep Stratigraphic Tests; E=Number of Geophysical Permits Issued for 3-D Seismic Data; F=Number of Permits Issued for Strategic (Nonenergy) Minerals; G=Number of Permits Issued for 4-D Seismic Data

Figures may vary by 1-2%.

Table A-11. Summary of Expenditures by BOEM for G&G Data by FY for the Gulf of Mexico (in nominal dollars)

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D | DST |
|--------------|---------------------|---------------------|------------------------|------------------|---------------------|------------|
| 1968-1975 | 5,255,068 | 2,795,562 | 722,442 | 129,500 | 0 | 0 |
| 1976 | 1,489,665 | 514,141 | 134,084 | 385,234 | 0 | 0 |
| 1977 | 579,583 | 3,072,088 | 0 | 0 | 0 | 0 |
| 1978 | 330,183 | 1,438,856 | 0 | 0 | 0 | 0 |
| 1979 | 492,299 | 949,697 | 0 | 0 | 0 | 0 |
| 1980 | 388,329 | 3,926,990 | 0 | 0 | 0 | 0 |
| 1981 | 939,506 | 31,805 | 0 | 0 | 0 | 0 |
| 1982 | 2,936,727 | 0 | 0 | 0 | 0 | 0 |
| 1983 | 3,678,684 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 3,999,326 | 0 | 0 | 0 | 0 | 0 |
| 1985 | 2,768,574 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 1,600,031 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 1,824,927 | 0 | 0 | 0 | 0 | 0 |
| 1988 | 1,075,515 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 885,748 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 704,670 | 0 | 0 | 0 | 0 | 0 |
| 1991 | 289,266 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 376,893 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 200,407 | 0 | 0 | 0 | 537,908 | 0 |
| 1994 | 26,946 | 0 | 0 | 0 | 647,592 | 0 |
| 1995 | 21,535 | 0 | 0 | 0 | 592,223 | 0 |
| 1996 | 1,151,587 | 0 | 0 | 0 | 526,471 | 0 |
| 1997 | 44,103 | 0 | 0 | 0 | 1,150,050 | 0 |
| 1998 | 96,771 | 0 | 0 | 12,000 | 1,289,773 | 0 |
| 1999 | 42,227 | 0 | 0 | 3,000 | 1,154,577 | 0 |
| 2000 | 83,359 | 0 | 0 | 10,070 | 1,816,038 | 0 |
| 2001 | 457,463 | 0 | 0 | 0 | 729,196 | 0 |
| 2002 | 3,185 | 0 | 0 | 0 | 341,756 | 0 |
| 2003 | 24,902 | 0 | 0 | 0 | 288,443 | 0 |
| 2004 | 185,470 | 0 | 0 | 0 | 283,346 | 0 |
| 2005 | 10,445 | 0 | 0 | 0 | 216,934 | 0 |
| 2006 | 29,071 | 0 | 0 | 0 | 281,331 | 0 |
| 2007 | 10,126 | 0 | 0 | 0 | 429,173 | 0 |
| 2008 | 965 | 0 | 0 | 9,679 | 628,018 | 0 |
| 2009 | 217,613 | 0 | 0 | 0 | 507,389 | 0 |
| 2010 | 16,170 | 0 | 0 | 0 | 341,090 | 0 |
| 2011 | 15,307 | 0 | 0 | 0 | 155,123 | 0 |
| 2012 | 2,672 | 0 | 0 | 0 | 134,734 | 0 |
| 2013 | 7,146 | 0 | 0 | 0 | 256,756 | 0 |
| 2014 | 300 | 0 | 0 | 0 | 172,454 | 0 |
| 2015 | 5,935 | 0 | 0 | 0 | 430,741 | 0 |
| 2016 | 5,922 | 0 | 0 | 0 | 56,485 | 0 |
| 2017 | 3,292 | 6,092 | 0 | 0 | 60,108 | 0 |
| 2018 | 0 | 4,695 | 240,054 | 0 | 29,188 | 0 |
| 2019 | 0 | 476 | 0 | 343,188 | 49,421 | 0 |
| Total | \$32,277,913 | \$12,740,402 | \$1,096,580 | \$892,671 | \$13,106,318 | \$0 |

Figures may vary by 1-2%

Table A-12. Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data by FY for the Gulf of Mexico (in nominal dollars)

| Year | Average Cost (\$/Mile) |
|-------------|-------------------------------|
| 1968-1975 | 36.63 |
| 1976 | 47.33 |
| 1977 | 129.23 |
| 1978 | 45.94 |
| 1979 | 42.15 |
| 1980 | 81.62 |
| 1981 | 57.10 |
| 1982 | 102.33 |
| 1983 | 139.93 |
| 1984 | 97.96 |
| 1985 | 88.09 |
| 1986 | 70.75 |
| 1987 | 42.37 |
| 1988 | 19.12 |
| 1989 | 20.54 |
| 1990 | 9.19 |
| 1991 | 8.14 |
| 1992 | 8.05 |
| 1993 | 8.49 |
| 1994 | 6.10 |
| 1995 | 2.63 |
| 1996 | 35.11 |
| 1997 | 1.01 |
| 1998 | 1.07 |
| 1999 | 1.40 |
| 2000 | 1.29 |
| 2001 | 68.61/1.34* |
| 2002 | 2.11** |
| 2003 | 0.99 |
| 2004 | 1.83 |
| 2005 | 0.21 |
| 2006 | 0.17 |
| 2007 | 0.01 |
| 2008 | 0.49 |
| 2009 | 6.19 |
| 2010 | 0.08 |
| 2011 | 0.11 |
| 2012 | 0.06 |
| 2013 | 0.15 |
| 2014 | 1.21 |
| 2015 | 0.04 |
| 2016 | 0.02 |
| 2017 | 0.13 |
| 2018 | --- |
| 2019 | --- |

*The \$68.61 total includes the cost for data in Cuban waters at the market price. The average cost per line mile for data in Federal waters is \$1.34. **The \$2.11 total includes velocity models for depth data.

Note: Summaries reflect average cost per mile for all CDP Information acquired both State and Federal. Average costs reflect only those dollars assigned to the bureauwide G&G budget and do not reflect monies allocated from Regional funds. *Figures may vary by 1-2-%*

Table A-13. Summary of G&G Data Inventory for the Pacific (by FY)

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D* | DST |
|--------------|----------------|---------------|------------------------|-----------------|-------------|------------|
| 1968-1975 | 14,092 | 9,971 | 15,552 | 87,637 | 0 | 1 |
| 1976 | 14,452 | 2,429 | 2,288 | 1,851 | 0 | 0 |
| 1977 | 5,339 | 5,979 | 24,525 | 3,950 | 0 | 0 |
| 1978 | 4,433 | 1,155 | 0 | 0 | 0 | 1 |
| 1979 | 4,393 | 6,578 | 0 | 0 | 0 | 0 |
| 1980 | 3,948 | 4,470 | 0 | 0 | 0 | 0 |
| 1981 | 8,070 | 0 | 0 | 3,662 | 0 | 0 |
| 1982 | 15,563 | 0 | 0 | 13,050 | 0 | 0 |
| 1983 | 12,473 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 8,678 | 0 | 0 | 0 | 0 | 0 |
| 1985 | 8,181 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 2,644 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 18,719 | 0 | 0 | 0 | 0 | 0 |
| 1988 | 6,865 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 4,507 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1991 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 300 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1996 | 184 | 0 | 0 | 0 | 12 | 0 |
| 1997 | 0 | 0 | 0 | 0 | 21 | 0 |
| 1998 | 0 | 0 | 0 | 0 | 8 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 11 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2008 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2019 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 132,841 | 30,582 | 42,365 | 110,150 | 52 | 2 |

* Purchases for 3-D seismic data are measured in OCS blocks; all other purchases in this table are measured in line miles. The DST dates are assigned based upon completion dates and are measured in wells completed.

Table A-14. Number of Permits Issued for G&G Exploration in the Pacific

| Year | A | B | C | D | E | F |
|--------------|------------|------------|-----------|----------|----------|----------|
| 1960-1968 | 162 | --- | --- | --- | --- | --- |
| 1969 | 13 | 10 | 3 | 0 | 0 | 0 |
| 1970 | 3 | 2 | 1 | 0 | 0 | 0 |
| 1971 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1972 | 1 | 1 | 0 | 0 | 0 | 0 |
| 1973 | 30 | 21 | 9 | 0 | 0 | 0 |
| 1974 | 24 | 24 | 0 | 0 | 0 | 0 |
| 1975 | 46 | 42 | 4 | 1 | 0 | 0 |
| 1976 | 24 | 22 | 2 | 0 | 0 | 0 |
| 1977 | 31 | 26 | 5 | 0 | 0 | 0 |
| 1978 | 38 | 30 | 8 | 1 | 0 | 0 |
| 1979 | 24 | 22 | 2 | 0 | 0 | 0 |
| 1980 | 31 | 26 | 5 | 0 | 0 | 0 |
| 1981 | 40 | 38 | 2 | 0 | 0 | 0 |
| 1982 | 62 | 59 | 3 | 0 | 0 | 0 |
| 1983 | 45 | 36 | 9 | 0 | 0 | 0 |
| 1984 | 56 | 42 | 14 | 0 | 0 | 0 |
| 1985 | 33 | 30 | 3 | 0 | 0 | 0 |
| 1986 | 20 | 19 | 1 | 0 | 0 | 0 |
| 1987 | 20 | 16 | 4 | 0 | 0 | 0 |
| 1988 | 33 | 25 | 8 | 0 | 0 | 0 |
| 1989 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 4 | 3 | 1 | 0 | 0 | 0 |
| 1991 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1996 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1997 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1998 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2007 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2008 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2019 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 741 | 495 | 84 | 2 | 0 | 0 |

Dashed lines = Individual breakouts not established

A=Total Number of Geological, Geophysical, and Strategic Minerals Permits

B=Number of Geophysical Permits C=Number of Geological Permits

D=Number of Geological Permits Issued for Deep Stratigraphic Tests

E=Number of Geophysical Permits Issued for 3-D Seismic Data F=Number of Permits Issued for Strategic (Nonenergy) Minerals

Table A-15. Summary of Expenditures by BOEM for G&G Data by FY for the Pacific (in nominal dollars)

| Year | 2-D | HRD | Interpretations | Grav/Mag | 3-D | DST |
|--------------|--------------------|--------------------|------------------------|------------------|-----------------|------------|
| 1968-1975 | 697,733 | 175,000 | 49,617 | 415,913 | 0 | NA |
| 1976 | 486,139 | 57,660 | 20,596 | 17,275 | 0 | 0 |
| 1977 | 188,930 | 752,400 | 1,962 | 11,796 | 0 | 0 |
| 1978 | 137,754 | 23,685 | 0 | 0 | 0 | NA |
| 1979 | 346,612 | 1,588,695 | 0 | 0 | 0 | 0 |
| 1980 | 249,048 | 1,098,954 | 0 | 0 | 0 | 0 |
| 1981 | 689,372 | 0 | 0 | 20,029 | 0 | 0 |
| 1982 | 1,918,891 | 0 | 0 | 69,350 | 0 | 0 |
| 1983 | 1,309,608 | 0 | 0 | 0 | 0 | 0 |
| 1984 | 1,262,030 | 0 | 0 | 0 | 0 | 0 |
| 1985 | 848,777 | 0 | 0 | 0 | 0 | 0 |
| 1986 | 356,700 | 0 | 0 | 0 | 0 | 0 |
| 1987 | 921,422 | 0 | 0 | 0 | 0 | 0 |
| 1988 | 93,748 | 0 | 0 | 0 | 0 | 0 |
| 1989 | 44,273 | 0 | 0 | 0 | 0 | 0 |
| 1990 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1991 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1992 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1994 | 443 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1996 | 1,714 | 0 | 0 | 0 | 10,452 | 0 |
| 1997 | 0 | 0 | 0 | 0 | 13,479 | 0 |
| 1998 | 0 | 0 | 0 | 0 | 3,344 | 0 |
| 1999 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2000 | 0 | 0 | 0 | 0 | 650 | 0 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2007 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2008 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2009 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2010 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2014 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2018 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2019 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | \$9,553,194 | \$3,696,394 | \$72,175 | \$534,363 | \$27,925 | \$0 |

Table A-16. Summary of Average Cost Per Mile by BOEM for 2-D Seismic Data by FY for the Pacific (in nominal dollars)

| Year | Average Cost (\$/Mile) |
|-------------|-------------------------------|
| 1968-1975 | 49.51 |
| 1976 | 33.64 |
| 1977 | 35.39 |
| 1978 | 31.08 |
| 1979 | 78.90 |
| 1980 | 63.08 |
| 1981 | 85.42 |
| 1982 | 123.30 |
| 1983 | 105.00 |
| 1984 | 145.43 |
| 1985 | 103.75 |
| 1986 | 134.91 |
| 1987 | 49.22 |
| 1988 | 13.66 |
| 1989 | 9.82 |
| 1990 | --- |
| 1991 | --- |
| 1992 | --- |
| 1993 | --- |
| 1994 | 1.48 |
| 1995 | --- |
| 1996 | 9.32 |
| 1997 | --- |
| 1998 | --- |
| 1999 | --- |
| 2000 | --- |
| 2001 | --- |
| 2002 | --- |
| 2003 | --- |
| 2004 | --- |
| 2005 | --- |
| 2006 | --- |
| 2007 | --- |
| 2008 | --- |
| 2009 | --- |
| 2010 | --- |
| 2011 | --- |
| 2012 | --- |
| 2013 | --- |
| 2014 | --- |
| 2015 | --- |
| 2016 | --- |
| 2017 | --- |
| 2018 | --- |
| 2019 | --- |

Note: Summaries reflect average cost per mile for all CDP information acquired both State and Federal. Average costs reflect only those dollars assigned to the bureauwide G&G budget and do not reflect monies allocated from Regional funds. Dashed line indicates G&G dollars were not spent on CDP information.



The Department of the Interior Mission

As the Nation's principal conservation agency, the Department of the Interior has responsibility for most of our nationally owned public lands and natural resources. This includes fostering sound use of our land and water resources; protecting our fish, wildlife, and biological diversity; preserving the environmental and cultural values of our national parks and historical places; and providing for the enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to ensure that their development is in the best interests of all our people by encouraging stewardship and citizen participation in their care. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.