



APPENDIX D

MAGNETIC ANOMALY LIST

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-1	Export cable	27	38.52275	-74.88375	510133.630	4263824.010	8.30	16.35	+M	4.5	None
M-2	Export cable	27	38.50453	-74.84109	513855.600	4261807.600	6.32	18.28	D	4.4	None
M-3	Export cable	27	38.48982	-74.80865	516687.810	4260180.670	9.75	23.85	+M	4.6	None
M-4	Export cable	27	38.48896	-74.80734	516801.850	4260086.500	17.42	28.49	D	4.3	None
M-5	Export cable	27	38.44131	-74.75209	521634.930	4254810.380	11.02	20.65	D	4.1	None
M-6	Export cable	28	38.43640	-74.74802	521991.790	4254266.250	30.98	17.39	D	4.0	None
M-7	Export cable	28	38.43665	-74.74826	521970.130	4254293.640	192.46	21.44	D	3.5	None
M-8	Export cable	28	38.48390	-74.80010	517434.780	4259525.700	9.30	17.22	-M	3.8	SSS-23
M-9	Export cable	28	38.48949	-74.80875	516679.170	4260144.250	19.17	35.12	D	3.8	None
M-10	Export cable	28	38.50538	-74.84373	513625.700	4261901.970	59.16	23.05	D	3.9	None
M-11	Export cable	29	38.51089	-74.85683	512482.640	4262511.100	93.40	32.00	-M	3.6	None
M-12	Export cable	321	38.57429	-75.00540	499529.890	4269536.770	33.75	18.16	+M	3.9	None
M-13	Export cable	38	38.53890	-74.92171	506822.670	4265612.450	18.81	12.40	+M	3.7	None
M-14	Export cable	42	38.50605	-74.84487	513526.090	4261976.200	41.12	26.45	D	4.3	None
M-15	Export cable	42	38.48971	-74.80864	516688.990	4260168.760	14.89	29.70	+M	3.0	None
M-16	Export cable	42	38.48353	-74.79925	517508.860	4259484.750	8.68	20.02	D	3.0	None
M-17	Export cable	42	38.48227	-74.79730	517679.460	4259345.050	15.59	29.59	+M	4.2	None
M-18	Export cable	42	38.47883	-74.79202	518140.710	4258965.120	21.64	19.93	D	4.0	None
M-19	Export cable	42	38.45859	-74.76819	520225.290	4256723.950	20.32	33.78	D	3.9	None
M-20	Export cable	42	38.44386	-74.75456	521418.840	4255092.710	33.48	25.73	D	4.5	None
M-21	Export cable	42	38.44268	-74.75351	521510.760	4254962.300	5.76	14.27	-M	4.1	None
M-22	Export cable	42	38.43612	-74.74751	522036.150	4254235.810	24.79	22.29	+M	3.9	None
M-23	Export cable	42	38.42197	-74.73444	523181.310	4252668.260	11.53	57.50	D	2.9	None
M-24	Export cable	43	38.49005	-74.80815	516731.290	4260206.330	6.97	12.41	-M	3.1	None
M-25	Export cable	44	38.47818	-74.80933	516631.340	4258889.190	5.20	16.30	D	3.9	None
M-26	Export cable	44	38.47457	-74.80909	516652.870	4258488.460	11.64	16.30	D	3.4	None
M-27	Export cable	45	38.48845	-74.80874	516680.430	4260029.430	11.73	42.18	D	3.7	None
M-28	Export cable	45	38.48885	-74.80877	516677.260	4260073.620	14.98	37.57	+M	3.5	None
M-29	Export cable	46	38.47537	-74.80983	516588.500	4258577.270	5.44	16.81	D	4.0	None
M-30	Export cable	47	38.47891	-74.80894	516664.630	4258970.810	5.91	18.78	D	3.2	None
M-31	Export cable	47	38.48344	-74.80916	516645.040	4259472.780	7.76	29.22	D	2.2	None
M-32	Export cable	48	38.48291	-74.81083	516498.840	4259413.770	8.81	16.80	+M	3.4	None
M-33	Export cable	49	38.47513	-74.80942	516623.590	4258550.640	4.95	19.09	D	4.3	None
M-34	Export cable	52	38.47665	-74.80846	516707.000	4258720.220	11.00	19.59	D	3.1	None
M-35	Export cable	53	38.48197	-74.81115	516471.180	4259309.980	5.43	16.19	-M	3.2	None
M-36	Export cable	56	38.47856	-74.83879	514061.440	4258926.260	12.56	25.38	-M	4.1	None
M-37	Export cable	56	38.47955	-74.83872	514067.110	4259036.180	6.56	29.17	D	4.1	None
M-38	Export cable	56	38.49393	-74.83729	514189.410	4260632.630	6.93	12.62	D	4.5	None
M-39	Export cable	57	38.47962	-74.83769	514156.960	4259044.230	22.65	54.53	D	4.2	None
M-40	Export cable	58	38.47774	-74.83962	513988.830	4258836.060	39.31	35.27	D	3.6	None
M-41	Export cable	60	38.47689	-74.84047	513915.410	4258741.640	68.94	25.02	D	4.0	SSS-55
M-42	Export cable	62	38.48111	-74.83733	514188.470	4259209.630	32.70	36.18	D	3.4	None
M-43	Export cable	63	38.49919	-74.83786	514138.570	4261216.210	27.20	23.97	D	3.8	None
M-44	Export cable	63	38.48971	-74.83878	514059.800	4260164.130	14.20	13.33	D	3.9	None
M-45	Export cable	63	38.47721	-74.84007	513949.820	4258776.780	14.90	39.14	-M	3.8	None
M-46	Export cable	64	38.47943	-74.83806	514124.950	4259023.250	15.37	15.40	-M	3.4	None
M-47	Export cable	64	38.49389	-74.83662	514247.990	4260627.640	9.85	9.26	D	3.0	None
M-48	Export cable	66	38.47680	-74.84076	513890.200	4258731.260	22.12	21.75	D	3.7	None
M-49	Export cable	67	38.48892	-74.80859	516693.470	4260081.260	13.53	35.42	D	3.5	None
M-50	Export cable	67	38.47585	-74.78870	518431.250	4258635.130	11.63	20.66	+M	3.2	None
M-51	Export cable	67	38.45179	-74.76275	520701.240	4255970.710	56.77	57.33	-M	4.3	SSS-134
M-52	Export cable	67	38.43842	-74.75061	521765.100	4254490.080	6.37	23.50	-M	4.8	None
M-53	Export cable	67	38.43679	-74.74897	521908.140	4254309.320	8.25	25.47	D	4.3	None
M-54	Export cable	68	38.45156	-74.76038	520908.070	4255946.120	185.75	73.12	D	4.1	None
M-55	Export cable	68	38.44983	-74.75887	521040.200	4255753.700	8.89	44.54	+M	3.2	None
M-56	Export cable	68	38.48599	-74.80140	517320.720	4259757.770	12.98	31.66	-M	4.1	None
M-57	Export cable	68	38.49073	-74.80873	516680.650	4260282.660	15.08	37.22	D	3.2	None
M-58	Export cable	71	38.52659	-74.89590	509073.730	4264248.680	19.26	17.22	D	3.6	None
M-59	Export cable	73	38.56688	-74.98678	501151.400	4268714.460	40.55	18.80	D	3.5	None
M-60	Export cable	78	38.59301	-75.05162	495504.370	4271615.150	32.50	18.88	D	1.9	None
M-61	Export cable	79	38.59252	-75.05309	495376.460	4271560.890	7.11	11.98	+M	2.1	None
M-62	Export cable	79	38.59255	-75.05365	495328.100	4271563.960	18.09	17.46	D	2.1	None
M-63	Export cable	86	38.58317	-75.02919	497457.210	4270522.660	78.17	26.37	D	3.9	None
M-64	Export cable	89	38.58792	-75.04015	496502.950	4271050.120	40.20	12.05	+M	1.8	None
M-65	Export cable	90	38.58528	-75.02993	497393.650	4270756.400	12.19	22.39	+M	3.2	None
M-66	Export cable	93	38.58311	-75.02351	497951.930	4270516.050	122.40	12.44	D	2.8	None
M-67	Export cable	96	38.59247	-75.04654	495947.400	4271555.350	29.43	15.37	D	2.3	None
M-68	Export cable	96	38.58813	-75.03562	496898.060	4271073.340	25.78	20.66	D	2.1	None
M-69	Export cable	105	38.57896	-75.01612	498595.840	4270054.920	36.43	23.00	D	2.9	None
M-70	Export cable	106	38.49035	-74.80867	516685.750	4260240.520	15.49	24.67	+M	3.8	None
M-71	Export cable	106	38.48621	-74.80229	517242.970	4259782.120	10.33	20.50	D	2.7	None
M-72	Export cable	106	38.47691	-74.78794	518497.110	4258752.510	15.58	25.43	D	3.6	None
M-73	Export cable	106	38.46292	-74.77127	519955.340	4257204.090	6.57	13.40	D	3.4	None
M-74	Export cable	106	38.46213	-74.77061	520013.020	4257116.790	6.64	12.81	D	2.8	None
M-75	Export cable	106	38.45954	-74.76817	520226.680	4256829.810	25.57	25.03	D	3.5	None
M-76	Export cable	106	38.44747	-74.75700	521204.500	4255492.460	6.18	20.47	-M	3.9	None
M-77	Export cable	106	38.44484	-74.75466	521409.250	4255201.320	14.77	30.50	D	3.4	None
M-78	Export cable	106	38.43042	-74.74138	522572.920	4253604.890	39.85	29.03	D	3.5	None
M-79	Export cable	106	38.42282	-74.73438	523186.080	4252762.540	9.09	9.02	+M	4.1	None
M-80	Export cable	107	38.44458	-74.75478	521399.210	4255172.480	14.40	11.50	+M	2.8	None
M-81	Export cable	107	38.44641	-74.75651	521247.390	4255375.420	28.30	21.04	D	3.3	None
M-82	Export cable	107	38.44998	-74.75980	520959.300	4255770.510	14.16	38.91	D	3.4	None
M-83	Export cable	107	38.45061	-74.76036	520909.970	4255840.440	12.20	19.17	D	3.4	None
M-84	Export cable	107	38.46266	-74.77147	519937.590	4257174.350	6.71	30.77	D	3.8	None
M-85	Export cable	107	38.47075	-74.77909	519270.940	4258071.420	9.23	16.89	D	3.8	None
M-86	Export cable	107	38.48064	-74.79428	517943.570	4259164.760	7.20	19.83	-M	4.0	None
M-87	Export cable	107	38.49007	-74.80869	516684.450	4260209.150	13.95	26.64	+M	3.1	None
M-88	Export cable	108	38.49676	-74.82592	515179.740	4260948.650	6.40	15.12	D	3.8	None
M-89	Export cable	108	38.46750	-74.77800	519366.820	4257710.220	4.98	15.37	+M	2.9	None
M-90	Export cable	108	38.45317	-74.76475	520526.520	4256123.080	53.69	25.06	D	3.1	None
M-91	Export cable	108	38.44289	-74.75532	521352.640	4254984.710	31.61	24.01	D	3.7	None
M-92	Export cable	108	38.42193	-74.73596	523048.710	4252663.420	10.71	32.00	+M	1.5	None
M-93	Export cable	109	38.41837	-74.73328	523283.570	4252268.900	33.64	26.05	-M	4.1	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-94	Export cable	109	38.41835	-74.73280	523325.800	4252266.760	46.37	19.74	-M	3.1	None
M-95	Export cable	110	38.42331	-74.73419	523202.490	4252817.130	7.92	27.49	+M	3.7	None
M-96	Export cable	114	38.43718	-74.74869	521932.980	4254353.250	6.76	19.31	-M	2.7	None
M-97	Export cable	116	38.44549	-74.75357	521504.360	4255273.570	8.70	20.30	-M	3.4	None
M-98	Export cable	124	38.47406	-74.78212	519005.780	4258437.200	10.11	18.36	D	2.9	None
M-99	Export cable	125	38.47476	-74.78866	518434.490	4258514.220	8.03	12.81	D	2.8	None
M-100	Export cable	126	38.47773	-74.79312	518045.390	4258842.910	12.50	23.48	D	3.5	None
M-101	Export cable	127	38.48026	-74.79776	517639.810	4259122.190	14.35	19.19	+M	4.6	None
M-102	Export cable	127	38.48238	-74.79564	517824.320	4259357.850	25.50	18.43	D	3.2	None
M-103	Export cable	128	38.48514	-74.80009	517435.310	4259663.030	11.31	20.07	-M	2.4	None
M-104	Export cable	129	38.48506	-74.80767	516774.190	4259653.180	11.45	25.19	-M	4.1	None
M-105	Export cable	133	38.49142	-74.80853	516698.160	4260358.450	14.43	35.82	D	4.4	None
M-106	Export cable	133	38.48499	-74.79871	517555.820	4259647.040	63.88	29.98	-M	3.8	None
M-107	Export cable	133	38.48314	-74.79579	517811.110	4259442.630	18.76	23.53	+M	3.9	None
M-108	Export cable	133	38.47134	-74.77784	519379.780	4258136.550	8.00	16.83	D	4.0	None
M-109	Export cable	133	38.45822	-74.76561	520450.380	4256684.000	11.31	25.29	D	3.8	None
M-110	Export cable	133	38.45073	-74.75872	521053.560	4255854.230	9.48	29.86	D	3.4	None
M-111	Export cable	133	38.44386	-74.75236	521610.410	4255093.270	10.65	17.87	D	3.0	None
M-112	Export cable	134	38.44534	-74.75793	521123.770	4255255.600	7.61	20.04	D	3.1	None
M-113	Export cable	134	38.44966	-74.76194	520772.590	4255734.540	8.24	16.64	D	3.3	None
M-114	Export cable	134	38.45228	-74.76435	520561.990	4256024.500	4.89	15.47	-M	3.6	None
M-115	Export cable	134	38.45284	-74.76492	520511.500	4256087.180	5.74	35.94	D	3.6	None
M-116	Export cable	134	38.45745	-74.76911	520145.240	4256596.950	16.37	21.07	D	3.7	None
M-117	Export cable	134	38.45796	-74.76961	520101.600	4256654.070	14.58	25.56	D	3.5	None
M-118	Export cable	134	38.45864	-74.77024	520045.790	4256728.870	11.91	20.46	+M	3.2	None
M-119	Export cable	134	38.46052	-74.77193	519898.140	4256937.360	10.76	21.08	D	3.1	None
M-120	Export cable	134	38.47102	-74.78261	518963.350	4258100.650	7.16	25.76	D	3.9	None
M-121	Export cable	134	38.47593	-74.79017	518302.460	4258643.610	7.00	28.92	+M	4.6	None
M-122	Export cable	135	38.48631	-74.80597	516922.160	4259791.960	8.60	38.70	D	2.6	None
M-123	Export cable	136	38.54536	-74.93415	505737.990	4266328.650	12.17	24.42	+M	4.6	None
M-124	Export cable	136	38.54162	-74.92543	506498.570	4265914.680	99.91	27.74	D	5.6	SSS-217
M-125	Export cable	136	38.53030	-74.89892	508810.220	4264660.910	31.23	16.95	D	3.6	None
M-126	Export cable	136	38.52911	-74.89615	509052.050	4264528.340	18.80	14.13	-M	3.5	None
M-127	Export cable	136	38.50521	-74.84018	513934.970	4261883.380	8.05	10.62	+M	2.7	None
M-128	Export cable	136	38.49104	-74.80863	516689.510	4260316.890	13.71	30.52	D	4.2	None
M-129	Export cable	136	38.48364	-74.79740	517670.350	4259498.030	15.02	17.76	-M	3.6	None
M-130	Export cable	136	38.46233	-74.76988	520076.710	4257138.540	19.29	19.75	D	2.2	None
M-131	Export cable	136	38.44088	-74.75023	521797.540	4254763.320	9.52	18.80	+M	3.0	None
M-132	Export cable	136	38.42568	-74.73619	523027.120	4253080.030	19.11	20.60	+M	4.2	None
M-133	Export cable	136	38.41644	-74.73325	523287.100	4252055.230	15.20	18.24	D	3.3	None
M-134	Export cable	137	38.43641	-74.74896	521909.300	4254267.320	62.90	31.98	-M	3.1	None
M-135	Export cable	137	38.43837	-74.75078	521750.210	4254484.830	7.31	26.26	+M	3.7	None
M-136	Export cable	137	38.44352	-74.75547	521339.090	4255054.700	9.70	22.39	D	3.0	None
M-137	Export cable	137	38.44367	-74.75563	521325.380	4255071.370	26.35	13.95	-M	2.8	None
M-138	Export cable	137	38.47554	-74.78846	518452.150	4258600.480	28.38	22.82	+M	2.7	None
M-139	Export cable	137	38.47956	-74.79475	517902.300	4259044.860	10.31	15.50	D	2.1	None
M-140	Export cable	137	38.48331	-74.80047	517402.530	4259460.590	7.98	16.37	D	3.4	None
M-141	Export cable	137	38.48630	-74.80501	517006.360	4259791.210	5.77	25.82	D	4.3	None
M-142	Export cable	137	38.50118	-74.83557	514337.770	4261437.720	9.01	15.61	D	3.5	None
M-143	Export cable	137	38.51456	-74.86688	511605.080	4262917.390	6.21	25.48	D	3.3	None
M-144	Export cable	137	38.51880	-74.87691	510730.370	4263387.030	24.96	19.38	D	3.3	None
M-145	Export cable	137	38.52708	-74.89629	509039.960	4264303.490	19.50	44.99	D	4.0	None
M-146	Export cable	137	38.53650	-74.91827	507122.810	4265346.760	10.98	40.07	D	4.6	None
M-147	Export cable	138	38.55321	-74.95978	503504.940	4267198.700	32.41	18.30	D	3.4	None
M-148	Export cable	138	38.49467	-74.82241	515486.500	4260716.410	6.49	14.86	D	3.0	None
M-149	Export cable	138	38.47734	-74.79298	518057.530	4258798.930	59.56	47.68	D	3.6	None
M-150	Export cable	138	38.47277	-74.78585	518680.150	4258293.700	10.05	24.35	D	2.8	None
M-151	Export cable	142	38.47183	-74.81177	516419.820	4258184.170	30.08	28.62	D	2.5	None
M-152	Export cable	145	38.47010	-74.83639	514272.620	4257988.320	6.76	14.80	D	2.9	None
M-153	Export cable	145	38.47012	-74.83664	514250.500	4257990.070	7.15	14.78	D	3.2	None
M-154	Export cable	151	38.49295	-74.83942	514003.860	4260523.620	13.80	19.62	D	3.8	None
M-155	Export cable	152	38.49727	-74.83678	514233.340	4261003.000	42.26	21.25	D	3.7	None
M-156	Export cable	194	38.59062	-75.05389	495306.520	4271349.800	16.39	12.71	D	2.4	None
M-157	Export cable	195	38.59055	-75.05002	495643.780	4271342.030	18.86	22.12	D	2.8	None
M-158	Export cable	196	38.59090	-75.05379	495315.210	4271380.780	9.88	16.06	D	2.4	None
M-159	Export cable	211	38.59393	-75.05439	495263.660	4271717.680	17.20	19.07	D	2.8	None
M-160	Export cable	217	38.59450	-75.05094	495564.270	4271780.250	121.70	16.69	+M	2.8	None
M-161	Export cable	222	38.50243	-74.83263	514593.810	4261575.890	12.06	15.94	D	3.7	None
M-162	Export cable	222	38.50156	-74.83062	514769.630	4261480.080	4.52	16.65	D	4.1	None
M-163	Export cable	226	38.49149	-74.80851	516699.590	4260366.870	23.46	27.81	D	3.0	None
M-164	Export cable	226	38.49269	-74.81092	516489.060	4260498.710	7.72	36.86	+M	3.1	None
M-165	Export cable	226	38.50962	-74.84940	513130.470	4262371.560	8.91	25.03	D	3.5	None
M-166	Export cable	226	38.50423	-74.83675	514233.790	4261775.400	5.46	14.92	D	3.0	None
M-167	Export cable	227	38.49522	-74.82454	515300.420	4260777.420	6.62	10.98	D	2.7	None
M-168	Export cable	227	38.47710	-74.79288	518066.180	4258772.730	11.73	29.97	D	3.8	None
M-169	Export cable	227	38.47383	-74.78802	518491.080	4258410.500	7.00	26.47	D	4.2	None
M-170	Export cable	227	38.46814	-74.77941	519243.600	4257780.940	16.34	16.90	-M	3.2	None
M-171	Export cable	227	38.44595	-74.75897	521033.330	4255323.110	10.41	28.60	D	3.9	None
M-172	Export cable	227	38.43252	-74.74656	522120.170	4253836.260	49.00	31.92	D	2.9	None
M-173	Export cable	227	38.42718	-74.74168	522547.350	4253244.960	9.26	17.69	D	4.0	None
M-174	Export cable	228	38.44631	-74.75415	521453.110	4255364.860	78.86	74.18	-M	3.3	None
M-175	Export cable	228	38.45685	-74.76393	520596.660	4256531.620	29.71	37.77	D	3.6	None
M-176	Export cable	228	38.46426	-74.77068	520006.150	4257352.130	16.91	22.00	D	3.4	None
M-177	Export cable	228	38.47733	-74.78633	518637.820	4258799.170	7.34	31.71	D	4.3	None
M-178	Export cable	228	38.49048	-74.80663	516863.790	4260254.500	36.72	19.80	D	3.1	None
M-179	Export Cable	1	38.59814	-75.13206	488500.710	4272191.080	8.33	12.10	+M	1.3	None
M-180	Export Cable	1	38.59896	-75.13739	488036.490	4272283.320	31.44	13.04	-M	1.5	None
M-181	Export Cable	1	38.59868	-75.14289	487557.290	4272253.100	53.07	1.72	D	1.2	None
M-182	Export Cable	1	38.59842	-75.14423	487440.190	4272223.650	53.84	9.52	-M	1.2	None
M-183	Export Cable	1	38.59584	-75.15772	486265.410	4271940.050	10.69	4.72	-M	0.9	None
M-184	Export Cable	4	38.59834	-75.13237	488473.360	4272214.240	85.61	4.50	D	1.6	None
M-185	Export Cable	4	38.59821	-75.13164	488536.720	4272199.220	21.68	10.42	+M	1.7	None
M-186	Export Cable	4	38.59616	-75.11910	489628.890	4271970.370	5.81	3.58	+M	1.6	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-187	Export Cable	4	38.59399	-75.10560	490804.310	4271728.560	139.48	3.84	D	1.4	None
M-188	Export Cable	5	38.59603	-75.11387	490084.200	4271954.960	14.79	16.66	-M	1.6	None
M-189	Export Cable	5	38.59537	-75.16457	485669.180	4271888.730	58.36	1.34	D	0.6	None
M-190	Export Cable	5	38.59480	-75.16744	485418.410	4271825.680	217.82	6.02	+M	0.4	None
M-191	Export Cable	5	38.59439	-75.16958	485232.690	4271781.300	128.92	13.84	+M	0.4	None
M-192	Export Cable	5	38.59430	-75.17005	485191.440	4271770.380	42.40	1.50	D	0.4	None
M-193	Export Cable	5	38.59399	-75.17163	485054.000	4271736.330	43.58	9.32	-M	0.5	None
M-194	Export Cable	5	38.59384	-75.17253	484975.280	4271719.770	233.32	1.12	D	0.4	None
M-195	Export Cable	5	38.59733	-75.15421	486571.020	4272105.020	5.33	1.68	D	1.3	None
M-196	Export Cable	5	38.59663	-75.15796	486244.410	4272027.070	3.56	13.94	-M	1.2	None
M-197	Export Cable	5	38.59509	-75.16590	485553.080	4271858.140	9.52	1.06	D	0.5	None
M-198	Export Cable	6	38.58945	-75.17916	484396.970	4271234.590	179.55	7.44	+M	0.9	None
M-199	Export Cable	6	38.58865	-75.18337	484030.200	4271145.820	113.34	11.96	+M	0.9	None
M-200	Export Cable	6	38.58824	-75.18722	483694.540	4271100.940	14.10	7.72	+M	52.0	None
M-201	Export Cable	6	38.58822	-75.18761	483660.590	4271099.330	76.04	10.18	+M	1.1	S-464
M-202	Export Cable	6	38.58820	-75.18954	483492.660	4271097.020	67.63	15.56	+M	1.0	None
M-203	Export Cable	6	38.58816	-75.18980	483470.350	4271092.940	11.62	8.86	-M	0.9	None
M-204	Export Cable	6	38.58815	-75.19024	483431.730	4271091.670	433.79	6.46	+M	0.9	S-460
M-205	Export Cable	6	38.58815	-75.19060	483400.670	4271091.460	40.20	8.46	-M	0.3	S-457
M-206	Export Cable	6	38.58815	-75.19066	483394.910	4271091.630	12.79	7.32	+M	0.3	None
M-207	Export Cable	6	38.58814	-75.19086	483377.630	4271090.550	67.08	7.62	-M	0.3	None
M-208	Export Cable	6	38.58814	-75.19094	483370.590	4271090.810	102.70	7.80	-M	0.3	None
M-209	Export Cable	6	38.58821	-75.19130	483339.460	4271098.770	352.29	6.82	D	0.4	None
M-210	Export Cable	7	38.59020	-75.19014	483441.240	4271319.330	21.69	1.94	D	1.5	None
M-211	Export Cable	7	38.59066	-75.18372	484000.440	4271368.980	18.09	6.40	+M	1.3	None
M-212	Export Cable	7	38.59071	-75.18350	484018.950	4271374.260	147.67	3.18	D	1.2	None
M-213	Export Cable	7	38.59163	-75.17874	484433.920	4271475.970	46.80	6.70	+M	0.9	None
M-214	Export Cable	10	38.59209	-75.17629	484647.600	4271526.710	270.49	2.20	D	52.0	None
M-215	Export Cable	10	38.59265	-75.17344	484895.670	4271588.200	283.08	9.42	+M	1.3	S-342
M-216	Export Cable	10	38.59284	-75.17246	484981.570	4271609.310	15.22	4.30	D	52.0	None
M-217	Export Cable	10	38.59288	-75.17218	485005.300	4271613.730	24.29	13.04	-M	1.4	None
M-218	Export Cable	10	38.59303	-75.17142	485071.900	4271630.480	170.54	4.38	D	30.6	None
M-219	Export Cable	10	38.59320	-75.17054	485148.820	4271649.180	266.16	7.90	D	0.9	None
M-220	Export Cable	10	38.59374	-75.16783	485384.620	4271707.820	56.84	7.26	+M	52.0	None
M-221	Export Cable	10	38.59521	-75.16009	486058.730	4271870.040	90.61	18.70	+M	52.0	None
M-222	Export Cable	10	38.59843	-75.13488	488254.640	4272223.680	5.83	2.74	D	2.3	None
M-223	Export Cable	10	38.59829	-75.13395	488335.380	4272208.690	9.57	2.86	D	2.4	None
M-224	Export Cable	10	38.59670	-75.12407	489195.550	4272030.390	21.10	15.70	-M	2.0	None
M-225	Export Cable	10	38.59591	-75.11921	489618.730	4271942.750	10.22	1.98	D	2.4	None
M-226	Export Cable	10	38.59583	-75.11869	489664.320	4271933.450	8.17	4.54	D	2.5	None
M-227	Export Cable	10	38.59386	-75.10643	490731.510	4271713.310	7.57	12.14	-M	27.4	None
M-228	Export Cable	11	38.59617	-75.16104	485976.390	4271976.420	41.93	1.78	D	1.2	None
M-229	Export Cable	11	38.59757	-75.15377	486609.850	4272131.110	5.18	11.84	-M	1.5	None
M-230	Export Cable	11	38.59548	-75.16472	485656.080	4271900.430	8.18	9.26	-M	18.9	None
M-231	Export Cable	11	38.59530	-75.16554	485583.980	4271881.420	76.70	1.80	D	0.9	None
M-232	Export Cable	11	38.59497	-75.16729	485431.910	4271844.950	63.76	3.76	D	0.9	None
M-233	Export Cable	11	38.59432	-75.17076	485129.220	4271772.970	74.70	8.52	+M	0.9	None
M-234	Export Cable	11	38.59424	-75.17109	485101.230	4271764.740	227.85	13.16	+M	40.9	None
M-235	Export Cable	12	38.59389	-75.17137	485076.300	4271725.370	88.22	14.84	+M	0.7	None
M-236	Export Cable	12	38.59416	-75.16993	485201.380	4271755.560	110.47	14.36	-M	0.8	S-283
M-237	Export Cable	12	38.59466	-75.16745	485417.570	4271810.360	30.33	21.08	+M	0.7	None
M-238	Export Cable	12	38.59493	-75.16602	485542.490	4271839.870	127.56	7.58	+M	25.6	None
M-239	Export Cable	12	38.59505	-75.16537	485599.180	4271853.850	20.02	9.68	D	0.7	None
M-240	Export Cable	12	38.59519	-75.16452	485673.050	4271869.250	4.98	13.34	+M	0.8	None
M-241	Export Cable	12	38.59548	-75.16308	485798.580	4271900.850	13.88	2.08	D	0.9	None
M-242	Export Cable	12	38.59681	-75.15624	486394.730	4272047.540	14.65	8.36	-M	1.2	None
M-243	Export Cable	12	38.59688	-75.15587	486426.560	4272054.630	11.12	14.84	-M	1.3	None
M-244	Export Cable	12	38.59780	-75.12582	489043.230	4272152.640	9.21	20.56	-M	52.0	S-281
M-245	Export Cable	13	38.59745	-75.12436	489170.970	4272113.790	15.62	3.90	D	1.9	None
M-246	Export Cable	13	38.59917	-75.13503	488241.540	4272305.720	21.53	11.24	+M	1.9	None
M-247	Export Cable	14	38.59781	-75.15038	486905.280	4272157.840	7.75	7.78	-M	1.5	None
M-248	Export Cable	14	38.59469	-75.16654	485497.550	4271813.350	15.77	1.76	D	0.8	None
M-249	Export Cable	14	38.59454	-75.16742	485420.680	4271797.250	33.17	11.72	D	50.2	None
M-250	Export Cable	14	38.59444	-75.16785	485382.600	4271785.590	239.47	1.82	D	0.7	None
M-251	Export Cable	14	38.59417	-75.16921	485264.400	4271756.720	128.27	1.48	D	4.9	None
M-252	Export Cable	14	38.59413	-75.16946	485242.850	4271751.770	116.09	1.82	D	0.9	None
M-253	Export Cable	14	38.59403	-75.17001	485195.180	4271741.050	19.75	6.46	D	0.9	None
M-254	Export Cable	14	38.59371	-75.17170	485047.830	4271705.600	34.66	2.06	D	0.8	None
M-255	Export Cable	15	38.59395	-75.16961	485229.210	4271731.480	127.96	2.52	D	0.8	None
M-256	Export Cable	15	38.59439	-75.16747	485416.170	4271779.870	32.68	30.72	+M	0.6	None
M-257	Export Cable	15	38.59486	-75.16492	485637.840	4271831.940	27.53	12.18	+M	0.7	None
M-258	Export Cable	15	38.59563	-75.16081	485996.240	4271917.100	863.51	19.48	+M	1.0	S-296
M-259	Export Cable	15	38.59637	-75.15696	486331.600	4271998.270	7.46	5.68	D	1.0	None
M-260	Export Cable	15	38.59708	-75.15332	486648.850	4272076.880	113.85	21.86	+M	1.1	None
M-261	Export Cable	15	38.59933	-75.13817	487968.190	4272324.210	54.71	4.14	D	1.6	None
M-262	Export Cable	15	38.59786	-75.12790	488862.200	4272160.060	8.34	2.44	D	1.4	None
M-263	Export Cable	15	38.59767	-75.12663	488972.730	4272138.780	14.07	2.82	D	1.3	None
M-264	Export Cable	15	38.59657	-75.11987	489561.540	4272016.140	28.96	10.44	+M	1.4	None
M-265	Export Cable	16	38.59581	-75.11602	489896.330	4271931.580	91.79	4.06	D	1.4	None
M-266	Export Cable	16	38.59625	-75.11868	489664.930	4271980.110	7.10	2.26	D	1.5	None
M-267	Export Cable	16	38.59672	-75.12161	489410.170	4272032.880	4.56	8.00	+M	1.5	None
M-268	Export Cable	16	38.59800	-75.12945	488727.260	4272175.570	21.15	2.64	D	2.0	None
M-269	Export Cable	16	38.59686	-75.15375	486611.300	4272052.240	37.10	1.80	D	1.2	None
M-270	Export Cable	16	38.59628	-75.15677	486348.550	4271988.440	6.79	2.28	D	1.1	None
M-271	Export Cable	16	38.59603	-75.15811	486231.400	4271961.250	17.51	2.64	D	1.3	None
M-272	Export Cable	16	38.59597	-75.15843	486203.690	4271954.660	59.06	8.72	+M	0.3	None
M-273	Export Cable	16	38.59329	-75.17233	484992.490	4271659.570	377.78	1.74	D	0.6	None
M-274	Export Cable	18	38.59857	-75.14193	487641.130	4272240.440	20.19	12.68	-M	1.2	None
M-275	Export Cable	20	38.59565	-75.12007	489543.910	4271913.840	5.36	2.36	D	1.0	None
M-276	Export Cable	20	38.59598	-75.12220	489358.630	4271950.540	35.50	11.00	+M	1.0	None
M-277	Export Cable	20	38.59665	-75.12641	488991.880	4272025.600	29.49	7.96	-M	0.9	None
M-278	Export Cable	20	38.59779	-75.13328	488393.710	4272152.520	277.91	3.02	D	1.2	None
M-279	Export Cable	20	38.59838	-75.13908	487888.650	4272218.720	32.60	8.28	-M	1.4	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-280	Export Cable	20	38.59529	-75.15768	486269.040	4271878.630	311.08	14.48	+M	0.7	None
M-281	Export Cable	20	38.59464	-75.16098	485981.620	4271806.720	17.27	16.00	+M	0.2	None
M-282	Export Cable	20	38.59476	-75.16023	486046.660	4271820.460	111.08	2.18	D	0.7	None
M-283	Export Cable	23	38.59719	-75.12013	489539.460	4272084.320	19.50	2.56	D	1.0	None
M-284	Export Cable	23	38.59890	-75.13081	488609.360	4272275.650	152.56	1.74	D	1.1	None
M-285	Export Cable	24	38.59820	-75.15124	486829.780	4272200.830	7.46	1.26	D	0.7	None
M-286	Export Cable	24	38.59794	-75.15260	486711.250	4272172.280	6.41	12.34	-M	0.7	None
M-287	Export Cable	24	38.59785	-75.15304	486672.980	4272162.250	38.97	1.26	D	52.0	None
M-288	Export Cable	24	38.59770	-75.15382	486605.100	4272145.140	8.58	1.28	D	52.0	None
M-289	Export Cable	24	38.59750	-75.15486	486514.430	4272124.040	7.38	18.08	-M	52.0	None
M-290	Export Cable	24	38.59708	-75.15712	486318.120	4272077.070	210.26	1.84	D	36.9	None
M-291	Export Cable	24	38.59689	-75.15808	486233.910	4272056.310	5.54	1.54	D	0.4	None
M-292	Export Cable	24	38.59673	-75.15890	486163.140	4272038.650	99.05	9.12	-M	0.6	None
M-293	Export Cable	24	38.59668	-75.15916	486139.780	4272033.090	8.54	0.76	D	0.5	None
M-294	Export Cable	25	38.59672	-75.15969	486094.300	4272037.720	176.86	15.32	-M	0.3	None
M-295	Export Cable	25	38.59726	-75.15684	486342.600	4272096.860	127.38	6.50	+M	0.3	None
M-296	Export Cable	25	38.59788	-75.15363	486621.630	4272165.720	13.27	4.86	+M	0.5	None
M-297	Export Cable	25	38.59983	-75.14341	487512.570	4272380.050	962.51	2.84	D	0.8	None
M-298	Export Cable	26	38.59924	-75.14734	487170.110	4272315.990	9.84	1.34	D	0.8	None
M-299	Export Cable	26	38.59879	-75.14963	486970.370	4272266.290	65.35	1.56	D	0.7	None
M-300	Export Cable	26	38.59874	-75.14992	486945.070	4272260.600	39.30	1.10	D	0.7	None
M-301	Export Cable	26	38.59835	-75.15194	486768.930	4272218.020	48.20	1.84	D	0.6	None
M-302	Export Cable	26	38.59790	-75.15432	486561.830	4272168.120	28.28	8.70	+M	52.0	None
M-303	Export Cable	26	38.59750	-75.15634	486385.900	4272124.210	42.56	1.62	D	0.6	None
M-304	Export Cable	26	38.59723	-75.15777	486261.370	4272093.990	6.29	4.38	+M	52.0	None
M-305	Export Cable	26	38.59680	-75.16005	486062.880	4272046.740	45.26	10.98	+M	0.6	None
M-306	Export Cable	27	38.59667	-75.16137	485947.560	4272032.500	63.42	19.78	-M	0.3	None
M-307	Export Cable	27	38.59692	-75.16008	486060.330	4272060.250	75.62	1.68	D	0.5	S-316
M-308	Export Cable	27	38.59816	-75.15357	486627.020	4272196.940	175.51	1.44	D	0.7	None
M-309	Export Cable	27	38.59833	-75.12372	489226.550	4272212.080	15.16	4.46	D	1.3	None
M-310	Export Cable	28	38.59628	-75.12060	489498.100	4271983.860	13.21	9.38	D	1.7	None
M-311	Export Cable	28	38.59602	-75.11895	489641.540	4271954.170	25.47	2.48	D	1.6	None
M-312	Export Cable	28	38.59272	-75.09874	491400.890	4271586.320	13.71	7.62	-M	40.1	None
M-313	Export Cable	28	38.59424	-75.08528	492573.420	4271753.510	8.10	12.74	-M	1.9	None
M-314	Export Cable	29	38.59319	-75.08737	492391.500	4271638.060	15.38	2.02	D	1.2	None
M-315	Export Cable	29	38.59202	-75.09501	491726.010	4271508.650	133.34	1.34	D	0.7	None
M-316	Export Cable	29	38.59201	-75.09614	491627.870	4271507.870	19.83	1.48	D	0.5	None
M-317	Export Cable	29	38.59399	-75.10812	490584.140	4271727.760	6.89	4.82	+M	1.7	None
M-318	Export Cable	29	38.59562	-75.11807	489718.490	4271910.530	81.83	2.58	D	1.6	None
M-319	Export Cable	29	38.59639	-75.12282	489304.770	4271996.210	107.35	20.84	+M	52.0	None
M-320	Export Cable	29	38.59675	-75.12518	489099.550	4272036.900	61.70	3.16	D	1.6	None
M-321	Export Cable	30	38.59860	-75.12809	488846.480	4272242.410	78.24	2.82	D	1.8	S-312
M-322	Export Cable	30	38.59589	-75.11127	490310.150	4271939.820	38.48	10.88	+M	1.7	None
M-323	Export Cable	30	38.59410	-75.10041	491255.580	4271739.420	7.30	1.66	D	0.8	None
M-324	Export Cable	30	38.59447	-75.08790	492345.000	4271779.750	385.51	1.84	D	0.9	None
M-325	Export Cable	31	38.59280	-75.09836	491433.990	4271594.940	15.38	2.44	D	0.4	None
M-326	Export Cable	32	38.59203	-75.09304	491897.660	4271509.640	25.61	3.72	D	7.8	None
M-327	Export Cable	32	38.59311	-75.08731	492396.950	4271628.660	5.34	1.42	D	29.5	None
M-328	Export Cable	33	38.59390	-75.08707	492417.200	4271716.690	72.13	1.76	D	1.6	None
M-329	Export Cable	33	38.59293	-75.08998	492164.410	4271608.630	10.73	10.58	-M	27.2	None
M-330	Export Cable	33	38.59250	-75.09627	491616.150	4271562.230	7.06	1.14	D	0.2	None
M-331	Export Cable	35	38.59566	-75.10901	490507.470	4271913.620	71.96	2.74	D	1.3	None
M-332	Export Cable	35	38.59658	-75.11457	490022.950	4272016.690	7.81	12.14	-M	1.4	None
M-333	Export Cable	36	38.59851	-75.12568	489056.290	4272231.690	27.12	2.10	D	1.3	None
M-334	Export Cable	37	38.59662	-75.11317	490145.270	4272020.320	7.51	2.54	D	1.3	None
M-335	Export Cable	37	38.59552	-75.10633	490740.430	4271897.820	9.68	9.82	-M	1.2	None
M-336	Export Cable	38	38.59434	-75.10440	490908.140	4271767.170	83.96	1.68	D	0.8	None
M-337	Export Cable	39	38.59514	-75.10984	490435.190	4271856.310	133.30	1.58	D	1.1	None
M-338	Export Cable	39	38.59677	-75.12005	489545.790	4272037.570	23.48	6.78	+M	1.1	None
M-339	Export Cable	40	38.59556	-75.11022	490402.130	4271902.480	21.55	1.46	D	1.0	None
M-340	Export Cable	41	38.59551	-75.15927	486130.390	4271903.630	21.71	3.78	D	1.2	None
M-341	Export Cable	41	38.59432	-75.16536	485600.180	4271771.980	113.71	1.86	D	0.9	None
M-342	Export Cable	41	38.59424	-75.16581	485560.870	4271763.270	221.50	18.02	+M	0.8	None
M-343	Export Cable	41	38.59306	-75.17210	485012.870	4271634.020	72.84	1.86	D	1.0	None
M-344	Export Cable	41	38.59257	-75.17468	484787.810	4271579.630	26.51	12.88	-M	0.8	None
M-345	Export Cable	41	38.59251	-75.17506	484754.550	4271572.620	33.93	11.86	-M	0.9	S-493
M-346	Export Cable	41	38.59239	-75.17557	484710.230	4271559.970	25.54	9.04	+M	0.8	S-548
M-347	Export Cable	41	38.59174	-75.17896	484415.080	4271487.770	34.04	3.00	D	0.7	S-287
M-348	Export Cable	41	38.59153	-75.18001	484323.770	4271465.200	276.55	30.06	-M	0.8	None
M-349	Export Cable	41	38.59138	-75.18074	484259.780	4271448.840	42.45	2.22	D	0.7	None
M-350	Export Cable	41	38.59088	-75.20037	482549.920	4271396.850	16.63	1.02	D	0.9	None
M-351	Export Cable	41	38.59098	-75.20101	482494.250	4271408.160	46.49	26.78	-M	0.9	None
M-352	Export Cable	41	38.59120	-75.20219	482392.150	4271432.630	53.42	1.86	D	0.7	None
M-353	Export Cable	41	38.59128	-75.20271	482346.470	4271441.940	35.29	1.72	D	0.7	None
M-354	Export Cable	41	38.59110	-75.20146	482454.990	4271420.770	6.33	12.06	-M	0.6	None
M-355	Export Cable	41	38.59158	-75.20552	482101.430	4271475.730	52.53	7.92	D	1.0	None
M-356	Export Cable	41	38.59163	-75.20643	482022.660	4271480.560	73.62	2.60	D	1.1	None
M-357	Export Cable	41	38.59167	-75.20668	482001.080	4271485.240	56.09	3.60	D	1.2	None
M-358	Export Cable	41	38.59164	-75.20718	481957.070	4271482.330	27.32	2.24	D	1.2	None
M-359	Export Cable	41	38.59155	-75.20741	481937.360	4271472.630	24.10	1.50	D	1.2	None
M-360	Export Cable	41	38.59149	-75.20772	481910.570	4271465.360	12.10	13.58	+M	1.2	None
M-361	Export Cable	41	38.59143	-75.20804	481882.720	4271458.740	180.17	2.20	D	1.2	None
M-362	Export Cable	41	38.59006	-75.21215	481523.730	4271308.330	19.68	15.12	+M	2.4	None
M-363	Export Cable	41	38.59013	-75.21497	481278.280	4271316.000	23.54	9.80	+M	1.4	None
M-364	Export Cable	41	38.58922	-75.22117	480738.380	4271216.590	56.85	2.68	D	1.8	None
M-365	Export Cable	41	38.58833	-75.22479	480423.150	4271118.670	32.13	18.28	+M	2.1	None
M-366	Export Cable	41	38.58827	-75.22567	480346.550	4271111.670	44.76	3.58	D	1.8	None
M-367	Export Cable	42	38.58805	-75.22880	480073.760	4271088.300	12.62	9.54	+M	3.1	S-354
M-368	Export Cable	42	38.58838	-75.22580	480334.890	4271124.260	26.68	2.40	D	1.6	None
M-369	Export Cable	42	38.58842	-75.22524	480383.480	4271129.000	15.53	8.66	+M	1.6	None
M-370	Export Cable	42	38.59043	-75.21747	481060.630	4271349.590	46.43	2.36	D	1.3	None
M-371	Export Cable	42	38.59041	-75.21648	481146.780	4271347.900	10.75	11.50	-M	1.3	None
M-372	Export Cable	42	38.59025	-75.21456	481314.610	4271329.110	34.35	4.34	D	1.7	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-373	Export Cable	42	38.59009	-75.21264	481481.220	4271311.140	43.49	24.54	+M	2.8	None
M-374	Export Cable	42	38.59166	-75.20778	481904.910	4271484.440	9.27	3.48	D	1.5	None
M-375	Export Cable	42	38.59174	-75.20729	481948.150	4271493.670	50.95	18.86	+M	1.6	None
M-376	Export Cable	42	38.59160	-75.20463	482179.490	4271477.820	107.03	2.98	D	1.2	None
M-377	Export Cable	42	38.59153	-75.20382	482250.230	4271469.110	84.18	18.20	+M	1.3	None
M-378	Export Cable	42	38.59136	-75.20276	482342.120	4271450.730	38.96	2.04	D	1.0	None
M-379	Export Cable	42	38.59128	-75.20195	482413.050	4271441.290	56.75	2.24	D	0.9	None
M-380	Export Cable	42	38.59119	-75.20152	482449.970	4271431.260	48.98	3.22	D	0.9	None
M-381	Export Cable	42	38.59037	-75.19358	483141.210	4271339.210	41.32	2.96	D	1.8	None
M-382	Export Cable	42	38.59043	-75.19111	483356.670	4271344.990	79.14	2.94	D	1.7	None
M-383	Export Cable	42	38.59050	-75.18963	483485.500	4271352.710	52.62	21.22	+M	1.6	None
M-384	Export Cable	42	38.59054	-75.18725	483692.400	4271356.490	18.44	11.88	+M	1.8	None
M-385	Export Cable	42	38.59099	-75.18353	484016.560	4271405.800	100.05	5.84	D	1.2	None
M-386	Export Cable	42	38.59112	-75.18286	484075.060	4271419.670	19.18	19.24	-M	1.2	None
M-387	Export Cable	42	38.59127	-75.18210	484141.730	4271436.210	24.92	3.96	D	1.1	None
M-388	Export Cable	42	38.59207	-75.17809	484490.910	4271524.200	559.06	1.98	D	0.9	None
M-389	Export Cable	42	38.59212	-75.17769	484525.610	4271530.300	24.58	5.92	+M	1.0	None
M-390	Export Cable	42	38.59236	-75.17641	484637.260	4271557.050	42.28	9.38	+M	0.9	None
M-391	Export Cable	42	38.59242	-75.17606	484667.440	4271563.040	33.95	3.36	D	1.0	None
M-392	Export Cable	42	38.59272	-75.17466	484789.500	4271595.760	61.72	2.78	D	1.1	S-497
M-393	Export Cable	42	38.59314	-75.17232	484993.200	4271643.010	86.71	7.86	+M	1.2	None
M-394	Export Cable	43	38.59363	-75.16764	485400.750	4271696.440	88.70	11.70	+M	1.2	None
M-395	Export Cable	43	38.59313	-75.17026	485172.920	4271641.550	471.28	13.54	+M	1.1	S-347
M-396	Export Cable	43	38.59150	-75.17867	484440.420	4271461.160	43.26	5.78	+M	1.0	None
M-397	Export Cable	43	38.59143	-75.17904	484408.130	4271453.620	70.03	5.36	+M	1.0	None
M-398	Export Cable	43	38.59137	-75.17931	484384.790	4271447.590	177.41	7.94	+M	1.0	S-288
M-399	Export Cable	43	38.59127	-75.17984	484337.800	4271436.700	68.92	15.36	+M	1.0	None
M-400	Export Cable	43	38.58999	-75.19223	483258.740	4271296.750	68.16	10.08	+M	1.7	None
M-401	Export Cable	43	38.59017	-75.18746	483674.280	4271315.780	55.13	13.02	D	1.7	None
M-402	Export Cable	43	38.59001	-75.19040	483418.510	4271298.120	22.12	3.42	D	1.6	None
M-403	Export Cable	43	38.58990	-75.19406	483099.510	4271286.530	188.85	2.22	D	1.8	None
M-404	Export Cable	43	38.59048	-75.19932	482641.230	4271352.280	38.75	3.44	D	1.5	None
M-405	Export Cable	43	38.59077	-75.20131	482468.260	4271384.100	221.61	13.52	+M	1.2	None
M-406	Export Cable	43	38.59079	-75.20148	482453.140	4271387.260	39.87	1.82	D	1.2	None
M-407	Export Cable	43	38.59089	-75.20200	482407.790	4271397.890	15.07	12.16	-M	1.2	None
M-408	Export Cable	43	38.59119	-75.20418	482218.240	4271432.130	31.52	6.40	-M	1.2	None
M-409	Export Cable	43	38.59121	-75.20428	482209.470	4271433.840	62.68	2.14	D	1.3	None
M-410	Export Cable	43	38.59126	-75.20463	482179.050	4271439.820	42.36	3.46	D	1.3	None
M-411	Export Cable	43	38.59132	-75.20573	482083.840	4271446.520	16.71	9.52	+M	1.2	None
M-412	Export Cable	43	38.59137	-75.20625	482038.270	4271452.320	71.31	3.58	D	1.3	None
M-413	Export Cable	44	38.59150	-75.20633	482031.340	4271466.310	17.02	7.46	D	1.1	None
M-414	Export Cable	44	38.59148	-75.20587	482071.470	4271464.450	30.39	2.92	D	1.0	None
M-415	Export Cable	44	38.59142	-75.20526	482124.040	4271457.670	111.47	2.68	D	1.1	None
M-416	Export Cable	44	38.59137	-75.20457	482184.190	4271451.330	48.06	3.90	D	1.1	None
M-417	Export Cable	44	38.59114	-75.20315	482308.310	4271426.020	8.58	2.10	D	1.1	None
M-418	Export Cable	44	38.59087	-75.20103	482492.960	4271395.280	121.94	1.92	D	1.0	S-429
M-419	Export Cable	44	38.59004	-75.19536	482986.510	4271302.260	27.27	3.32	D	2.0	None
M-420	Export Cable	45	38.59121	-75.20624	482038.700	4271434.920	19.32	2.74	D	1.0	None
M-421	Export Cable	45	38.59111	-75.20489	482156.280	4271423.030	11.25	4.28	D	1.0	None
M-422	Export Cable	45	38.59109	-75.20442	482197.260	4271420.200	18.63	20.52	-M	1.0	None
M-423	Export Cable	45	38.59072	-75.20209	482400.470	4271379.560	15.49	12.68	+M	1.2	None
M-424	Export Cable	45	38.59068	-75.20177	482427.820	4271374.690	8.12	13.88	-M	1.1	None
M-425	Export Cable	45	38.59039	-75.19978	482601.560	4271342.010	83.11	12.48	+M	1.3	None
M-426	Export Cable	45	38.59036	-75.19957	482619.780	4271338.980	40.28	4.54	D	1.3	None
M-427	Export Cable	45	38.59029	-75.19892	482676.530	4271330.730	9.71	9.70	+M	1.5	None
M-428	Export Cable	45	38.58999	-75.19706	482838.200	4271297.180	49.39	13.50	+M	2.0	None
M-429	Export Cable	45	38.58991	-75.19134	483336.120	4271287.820	39.86	9.34	+M	1.4	None
M-430	Export Cable	45	38.59097	-75.18086	484249.340	4271403.310	114.90	6.40	+M	0.8	None
M-431	Export Cable	45	38.59105	-75.18048	484282.350	4271412.110	23.35	6.08	+M	1.0	None
M-432	Export Cable	45	38.59102	-75.18063	484269.070	4271409.030	10.14	1.60	D	0.8	None
M-433	Export Cable	45	38.59179	-75.17680	484603.280	4271493.670	408.14	1.66	D	0.8	None
M-434	Export Cable	45	38.59187	-75.17648	484631.160	4271501.950	21.66	2.06	D	0.8	None
M-435	Export Cable	45	38.59199	-75.17538	484726.500	4271515.930	122.94	2.12	D	0.9	None
M-436	Export Cable	45	38.59269	-75.17182	485037.220	4271592.030	46.18	7.66	D	1.0	None
M-437	Export Cable	46	38.59228	-75.17323	484913.960	4271547.610	116.33	2.46	D	1.1	None
M-438	Export Cable	46	38.59212	-75.17399	484847.480	4271530.110	79.15	13.88	+M	1.0	None
M-439	Export Cable	46	38.59202	-75.17453	484800.960	4271518.230	9.00	7.08	+M	1.0	None
M-440	Export Cable	46	38.59158	-75.17695	484590.230	4271469.740	65.80	17.58	-M	1.0	S-349
M-441	Export Cable	46	38.59120	-75.17876	484432.140	4271427.800	501.59	11.80	+M	0.9	None
M-442	Export Cable	46	38.59110	-75.17938	484378.240	4271416.940	102.70	2.12	D	0.8	None
M-443	Export Cable	46	38.59048	-75.18253	484104.170	4271349.250	47.88	13.50	-M	1.1	None
M-444	Export Cable	46	38.59044	-75.18276	484083.620	4271344.410	101.15	2.48	D	1.1	None
M-445	Export Cable	46	38.58996	-75.18513	483877.340	4271292.320	24.61	12.60	-M	1.2	None
M-446	Export Cable	46	38.58990	-75.18598	483803.000	4271285.630	178.78	10.52	+M	1.3	None
M-447	Export Cable	46	38.58991	-75.18630	483775.070	4271286.310	18.74	11.56	+M	16.6	None
M-448	Export Cable	46	38.58983	-75.18672	483738.680	4271277.150	10.05	3.32	D	1.2	None
M-449	Export Cable	46	38.58984	-75.18709	483706.260	4271278.360	13.56	10.80	+M	1.2	None
M-450	Export Cable	46	38.58981	-75.19094	483371.460	4271275.850	55.33	7.96	+M	1.5	None
M-451	Export Cable	46	38.58968	-75.19373	483127.780	4271262.380	30.66	13.28	+M	1.6	None
M-452	Export Cable	46	38.58967	-75.19403	483102.250	4271260.720	8.31	15.20	-M	1.6	None
M-453	Export Cable	46	38.58965	-75.19517	483002.930	4271259.570	9.91	12.32	+M	1.5	None
M-454	Export Cable	46	38.58979	-75.19634	482900.850	4271275.420	16.10	11.88	+M	1.6	None
M-455	Export Cable	46	38.59044	-75.20095	482499.180	4271348.120	23.47	10.10	+M	1.2	None
M-456	Export Cable	46	38.59049	-75.20121	482477.120	4271353.620	60.03	2.80	D	1.2	None
M-457	Export Cable	46	38.59052	-75.20134	482465.740	4271357.090	64.59	2.66	D	1.2	None
M-458	Export Cable	46	38.59061	-75.20217	482393.410	4271367.010	92.58	14.48	+M	1.2	None
M-459	Export Cable	46	38.59063	-75.20246	482368.110	4271369.560	73.55	2.84	D	1.1	None
M-460	Export Cable	46	38.59109	-75.20610	482051.170	4271421.100	349.89	2.60	D	0.9	None
M-461	Export Cable	46	38.59095	-75.20445	482195.020	4271405.580	5.85	11.04	-M	1.1	None
M-462	Export Cable	46	38.59104	-75.20560	482094.320	4271415.950	6.67	13.86	-M	0.8	None
M-463	Export Cable	46	38.59107	-75.20652	482014.910	4271418.660	382.79	1.76	D	0.7	None
M-464	Export Cable	47	38.59036	-75.20135	482464.840	4271338.950	25.10	2.94	D	1.0	None
M-465	Export Cable	47	38.59013	-75.19971	482607.420	4271312.950	48.88	10.92	D	0.9	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-466	Export Cable	47	38.58982	-75.19763	482788.400	4271279.070	17.62	9.80	+M	52.0	None
M-467	Export Cable	47	38.58947	-75.19500	483017.510	4271239.640	117.45	8.80	+M	1.1	None
M-468	Export Cable	47	38.58956	-75.19345	483152.950	4271248.870	8.68	2.08	D	1.1	None
M-469	Export Cable	47	38.58957	-75.19299	483192.270	4271250.440	21.11	2.42	D	1.3	None
M-470	Export Cable	47	38.58960	-75.19196	483282.510	4271252.760	5.26	7.62	-M	1.3	None
M-471	Export Cable	47	38.59028	-75.18288	484073.510	4271326.900	68.41	12.12	+M	0.8	None
M-472	Export Cable	47	38.59072	-75.18042	484287.870	4271375.690	65.19	1.28	D	0.8	None
M-473	Export Cable	47	38.59086	-75.17980	484341.210	4271390.440	38.74	13.44	-M	0.6	None
M-474	Export Cable	47	38.59099	-75.17900	484411.170	4271404.830	26.28	14.08	-M	0.5	None
M-475	Export Cable	47	38.59133	-75.17725	484564.080	4271442.780	64.96	2.24	D	0.5	None
M-476	Export Cable	47	38.59139	-75.17699	484586.760	4271449.030	240.25	8.94	+M	0.6	None
M-477	Export Cable	47	38.59190	-75.17456	484798.150	4271505.370	22.03	3.88	D	0.6	None
M-478	Export Cable	47	38.59197	-75.17414	484834.300	4271512.640	38.64	2.40	D	0.8	None
M-479	Export Cable	47	38.59263	-75.17072	485132.440	4271585.810	26.08	1.94	D	0.9	None
M-480	Export Cable	48	38.59168	-75.17480	484777.420	4271480.890	98.02	3.54	D	0.8	None
M-481	Export Cable	48	38.59151	-75.17575	484694.250	4271462.030	38.97	11.98	-M	0.7	None
M-482	Export Cable	48	38.59105	-75.17798	484500.400	4271411.260	72.13	8.18	+M	0.6	None
M-483	Export Cable	48	38.58994	-75.18400	483975.520	4271289.270	118.06	1.92	D	1.0	None
M-484	Export Cable	48	38.58978	-75.18470	483914.330	4271271.450	74.72	9.52	+M	0.8	None
M-485	Export Cable	48	38.58965	-75.18554	483841.090	4271257.390	16.37	1.90	D	0.9	None
M-486	Export Cable	48	38.58962	-75.18697	483717.090	4271254.040	83.22	3.36	D	1.1	None
M-487	Export Cable	48	38.58954	-75.18878	483559.530	4271245.860	18.70	1.74	D	1.1	None
M-488	Export Cable	48	38.58946	-75.19093	483371.570	4271237.860	23.70	2.38	D	1.2	None
M-489	Export Cable	48	38.58949	-75.19200	483278.820	4271241.220	6.82	12.84	-M	1.4	None
M-490	Export Cable	48	38.58947	-75.19264	483223.090	4271239.010	24.11	2.08	D	1.3	None
M-491	Export Cable	48	38.58947	-75.19329	483166.140	4271238.530	9.52	4.96	D	1.4	None
M-492	Export Cable	48	38.58942	-75.19415	483091.110	4271233.500	14.67	3.10	D	1.2	None
M-493	Export Cable	48	38.58935	-75.19532	482989.920	4271225.690	25.22	15.74	+M	1.1	None
M-494	Export Cable	48	38.58950	-75.19628	482906.170	4271242.540	13.92	2.12	D	1.1	None
M-495	Export Cable	48	38.59025	-75.20147	482453.970	4271327.150	12.74	9.22	-M	52.0	None
M-496	Export Cable	48	38.59045	-75.20289	482330.340	4271349.770	31.49	1.56	D	52.0	None
M-497	Export Cable	48	38.59059	-75.20368	482262.150	4271365.370	256.48	26.06	+M	0.5	None
M-498	Export Cable	48	38.59062	-75.20390	482243.040	4271368.430	9.42	3.36	D	0.5	None
M-499	Export Cable	49	38.59194	-75.20644	482021.520	4271515.090	32.26	6.98	+M	1.1	None
M-500	Export Cable	49	38.59192	-75.20605	482055.730	4271513.680	23.57	3.42	D	52.0	None
M-501	Export Cable	49	38.59179	-75.20473	482170.400	4271498.110	54.18	0.94	D	0.4	None
M-502	Export Cable	49	38.59160	-75.20322	482302.340	4271477.610	33.04	2.10	D	0.2	None
M-503	Export Cable	49	38.59147	-75.20240	482373.730	4271462.210	26.31	7.10	D	0.2	None
M-504	Export Cable	49	38.59109	-75.19986	482594.450	4271419.650	111.63	16.44	+M	0.2	None
M-505	Export Cable	49	38.59057	-75.19195	483283.210	4271360.490	68.96	1.90	D	1.0	None
M-506	Export Cable	49	38.59067	-75.18830	483601.260	4271371.440	8.18	2.58	D	1.4	None
M-507	Export Cable	49	38.59070	-75.18686	483726.900	4271373.890	9.98	3.74	D	0.8	None
M-508	Export Cable	49	38.59138	-75.18234	484120.720	4271448.510	16.11	1.02	D	0.4	None
M-509	Export Cable	49	38.59159	-75.18108	484229.960	4271472.510	123.61	21.56	-M	0.3	None
M-510	Export Cable	49	38.59189	-75.17952	484365.960	4271505.150	35.35	11.64	-M	0.3	None
M-511	Export Cable	49	38.59212	-75.17841	484462.480	4271530.380	37.62	7.58	-M	0.2	None
M-512	Export Cable	49	38.59216	-75.17813	484486.960	4271534.670	64.68	3.10	D	0.2	None
M-513	Export Cable	49	38.59227	-75.17769	484525.630	4271546.500	8.30	10.84	-M	0.2	None
M-514	Export Cable	49	38.59238	-75.17731	484558.530	4271558.570	192.62	1.50	D	0.3	None
M-515	Export Cable	49	38.59240	-75.17719	484569.000	4271561.410	18.19	3.36	D	0.3	None
M-516	Export Cable	49	38.59300	-75.17392	484854.120	4271627.010	43.41	11.02	-M	0.4	None
M-517	Export Cable	49	38.59303	-75.17376	484868.230	4271630.260	17.22	7.80	+M	0.6	None
M-518	Export Cable	49	38.59317	-75.17296	484937.870	4271645.790	165.38	5.78	+M	0.5	None
M-519	Export Cable	50	38.59349	-75.17199	485022.060	4271680.930	70.30	10.50	+M	0.4	None
M-520	Export Cable	50	38.59343	-75.17228	484997.210	4271675.140	29.08	1.88	D	0.4	None
M-521	Export Cable	50	38.59320	-75.17366	484876.950	4271649.090	18.32	1.20	D	0.5	None
M-522	Export Cable	50	38.59314	-75.17390	484856.290	4271643.140	136.54	14.76	-M	0.5	None
M-523	Export Cable	50	38.59269	-75.17607	484666.740	4271593.720	14.87	1.78	D	0.3	None
M-524	Export Cable	50	38.59263	-75.17648	484631.100	4271586.550	15.77	2.82	D	0.3	None
M-525	Export Cable	50	38.59260	-75.17679	484603.890	4271583.220	135.47	14.22	-M	0.3	S-470
M-526	Export Cable	50	38.59220	-75.17883	484426.150	4271538.960	97.90	1.04	D	0.2	None
M-527	Export Cable	50	38.59215	-75.17905	484407.300	4271534.090	146.96	1.92	D	0.3	None
M-528	Export Cable	50	38.59201	-75.17980	484341.480	4271518.880	23.28	1.96	D	0.3	None
M-529	Export Cable	50	38.59112	-75.18451	483931.630	4271420.800	24.38	18.74	+M	0.7	None
M-530	Export Cable	50	38.59094	-75.18532	483860.980	4271401.040	378.16	19.72	+M	0.8	None
M-531	Export Cable	50	38.59088	-75.18577	483821.970	4271393.930	16.30	7.46	+M	0.9	None
M-532	Export Cable	50	38.59069	-75.19369	483132.200	4271374.020	8.21	11.40	-M	1.2	None
M-533	Export Cable	51	38.59197	-75.20708	481966.420	4271519.290	11.91	2.40	D	0.9	None
M-534	Export Cable	51	38.59185	-75.20758	481922.660	4271505.230	6.86	2.66	D	0.9	None
M-535	Export Cable	51	38.59121	-75.21014	481699.060	4271435.070	6.12	9.52	+M	3.3	None
M-536	Export Cable	51	38.59072	-75.21115	481611.370	4271380.860	31.52	2.98	D	2.5	None
M-537	Export Cable	51	38.59027	-75.21308	481443.450	4271331.630	57.44	2.14	D	1.8	None
M-538	Export Cable	51	38.59033	-75.21364	481394.570	4271338.260	10.09	13.60	+M	1.3	None
M-539	Export Cable	51	38.59041	-75.21459	481311.490	4271347.170	8.65	15.34	-M	0.7	None
M-540	Export Cable	51	38.59058	-75.21640	481154.230	4271366.710	11.80	8.12	-M	0.2	None
M-541	Export Cable	51	38.59056	-75.21753	481055.870	4271364.640	114.69	1.54	D	0.3	None
M-542	Export Cable	51	38.59054	-75.21845	480975.630	4271362.190	141.39	9.60	+M	6.1	None
M-543	Export Cable	51	38.58995	-75.22008	480833.800	4271297.090	38.22	9.00	+M	2.3	None
M-544	Export Cable	51	38.58952	-75.22126	480730.540	4271250.380	18.37	10.58	+M	3.0	None
M-545	Export Cable	51	38.58881	-75.22344	480540.150	4271171.280	58.97	3.52	D	1.4	None
M-546	Export Cable	51	38.58877	-75.22361	480525.450	4271167.720	6.93	5.16	-M	1.2	None
M-547	Export Cable	51	38.58869	-75.22431	480464.920	4271158.750	18.42	10.84	+M	0.6	None
M-548	Export Cable	51	38.58864	-75.22466	480434.420	4271152.690	92.61	11.14	+M	0.6	None
M-549	Export Cable	51	38.58860	-75.22535	480373.800	4271148.720	19.30	0.82	D	0.3	None
M-550	Export Cable	51	38.58847	-75.22634	480288.200	4271134.680	45.83	6.42	D	0.5	None
M-551	Export Cable	51	38.58838	-75.22705	480225.860	4271124.330	18.44	7.94	+M	0.8	None
M-552	Export Cable	51	38.58834	-75.22728	480205.790	4271120.830	11.34	2.50	D	1.1	None
M-553	Export Cable	51	38.58814	-75.22940	480020.990	4271099.080	174.50	3.52	D	1.6	None
M-554	Export Cable	51	38.58792	-75.23168	479822.540	4271074.970	5.69	7.22	+M	1.9	None
M-555	Export Cable	51	38.58785	-75.23493	479539.670	4271067.330	56.00	1.58	D	1.0	None
M-556	Export Cable	51	38.58779	-75.23730	479332.960	4271061.800	9.85	6.92	-M	1.3	None
M-557	Export Cable	52	38.58736	-75.23606	479440.980	4271013.210	28.05	1.12	D	26.0	None
M-558	Export Cable	52	38.58739	-75.23578	479465.730	4271016.960	12.66	1.10	D	35.9	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-559	Export Cable	52	38.58739	-75.23510	479524.740	4271016.490	14.08	8.00	-M	1.6	None
M-560	Export Cable	52	38.58740	-75.23461	479567.320	4271017.140	12.74	7.06	+M	2.5	S-568
M-561	Export Cable	52	38.58757	-75.23050	479925.590	4271035.910	20.97	9.74	-M	0.8	None
M-562	Export Cable	52	38.58765	-75.23001	479968.260	4271044.410	22.92	6.06	-M	0.6	None
M-563	Export Cable	52	38.58773	-75.22934	480025.990	4271052.800	38.68	6.48	-M	0.5	None
M-564	Export Cable	52	38.58774	-75.22920	480038.340	4271054.580	28.90	6.26	+M	0.3	None
M-565	Export Cable	52	38.58779	-75.22876	480076.690	4271059.150	21.08	2.22	+M	52.0	None
M-566	Export Cable	52	38.58784	-75.22836	480111.690	4271065.480	9.77	7.76	-M	37.0	None
M-567	Export Cable	52	38.58786	-75.22785	480156.440	4271067.400	22.03	1.78	D	0.6	None
M-568	Export Cable	52	38.58810	-75.22588	480327.580	4271093.010	31.58	7.38	D	1.3	None
M-569	Export Cable	52	38.58886	-75.22168	480693.880	4271176.790	66.29	1.58	D	0.5	None
M-570	Export Cable	52	38.58911	-75.22096	480756.570	4271204.080	62.54	13.04	-M	0.6	S-426
M-571	Export Cable	52	38.58921	-75.22074	480775.610	4271215.180	25.65	5.50	+M	0.8	S-363
M-572	Export Cable	52	38.58929	-75.22054	480793.340	4271224.640	663.83	12.86	+M	0.8	S-364
M-573	Export Cable	52	38.58947	-75.22000	480840.130	4271244.130	72.27	3.38	D	1.0	None
M-574	Export Cable	52	38.58956	-75.21973	480864.180	4271253.700	17.31	14.24	-M	1.4	None
M-575	Export Cable	52	38.59012	-75.21630	481162.750	4271315.990	253.49	14.44	+M	0.6	None
M-576	Export Cable	52	38.59010	-75.21611	481179.090	4271312.770	23.21	1.40	D	0.6	None
M-577	Export Cable	52	38.59001	-75.21469	481302.770	4271302.670	47.52	17.12	-M	0.9	None
M-578	Export Cable	52	38.58994	-75.21430	481337.080	4271294.820	97.87	1.58	D	1.0	None
M-579	Export Cable	52	38.58988	-75.21336	481418.460	4271287.700	6.67	8.10	+M	1.4	None
M-580	Export Cable	52	38.59030	-75.21097	481626.790	4271334.690	12.78	8.86	+M	0.6	None
M-581	Export Cable	52	38.59052	-75.21045	481672.210	4271358.740	172.42	2.28	D	0.3	None
M-582	Export Cable	52	38.59104	-75.20939	481764.340	4271416.620	237.10	1.78	D	0.9	None
M-583	Export Cable	52	38.59129	-75.20793	481892.160	4271443.140	22.12	6.40	-M	0.6	None
M-584	Export Cable	52	38.59154	-75.20681	481989.670	4271471.610	43.13	20.14	-M	0.3	None
M-585	Export Cable	53	38.59142	-75.20664	482004.220	4271457.750	2407.81	11.52	+M	0.3	None
M-586	Export Cable	53	38.59138	-75.20703	481969.880	4271453.240	829.32	1.02	D	0.3	None
M-587	Export Cable	53	38.59125	-75.20758	481922.660	4271439.430	159.87	1.08	D	0.5	None
M-588	Export Cable	53	38.59114	-75.20817	481870.590	4271427.060	19.85	9.26	+M	0.9	None
M-589	Export Cable	53	38.59132	-75.20725	481951.060	4271447.290	10.76	4.02	D	0.3	None
M-590	Export Cable	53	38.59056	-75.21020	481694.310	4271363.180	81.21	8.98	-M	52.0	None
M-591	Export Cable	53	38.59021	-75.21095	481629.010	4271323.920	33.94	10.28	-M	52.0	None
M-592	Export Cable	53	38.58989	-75.21156	481575.290	4271288.710	123.20	1.40	D	52.0	None
M-593	Export Cable	53	38.59006	-75.21123	481604.210	4271307.530	7.28	5.44	-M	52.0	None
M-594	Export Cable	53	38.58981	-75.21217	481521.890	4271280.220	13.34	9.10	-M	0.7	None
M-595	Export Cable	53	38.58963	-75.21274	481472.470	4271260.730	22.73	6.12	+M	0.8	None
M-596	Export Cable	53	38.58990	-75.21529	481250.420	4271290.590	26.00	1.46	D	0.5	None
M-597	Export Cable	53	38.58937	-75.21990	480848.890	4271233.290	17.57	0.92	D	0.3	None
M-598	Export Cable	53	38.58921	-75.22040	480805.350	4271214.890	288.26	7.38	-M	0.2	None
M-599	Export Cable	53	38.58911	-75.22064	480784.600	4271204.720	116.40	5.96	+M	27.6	None
M-600	Export Cable	53	38.58907	-75.22072	480777.430	4271200.000	72.37	8.76	-M	0.3	None
M-601	Export Cable	53	38.58874	-75.22175	480687.490	4271163.310	9.73	5.04	+M	0.4	None
M-602	Export Cable	53	38.58869	-75.22189	480675.700	4271158.000	31.03	7.82	+M	0.3	None
M-603	Export Cable	53	38.58848	-75.22262	480611.990	4271134.650	123.76	2.06	D	0.7	None
M-604	Export Cable	53	38.58786	-75.22699	480231.280	4271066.510	22.53	6.68	+M	2.0	None
M-605	Export Cable	55	38.59355	-75.10721	490663.560	4271679.430	7.61	9.00	+M	1.6	None
M-606	Export Cable	55	38.59486	-75.11481	490002.420	4271825.130	7.83	6.36	+M	1.8	None
M-607	Export Cable	56	38.59355	-75.10041	491256.160	4271679.130	7.53	6.58	-M	52.0	None
M-608	Export Cable	56	38.59283	-75.09629	491614.650	4271598.790	46.94	5.42	+M	47.8	None
M-609	Export Cable	56	38.59352	-75.08888	492260.040	4271674.250	13.86	5.98	D	23.9	None
M-610	Export Cable	59	38.59488	-75.08213	492848.140	4271824.920	12.83	5.74	D	0.4	None
M-611	Export Cable	60	38.59143	-75.08639	492476.840	4271442.280	20.21	7.70	+M	52.0	None
M-612	Export Cable	60	38.59126	-75.08685	492436.280	4271423.110	10.32	5.36	+M	46.9	None
M-613	Export Cable	62	38.59152	-75.08655	492462.590	4271451.950	3.76	5.26	-M	52.0	None
M-614	Export Cable	63	38.59394	-75.08315	492759.400	4271720.570	28.50	3.58	D	26.6	None
M-615	Export Cable	66	38.59221	-75.08552	492552.480	4271528.250	45.02	1.62	D	52.0	None
M-616	Export Cable	67	38.59261	-75.08601	492510.200	4271573.060	7.29	6.76	+M	1.2	None
M-617	Export Cable	72	38.59388	-75.06972	493928.720	4271712.850	34.20	11.76	-M	0.9	None
M-618	Export Cable	72	38.59450	-75.07386	493567.890	4271781.780	9.78	3.60	+M	0.2	None
M-619	Export Cable	72	38.59740	-75.07816	493193.760	4272103.860	22.63	9.22	-M	52.0	None
M-620	Export Cable	73	38.59294	-75.09604	491636.670	4271610.380	6.84	6.32	-M	0.5	None
M-621	Export Cable	73	38.59301	-75.09637	491607.970	4271618.670	9.86	1.58	D	0.4	None
M-622	Export Cable	73	38.59429	-75.10382	490959.320	4271761.620	2.79	8.70	-M	1.2	None
M-623	Export Cable	74	38.59537	-75.10447	490902.300	4271880.790	41.14	2.48	D	52.0	None
M-624	Export Cable	74	38.59671	-75.11280	490177.240	4272030.880	6.97	8.52	D	1.6	None
M-625	Export Cable	74	38.59984	-75.14574	487309.680	4272382.000	24.71	1.96	D	1.3	None
M-626	Export Cable	74	38.59972	-75.14629	487261.080	4272368.330	94.30	2.54	D	1.2	None
M-627	Export Cable	74	38.59868	-75.15173	486787.410	4272254.090	129.76	2.52	D	1.1	None
M-628	Export Cable	74	38.59751	-75.15785	486254.570	4272124.690	20.50	19.54	-M	1.0	None
M-629	Export Cable	74	38.59670	-75.16207	485886.830	4272036.340	119.96	2.04	D	0.7	None
M-630	Export Cable	75	38.59893	-75.15110	486842.730	4272281.540	10.57	8.14	+M	0.8	None
M-631	Export Cable	75	38.59896	-75.15091	486859.000	4272285.240	13.92	2.56	D	0.9	None
M-632	Export Cable	75	38.60012	-75.14496	487377.400	4272412.360	13.82	8.12	-M	0.9	None
M-633	Export Cable	76	38.59715	-75.11375	490095.030	4272079.880	110.96	3.08	D	1.4	S-317
M-634	Export Cable	76	38.59943	-75.12783	488868.690	4272333.740	8.51	1.92	D	1.4	None
M-635	Export Cable	76	38.60084	-75.14065	487753.060	4272491.790	41.97	2.32	D	1.2	None
M-636	Export Cable	76	38.59818	-75.15578	486434.610	4272199.550	6.98	5.92	-M	0.7	None
M-637	Export Cable	76	38.59754	-75.15906	486149.480	4272128.870	21.54	5.62	+M	0.7	None
M-638	Export Cable	76	38.59717	-75.16097	485982.330	4272087.800	13.29	3.70	D	0.6	None
M-639	Export Cable	76	38.59712	-75.16132	485951.910	4272082.390	213.09	11.48	-M	0.6	None
M-640	Export Cable	76	38.59700	-75.16194	485898.140	4272069.210	33.62	3.52	D	0.5	S-513
M-641	Export Cable	77	38.59715	-75.16192	485899.820	4272085.770	20.77	1.06	D	31.5	None
M-642	Export Cable	77	38.59751	-75.15989	486076.780	4272125.840	14.37	1.02	D	0.4	None
M-643	Export Cable	77	38.59775	-75.15878	486173.500	4272151.680	206.43	13.98	+M	0.5	None
M-644	Export Cable	77	38.59819	-75.15634	486386.050	4272200.490	13.01	8.70	-M	0.5	None
M-645	Export Cable	77	38.59852	-75.15470	486528.900	4272236.420	15.48	16.12	+M	0.6	None
M-646	Export Cable	77	38.59722	-75.11329	490135.110	4272087.110	6.38	3.04	D	1.0	None
M-647	Export Cable	77	38.59640	-75.10833	490566.550	4271995.870	201.14	1.34	D	0.8	None
M-648	Export Cable	78	38.59670	-75.10926	490485.430	4272029.100	106.09	1.80	D	0.9	None
M-649	Export Cable	78	38.59955	-75.12695	488945.940	4272347.590	16.35	3.40	D	1.1	None
M-650	Export Cable	78	38.59990	-75.12909	488759.200	4272386.760	15.81	6.86	+M	1.1	None
M-651	Export Cable	78	38.60002	-75.12973	488703.930	4272399.530	124.51	18.40	+M	1.2	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-652	Export Cable	78	38.59974	-75.14913	487014.520	4272371.600	6.69	1.12	D	0.5	None
M-653	Export Cable	78	38.59904	-75.15291	486685.250	4272293.770	100.54	13.70	-M	0.3	None
M-654	Export Cable	78	38.59817	-75.15732	486300.570	4272198.350	105.54	2.06	D	0.4	None
M-655	Export Cable	78	38.59805	-75.15794	486246.880	4272185.010	228.02	8.00	-M	0.3	None
M-656	Export Cable	79	38.59832	-75.15719	486312.400	4272214.730	12.00	7.64	-M	0.3	None
M-657	Export Cable	79	38.59842	-75.15669	486355.570	4272226.130	6.98	1.06	D	0.4	None
M-658	Export Cable	79	38.59847	-75.15646	486375.450	4272231.050	86.54	1.08	D	0.3	None
M-659	Export Cable	79	38.59878	-75.15482	486518.570	4272266.060	27.31	13.70	+M	0.3	None
M-660	Export Cable	79	38.59981	-75.14949	486982.690	4272378.720	12.12	1.62	D	0.3	None
M-661	Export Cable	79	38.59943	-75.12537	489082.690	4272334.060	52.48	14.94	+M	0.9	None
M-662	Export Cable	79	38.59737	-75.11255	490199.080	4272103.310	14.97	13.12	-M	0.8	None
M-663	Export Cable	80	38.59348	-75.10927	490484.150	4271671.620	17.03	13.38	+M	1.7	None
M-664	Export Cable	80	38.59529	-75.12048	489508.480	4271874.040	23.88	9.26	+M	1.5	None
M-665	Export Cable	80	38.59617	-75.12590	489036.220	4271971.660	13.14	10.88	-M	1.5	None
M-666	Export Cable	80	38.59620	-75.12610	489018.950	4271975.290	7.75	12.72	-M	1.5	None
M-667	Export Cable	80	38.59660	-75.12864	488797.700	4272020.210	5.92	15.04	-M	1.4	None
M-668	Export Cable	80	38.59779	-75.13598	488158.640	4272153.570	90.50	34.30	+M	1.9	None
M-669	Export Cable	80	38.59787	-75.14195	487639.210	4272162.690	50.94	4.50	D	1.7	None
M-670	Export Cable	80	38.59751	-75.14383	487475.280	4272123.590	20.23	2.38	D	1.7	None
M-671	Export Cable	80	38.59567	-75.15343	486639.260	4271920.810	37.34	8.12	+M	1.6	None
M-672	Export Cable	80	38.59507	-75.15653	486369.160	4271854.530	37.12	2.22	D	1.6	None
M-673	Export Cable	80	38.59230	-75.17092	485115.500	4271549.150	91.69	1.94	D	1.2	None
M-674	Export Cable	80	38.59115	-75.17691	484593.170	4271422.770	44.51	2.06	D	1.1	None
M-675	Export Cable	80	38.59024	-75.18163	484182.430	4271322.690	18.61	9.42	+M	1.2	None
M-676	Export Cable	80	38.58984	-75.18342	484025.780	4271277.890	39.68	9.94	-M	1.3	None
M-677	Export Cable	80	38.58937	-75.19061	483400.070	4271227.760	45.29	4.40	D	1.7	None
M-678	Export Cable	80	38.58935	-75.19192	483285.320	4271225.260	9.36	4.48	D	1.8	None
M-679	Export Cable	80	38.58932	-75.19273	483215.160	4271222.660	36.91	3.36	D	1.7	None
M-680	Export Cable	80	38.58931	-75.19323	483171.760	4271221.590	10.74	5.42	D	1.7	None
M-681	Export Cable	80	38.58944	-75.19690	482851.680	4271235.920	25.75	2.66	D	1.4	None
M-682	Export Cable	80	38.58949	-75.21078	481643.030	4271244.920	65.52	1.94	D	52.0	None
M-683	Export Cable	80	38.59008	-75.20141	482459.820	4271307.830	46.29	2.20	D	1.3	None
M-684	Export Cable	80	38.59020	-75.20212	482397.510	4271321.200	13.20	1.06	D	1.1	None
M-685	Export Cable	80	38.59027	-75.20261	482354.590	4271329.030	17.21	4.06	D	1.1	None
M-686	Export Cable	80	38.58966	-75.19859	482704.850	4271261.280	16.89	2.00	D	1.5	None
M-687	Export Cable	80	38.58985	-75.19970	482607.860	4271282.070	17.09	6.82	+M	1.5	None
M-688	Export Cable	80	38.58987	-75.19983	482596.650	4271284.580	9.56	2.28	D	1.4	None
M-689	Export Cable	80	38.59065	-75.20590	482068.950	4271372.710	14.99	5.20	-M	0.7	None
M-690	Export Cable	80	38.59067	-75.20602	482057.690	4271374.610	206.27	2.06	D	0.7	None
M-691	Export Cable	80	38.59059	-75.20891	481805.960	4271366.060	15.90	7.02	-M	0.9	None
M-692	Export Cable	80	38.59047	-75.20897	481801.260	4271352.950	185.26	10.28	+M	0.9	None
M-693	Export Cable	80	38.59005	-75.20959	481746.750	4271306.010	8.94	2.28	D	52.0	None
M-694	Export Cable	80	38.58993	-75.20989	481720.730	4271292.690	6.88	0.20	D	52.0	None
M-695	Export Cable	80	38.58915	-75.21182	481552.710	4271207.160	21.79	1.88	D	0.2	None
M-696	Export Cable	80	38.58902	-75.21256	481488.350	4271193.160	34.94	7.22	D	52.0	None
M-697	Export Cable	80	38.58905	-75.21348	481407.900	4271195.730	14.60	5.36	+M	0.9	None
M-698	Export Cable	80	38.58908	-75.21391	481370.580	4271200.100	62.14	3.28	D	1.1	None
M-699	Export Cable	80	38.58910	-75.21422	481343.790	4271202.260	16.33	3.34	D	1.3	None
M-700	Export Cable	80	38.58920	-75.21497	481278.590	4271212.670	12.64	2.48	D	1.5	None
M-701	Export Cable	81	38.59021	-75.21701	481101.240	4271325.340	15.82	1.68	D	1.4	None
M-702	Export Cable	82	38.58984	-75.21609	481180.640	4271284.290	43.16	10.42	+M	1.6	None
M-703	Export Cable	82	38.58968	-75.21435	481332.530	4271266.770	22.16	2.50	D	1.8	None
M-704	Export Cable	82	38.58953	-75.21292	481457.010	4271249.240	11.99	2.10	D	1.6	None
M-705	Export Cable	82	38.58998	-75.21104	481620.650	4271298.470	13.05	4.58	D	0.6	None
M-706	Export Cable	82	38.59017	-75.21063	481656.090	4271319.820	22.95	1.34	D	0.7	None
M-707	Export Cable	82	38.59026	-75.21043	481673.980	4271329.300	50.55	1.64	D	0.7	None
M-708	Export Cable	82	38.59040	-75.21009	481703.740	4271345.310	30.76	7.00	+M	0.7	None
M-709	Export Cable	82	38.59056	-75.20976	481732.600	4271362.750	6.04	1.68	D	0.8	None
M-710	Export Cable	82	38.59111	-75.20757	481922.790	4271423.930	30.66	9.56	+M	1.3	None
M-711	Export Cable	82	38.59118	-75.20724	481952.110	4271431.440	13.66	5.14	-M	1.1	None
M-712	Export Cable	82	38.59120	-75.20715	481959.970	4271433.640	16.24	1.88	D	1.3	None
M-713	Export Cable	83	38.59107	-75.20719	481956.610	4271419.590	33.80	2.44	D	1.0	None
M-714	Export Cable	83	38.59092	-75.20787	481897.120	4271403.020	10.85	8.78	+M	1.2	None
M-715	Export Cable	83	38.59053	-75.20951	481754.290	4271359.910	77.55	0.98	D	0.8	None
M-716	Export Cable	83	38.59047	-75.20968	481739.570	4271353.040	767.53	1.88	D	0.6	S-388
M-717	Export Cable	83	38.59014	-75.21033	481682.270	4271316.930	29.72	0.90	D	0.4	None
M-718	Export Cable	83	38.58998	-75.21073	481647.320	4271298.400	7.52	0.96	D	0.4	None
M-719	Export Cable	83	38.58991	-75.21086	481636.670	4271291.490	21.92	13.04	-M	0.4	None
M-720	Export Cable	83	38.58943	-75.21323	481429.440	4271238.480	11.81	7.00	+M	1.5	None
M-721	Export Cable	83	38.58946	-75.21337	481417.240	4271241.840	33.21	4.52	D	1.6	None
M-722	Export Cable	83	38.58958	-75.21460	481310.200	4271255.190	12.69	2.60	D	1.6	None
M-723	Export Cable	83	38.58964	-75.21526	481253.030	4271262.560	17.02	9.24	+M	1.5	None
M-724	Export Cable	83	38.58974	-75.21636	481157.080	4271273.410	5.17	7.48	+M	1.7	None
M-725	Export Cable	83	38.58915	-75.21967	480868.830	4271208.920	150.06	0.98	D	0.5	None
M-726	Export Cable	83	38.58907	-75.21991	480848.210	4271199.280	103.50	9.82	-M	0.3	None
M-727	Export Cable	83	38.58898	-75.22014	480828.110	4271189.790	308.47	1.42	D	0.4	None
M-728	Export Cable	83	38.58884	-75.22054	480792.860	4271174.470	9.42	4.70	-M	0.4	None
M-729	Export Cable	83	38.58876	-75.22071	480778.350	4271165.980	8.52	5.60	+M	0.4	None
M-730	Export Cable	83	38.58859	-75.22123	480732.820	4271147.040	7.74	3.32	D	0.5	None
M-731	Export Cable	83	38.58850	-75.22147	480711.950	4271136.670	29.71	9.00	-M	0.5	None
M-732	Export Cable	83	38.58826	-75.22213	480654.640	4271110.610	258.33	8.34	+M	0.6	None
M-733	Export Cable	83	38.58823	-75.22231	480638.560	4271107.000	10.88	4.28	+M	0.6	None
M-734	Export Cable	83	38.58820	-75.22247	480624.770	4271103.420	163.50	2.20	D	0.6	None
M-735	Export Cable	83	38.58803	-75.22312	480567.770	4271084.980	23.81	11.00	-M	0.8	None
M-736	Export Cable	83	38.58765	-75.22648	480275.060	4271043.020	144.57	7.70	+M	1.3	S-425
M-737	Export Cable	84	38.58772	-75.22708	480223.210	4271051.780	11.09	6.66	+M	1.9	None
M-738	Export Cable	84	38.58772	-75.22661	480263.950	4271051.540	6.28	8.68	+M	2.0	None
M-739	Export Cable	84	38.58792	-75.22504	480401.120	4271072.640	11.46	13.28	+M	2.1	None
M-740	Export Cable	84	38.58817	-75.22312	480568.320	4271100.300	12.86	7.58	+M	1.4	None
M-741	Export Cable	84	38.58821	-75.22295	480583.290	4271104.930	7.63	6.28	+M	1.2	None
M-742	Export Cable	84	38.58833	-75.22244	480627.410	4271118.650	209.88	14.42	+M	0.9	S-330
M-743	Export Cable	84	38.58862	-75.22153	480707.070	4271149.830	87.52	1.50	D	0.7	None
M-744	Export Cable	84	38.58873	-75.22124	480731.970	4271161.910	22.62	3.70	+M	0.8	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-745	Export Cable	84	38.58888	-75.22082	480768.670	4271178.620	5.93	5.36	-M	0.8	None
M-746	Export Cable	84	38.58905	-75.22034	480810.740	4271197.350	9.04	1.12	D	0.7	None
M-747	Export Cable	84	38.58915	-75.22005	480835.700	4271208.300	232.41	1.86	D	0.7	None
M-748	Export Cable	85	38.59075	-75.21680	481119.110	4271385.330	19.46	1.02	D	0.7	None
M-749	Export Cable	85	38.59019	-75.21974	480863.190	4271323.710	20.63	5.54	D	2.8	None
M-750	Export Cable	85	38.58860	-75.22644	480279.580	4271149.360	6.62	1.34	D	1.1	None
M-751	Export Cable	85	38.58850	-75.22763	480175.760	4271138.230	18.64	2.20	D	1.5	None
M-752	Export Cable	85	38.58828	-75.22891	480064.050	4271113.830	9.08	7.06	+M	2.3	None
M-753	Export Cable	85	38.58829	-75.22931	480029.000	4271114.740	12.15	6.76	+M	52.0	None
M-754	Export Cable	85	38.58804	-75.23353	479661.790	4271088.550	30.59	2.78	D	52.0	None
M-755	Export Cable	85	38.58803	-75.23391	479628.280	4271087.010	9.98	0.98	D	52.0	None
M-756	Export Cable	85	38.58799	-75.23458	479570.270	4271082.790	14.21	1.74	D	0.7	None
M-757	Export Cable	85	38.58797	-75.23575	479468.300	4271080.560	96.12	2.96	D	2.1	None
M-758	Export Cable	85	38.58796	-75.23616	479432.230	4271079.830	11.71	4.84	D	2.3	None
M-759	Export Cable	85	38.58799	-75.23718	479343.250	4271083.450	24.77	13.94	+M	2.1	None
M-760	Export Cable	85	38.58796	-75.23783	479286.590	4271080.230	13.70	4.56	-M	0.6	None
M-761	Export Cable	86	38.58823	-75.23848	479230.670	4271110.710	30.71	2.28	D	52.0	None
M-762	Export Cable	86	38.58815	-75.23810	479263.470	4271102.020	25.85	10.50	+M	1.7	None
M-763	Export Cable	86	38.58819	-75.23785	479285.750	4271105.530	42.00	12.66	+M	2.3	None
M-764	Export Cable	86	38.58823	-75.23419	479604.450	4271109.330	288.11	1.22	D	30.9	None
M-765	Export Cable	86	38.58834	-75.23198	479796.710	4271121.540	2035.59	1.08	D	0.2	None
M-766	Export Cable	86	38.58860	-75.22882	480071.610	4271149.930	109.49	9.08	+M	1.2	None
M-767	Export Cable	86	38.58875	-75.22751	480186.180	4271166.190	14.52	5.28	-M	0.7	None
M-768	Export Cable	86	38.58878	-75.22725	480209.050	4271168.990	12.59	12.60	-M	0.7	None
M-769	Export Cable	86	38.58890	-75.22622	480298.330	4271182.210	37.71	1.62	D	0.7	None
M-770	Export Cable	86	38.58915	-75.22387	480502.740	4271208.880	13.80	2.90	D	0.6	None
M-771	Export Cable	86	38.58939	-75.22273	480602.780	4271235.980	19.98	7.84	-M	0.5	None
M-772	Export Cable	86	38.59096	-75.21788	481025.410	4271409.040	10.08	1.94	D	0.7	None
M-773	Export Cable	86	38.59096	-75.21777	481035.000	4271409.010	15.33	2.50	D	0.7	None
M-774	Export Cable	86	38.59101	-75.21726	481079.520	4271414.990	11.38	6.82	+M	0.9	None
M-775	Export Cable	87	38.59075	-75.21862	480960.520	4271385.700	10.06	2.40	D	0.9	None
M-776	Export Cable	87	38.59044	-75.21946	480887.680	4271351.390	8.28	12.76	+M	1.5	None
M-777	Export Cable	87	38.58998	-75.22069	480779.890	4271301.100	18.80	15.38	+M	3.4	None
M-778	Export Cable	87	38.58957	-75.22184	480679.670	4271256.130	23.28	3.30	D	3.1	None
M-779	Export Cable	87	38.58910	-75.22356	480530.080	4271204.350	5.71	1.80	D	29.4	None
M-780	Export Cable	88	38.58874	-75.22648	480275.790	4271164.350	16.29	1.72	D	0.7	None
M-781	Export Cable	88	38.58847	-75.22900	480056.100	4271135.320	11.55	9.72	-M	1.7	None
M-782	Export Cable	88	38.58831	-75.23054	479921.850	4271118.190	7.04	8.42	+M	1.7	None
M-783	Export Cable	88	38.58811	-75.23289	479717.630	4271095.710	271.40	1.18	D	0.2	None
M-784	Export Cable	88	38.58809	-75.23629	479421.520	4271093.970	10.25	2.16	D	1.8	None
M-785	Export Cable	88	38.58807	-75.23688	479369.630	4271092.730	24.06	14.72	-M	34.4	None
M-786	Export Cable	88	38.58806	-75.23757	479309.550	4271091.420	20.54	3.60	D	2.3	None
M-787	Export Cable	88	38.58803	-75.23805	479268.280	4271088.130	13.08	11.78	+M	1.2	None
M-788	Export Cable	89	38.58724	-75.23633	479417.200	4271000.390	48.53	0.36	D	52.0	None
M-789	Export Cable	89	38.58723	-75.23609	479438.550	4270999.470	63.23	1.16	D	52.0	None
M-790	Export Cable	89	38.58737	-75.23168	479822.140	4271013.980	35.96	4.06	+M	1.1	None
M-791	Export Cable	89	38.58740	-75.23092	479888.670	4271016.980	31.77	4.74	-M	0.3	None
M-792	Export Cable	89	38.58743	-75.23061	479915.420	4271019.880	28.85	1.02	D	0.2	None
M-793	Export Cable	89	38.58753	-75.22991	479977.050	4271031.000	55.11	0.68	D	0.2	None
M-794	Export Cable	90	38.58732	-75.23096	479884.880	4271007.720	31.76	2.62	+M	0.2	None
M-795	Export Cable	90	38.58725	-75.23197	479797.480	4270999.800	72.83	5.18	-M	0.7	None
M-796	Export Cable	91	38.58698	-75.23410	479611.380	4270970.610	455.77	2.24	-M	52.0	None
M-797	Export Cable	91	38.58700	-75.23379	479638.460	4270973.510	1431.36	0.82	D	52.0	None
M-798	Export Cable	91	38.58699	-75.23386	479632.220	4270972.350	269.40	3.30	+M	52.0	None
M-799	Export Cable	91	38.58707	-75.23302	479705.540	4270980.440	70.15	3.06	+M	41.9	None
M-800	Export Cable	92	38.58861	-75.23027	479945.220	4271150.820	9.33	6.54	-M	1.0	None
M-801	Export Cable	92	38.58875	-75.22878	480075.180	4271166.060	95.01	5.12	-M	0.7	None
M-802	Export Cable	92	38.58885	-75.22790	480152.460	4271176.510	228.06	7.36	+M	0.4	None
M-803	Export Cable	92	38.58901	-75.22634	480288.070	4271194.540	10.16	4.20	-M	0.2	None
M-804	Export Cable	92	38.58902	-75.22627	480293.750	4271195.340	38.30	0.66	D	0.2	None
M-805	Export Cable	92	38.58903	-75.22618	480301.730	4271196.720	18.96	2.44	D	0.2	None
M-806	Export Cable	92	38.58910	-75.22561	480351.930	4271203.910	42.29	3.04	+M	0.2	None
M-807	Export Cable	92	38.58910	-75.22556	480356.190	4271204.080	21.39	0.88	D	0.2	None
M-808	Export Cable	92	38.58910	-75.22546	480364.480	4271204.570	225.31	9.46	-M	0.2	None
M-809	Export Cable	92	38.58918	-75.22459	480440.100	4271212.810	9.07	0.36	D	52.0	None
M-810	Export Cable	92	38.58948	-75.22260	480613.850	4271246.290	127.52	1.64	D	22.4	None
M-811	Export Cable	92	38.58968	-75.22236	480635.040	4271267.690	12.13	0.74	D	36.1	None
M-812	Export Cable	92	38.58981	-75.22201	480665.520	4271281.970	54.66	1.76	D	0.9	None
M-813	Export Cable	92	38.58986	-75.22188	480677.020	4271287.710	14.78	5.66	+M	1.0	None
M-814	Export Cable	92	38.59050	-75.22009	480832.900	4271358.480	17.77	6.76	-M	1.4	None
M-815	Export Cable	92	38.59081	-75.21918	480911.940	4271392.450	16.27	1.30	D	0.6	None
M-816	Export Cable	92	38.59093	-75.21886	480939.810	4271405.610	15.45	2.28	D	0.6	None
M-817	Export Cable	92	38.59111	-75.21803	481012.160	4271425.680	69.54	9.08	+M	0.7	None
M-818	Export Cable	92	38.59111	-75.21831	480987.890	4271425.510	27.37	12.50	-M	0.7	None
M-819	Export Cable	92	38.59114	-75.21752	481057.090	4271428.820	28.07	2.86	D	0.5	None
M-820	Export Cable	92	38.59118	-75.21698	481103.710	4271433.450	11.63	2.08	D	0.5	S-332
M-821	Export Cable	93	38.59068	-75.21603	481186.200	4271377.470	64.74	2.10	D	0.6	None
M-822	Export Cable	93	38.59205	-75.20614	482048.260	4271527.420	51.98	6.56	+M	1.2	None
M-823	Export Cable	93	38.59175	-75.20333	482292.800	4271493.940	12.33	8.76	-M	0.5	None
M-824	Export Cable	93	38.59163	-75.20247	482367.290	4271480.000	23.42	4.92	D	0.5	None
M-825	Export Cable	93	38.59107	-75.19867	482698.520	4271417.190	271.23	2.14	D	0.7	None
M-826	Export Cable	94	38.58974	-75.20007	482575.870	4271270.550	76.03	9.24	-M	0.9	None
M-827	Export Cable	94	38.58918	-75.19290	483199.960	4271206.350	26.69	11.04	+M	1.3	None
M-828	Export Cable	94	38.58917	-75.19246	483238.960	4271205.610	52.31	13.10	+M	1.3	None
M-829	Export Cable	94	38.58920	-75.19179	483297.110	4271208.400	126.10	14.02	+M	1.2	None
M-830	Export Cable	94	38.58920	-75.19148	483324.100	4271208.630	9.05	12.24	-M	1.3	None
M-831	Export Cable	94	38.58923	-75.19089	483375.540	4271211.490	12.95	9.04	-M	1.3	None
M-832	Export Cable	94	38.58924	-75.19025	483431.300	4271212.860	95.41	13.90	+M	1.2	None
M-833	Export Cable	94	38.59039	-75.18014	484311.450	4271339.110	71.32	16.30	-M	0.7	None
M-834	Export Cable	94	38.59070	-75.17847	484457.750	4271372.960	137.27	2.56	D	0.6	None
M-835	Export Cable	94	38.59087	-75.17759	484534.230	4271391.320	202.63	2.24	D	0.7	None
M-836	Export Cable	94	38.59089	-75.17749	484542.840	4271393.320	390.39	1.52	D	0.6	None
M-837	Export Cable	94	38.59104	-75.17667	484613.810	4271410.250	127.19	12.66	+M	0.7	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-838	Export Cable	94	38.59122	-75.17571	484697.680	4271430.320	30.98	2.54	D	0.7	None
M-839	Export Cable	94	38.59342	-75.16428	485693.660	4271672.250	180.13	5.90	+M	0.8	None
M-840	Export Cable	94	38.59784	-75.13706	488064.720	4272158.760	12.70	2.16	D	1.6	None
M-841	Export Cable	94	38.59768	-75.13608	488150.420	4272141.340	47.72	37.76	-M	1.4	None
M-842	Export Cable	94	38.59536	-75.12191	489384.050	4271882.220	9.26	1.88	D	1.2	None
M-843	Export Cable	94	38.59487	-75.11880	489654.460	4271827.540	24.72	2.18	D	1.0	None
M-844	Export Cable	94	38.59428	-75.11514	489973.160	4271760.690	14.44	1.78	D	0.3	None
M-845	Export Cable	94	38.59317	-75.10831	490568.110	4271637.650	11.42	4.92	+M	1.2	None
M-846	Export Cable	94	38.59309	-75.10774	490617.400	4271628.430	12.82	2.04	D	1.1	None
M-847	Export Cable	95	38.59385	-75.10984	490434.350	4271713.180	6.28	2.70	D	1.4	None
M-848	Export Cable	95	38.59467	-75.11490	489994.060	4271805.000	79.16	2.42	D	41.1	None
M-849	Export Cable	96	38.59501	-75.11526	489962.480	4271842.490	3.90	2.18	D	1.3	None
M-850	Export Cable	97	38.59375	-75.11002	490418.600	4271701.820	61.54	2.12	D	1.2	None
M-851	Export Cable	97	38.59400	-75.11157	490283.920	4271730.140	12.23	2.36	D	27.5	None
M-852	Export Cable	97	38.59462	-75.11537	489952.830	4271799.420	10.68	1.30	D	34.7	None
M-853	Export Cable	97	38.59585	-75.12309	489281.240	4271935.870	8.81	5.54	+M	52.0	None
M-854	Export Cable	97	38.59810	-75.14043	487771.350	4272188.240	12.47	6.14	-M	40.5	None
M-855	Export Cable	97	38.59487	-75.15827	486216.940	4271831.970	26.80	1.84	D	0.9	None
M-856	Export Cable	98	38.59069	-75.17777	484518.450	4271371.710	100.88	1.22	D	0.4	None
M-857	Export Cable	98	38.59049	-75.17885	484424.360	4271349.920	56.47	5.58	+M	0.4	None
M-858	Export Cable	98	38.59285	-75.16659	485492.550	4271608.980	47.26	11.38	+M	0.7	None
M-859	Export Cable	99	38.59101	-75.17541	484723.730	4271406.100	55.78	2.30	D	0.2	None
M-860	Export Cable	99	38.59118	-75.17438	484813.930	4271425.550	17.18	2.14	D	0.3	None
M-861	Export Cable	99	38.59144	-75.17313	484922.250	4271454.190	36.76	1.10	D	0.2	None
M-862	Export Cable	99	38.59150	-75.17288	484944.620	4271460.360	90.74	1.62	D	0.2	None
M-863	Export Cable	99	38.59510	-75.15408	486582.060	4271857.680	143.78	1.98	D	0.8	None
M-864	Export Cable	99	38.59708	-75.14376	487480.910	4272075.190	38.26	2.54	D	0.9	None
M-865	Export Cable	99	38.59761	-75.13747	488029.400	4272133.390	15.06	2.90	D	1.1	None
M-866	Export Cable	99	38.59643	-75.13003	488677.180	4272001.080	7.17	6.76	+M	28.7	None
M-867	Export Cable	99	38.59609	-75.12811	488844.130	4271963.300	6.73	4.36	+M	0.5	None
M-868	Export Cable	99	38.59597	-75.12734	488911.040	4271950.430	6.61	1.50	D	0.5	None
M-869	Export Cable	99	38.59533	-75.12314	489276.310	4271878.410	33.13	2.30	-M	20.6	None
M-870	Export Cable	99	38.59511	-75.12184	489389.670	4271854.280	337.69	0.74	D	52.0	None
M-871	Export Cable	99	38.59490	-75.12066	489492.920	4271830.290	35.52	1.74	D	52.0	None
M-872	Export Cable	99	38.59475	-75.11982	489565.370	4271813.440	305.32	0.84	D	30.6	None
M-873	Export Cable	99	38.59494	-75.12088	489473.030	4271834.680	6.81	3.12	-M	52.0	None
M-874	Export Cable	99	38.59459	-75.11879	489655.260	4271795.740	90.10	3.04	+M	35.1	None
M-875	Export Cable	100	38.59560	-75.16480	485649.080	4271913.940	183.90	3.26	D	0.8	S-294
M-876	Export Cable	100	38.59460	-75.16996	485198.930	4271803.870	627.10	7.70	+M	0.6	None
M-877	Export Cable	100	38.59458	-75.17007	485189.810	4271801.970	100.41	7.66	+M	0.6	None
M-878	Export Cable	100	38.59434	-75.17129	485083.760	4271775.670	26.62	3.70	D	0.6	None
M-879	Export Cable	100	38.59424	-75.17192	485028.430	4271764.830	16.41	9.34	-M	0.6	None
M-880	Export Cable	100	38.59386	-75.17380	484864.750	4271722.890	14.83	0.22	D	52.0	None
M-881	Export Cable	100	38.59364	-75.17497	484762.690	4271698.670	229.43	6.46	-M	0.4	None
M-882	Export Cable	100	38.59342	-75.17619	484656.250	4271673.680	36.24	5.20	+M	0.4	None
M-883	Export Cable	100	38.59509	-75.16739	485423.250	4271858.570	17.54	15.28	+M	0.6	None
M-884	Export Cable	100	38.59245	-75.18117	484222.770	4271567.640	54.78	2.12	D	0.5	None
M-885	Export Cable	100	38.59239	-75.18156	484188.680	4271560.700	317.26	7.50	+M	0.5	None
M-886	Export Cable	100	38.59214	-75.18277	484083.500	4271533.630	26.64	8.22	+M	0.7	None
M-887	Export Cable	100	38.59153	-75.18693	483721.060	4271466.340	20.57	10.16	-M	0.8	None
M-888	Export Cable	100	38.59139	-75.19184	483292.750	4271452.110	17.80	10.82	-M	0.6	S-517
M-889	Export Cable	100	38.59139	-75.19208	483271.840	4271451.710	21.16	10.70	-M	0.5	None
M-890	Export Cable	100	38.59135	-75.19424	483084.240	4271447.730	161.65	9.30	+M	0.5	None
M-891	Export Cable	100	38.59132	-75.19521	482999.750	4271444.540	3190.25	1.22	D	15.3	None
M-892	Export Cable	100	38.59130	-75.19545	482978.610	4271442.450	59.18	2.26	-M	22.3	None
M-893	Export Cable	101	38.59082	-75.19438	483072.250	4271389.420	115.62	6.86	+M	1.5	None
M-894	Export Cable	101	38.59076	-75.19533	482988.840	4271382.820	8.72	10.08	-M	1.3	None
M-895	Export Cable	101	38.59118	-75.19834	482727.290	4271429.770	15.94	8.50	-M	0.5	None
M-896	Export Cable	101	38.59124	-75.19868	482697.530	4271436.100	11.38	4.02	-M	52.0	None
M-897	Export Cable	101	38.59128	-75.19908	482662.330	4271440.750	295.36	6.78	+M	0.4	None
M-898	Export Cable	101	38.59131	-75.19925	482648.240	4271443.800	17.43	3.08	D	0.4	None
M-899	Export Cable	101	38.59183	-75.20288	482331.440	4271502.540	33.36	12.42	-M	0.5	None
M-900	Export Cable	101	38.59191	-75.20336	482289.620	4271511.410	205.32	10.96	+M	0.5	None
M-901	Export Cable	101	38.59050	-75.21296	481453.280	4271356.530	27.50	5.06	D	2.1	None
M-902	Export Cable	101	38.59061	-75.21382	481378.440	4271369.730	15.85	7.02	+M	1.2	None
M-903	Export Cable	101	38.59074	-75.21505	481271.860	4271383.580	51.38	1.16	D	0.6	None
M-904	Export Cable	101	38.59075	-75.21521	481257.460	4271384.970	34.06	3.80	+M	0.5	None
M-905	Export Cable	101	38.59081	-75.21592	481195.590	4271391.840	53.68	5.14	+M	0.6	None
M-906	Export Cable	101	38.59079	-75.21570	481215.080	4271389.860	8.75	2.84	+M	0.4	None
M-907	Export Cable	102	38.58918	-75.21919	480910.450	4271212.210	69.11	1.52	D	0.9	None
M-908	Export Cable	102	38.58907	-75.21948	480885.240	4271199.380	116.65	2.30	D	52.0	None
M-909	Export Cable	102	38.58900	-75.21967	480869.090	4271191.980	26.95	0.38	D	52.0	None
M-910	Export Cable	102	38.58851	-75.22105	480748.320	4271137.640	6.54	0.98	D	0.3	None
M-911	Export Cable	102	38.58843	-75.22127	480729.790	4271128.860	14.24	0.74	D	0.3	None
M-912	Export Cable	102	38.58837	-75.22144	480714.970	4271121.900	104.46	3.52	+M	0.3	None
M-913	Export Cable	102	38.58780	-75.22363	480523.460	4271059.650	9.46	2.60	D	0.5	None
M-914	Export Cable	102	38.58777	-75.22390	480500.170	4271056.770	145.10	8.76	-M	0.8	None
M-915	Export Cable	102	38.58777	-75.22402	480490.080	4271055.930	9.31	7.78	-M	0.9	None
M-916	Export Cable	102	38.58773	-75.22430	480465.130	4271052.370	5.53	4.78	+M	1.0	None
M-917	Export Cable	102	38.58772	-75.22442	480454.920	4271050.890	9.39	2.00	D	1.1	None
M-918	Export Cable	102	38.58766	-75.22493	480410.020	4271044.610	19.82	2.48	D	1.6	None
M-919	Export Cable	103	38.58936	-75.22281	480595.350	4271232.070	10.78	1.74	-M	25.6	None
M-920	Export Cable	103	38.58937	-75.22259	480614.870	4271233.680	11.13	1.44	D	40.9	None
M-921	Export Cable	103	38.58829	-75.22220	480648.420	4271113.950	16.95	2.58	D	0.6	None
M-922	Export Cable	103	38.58802	-75.22209	480657.790	4271083.200	22.10	1.10	D	52.0	None
M-923	Export Cable	103	38.58777	-75.22199	480666.770	4271055.430	4.36	0.26	D	52.0	None
M-924	Export Cable	104	38.58755	-75.22707	480223.640	4271032.580	246.36	0.94	D	0.2	None
M-925	Export Cable	104	38.58739	-75.22677	480249.790	4271014.570	3605.65	0.98	D	0.2	S-378
M-926	Export Cable	104	38.58733	-75.22663	480262.320	4271008.010	671.85	4.32	+M	0.5	None
M-927	Export Cable	104	38.58733	-75.22638	480284.220	4271008.120	16.67	1.08	D	0.5	None
M-928	Export Cable	104	38.58745	-75.22528	480379.580	4271021.410	106.26	7.96	+M	0.7	S-379
M-929	Export Cable	104	38.58764	-75.22365	480522.050	4271042.210	726.48	4.16	-M	52.0	None
M-930	Export Cable	104	38.58767	-75.22337	480546.250	4271044.980	66.48	1.50	D	0.2	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-931	Export Cable	104	38.58884	-75.21962	480873.590	4271174.030	23.97	0.60	D	52.0	None
M-932	Export Cable	105	38.58879	-75.21946	480886.950	4271168.900	8.31	6.18	-M	0.2	None
M-933	Export Cable	105	38.58870	-75.21972	480864.490	4271158.940	26.11	6.34	-M	52.0	None
M-934	Export Cable	105	38.58859	-75.22004	480836.510	4271146.760	60.09	12.68	-M	52.0	None
M-935	Export Cable	105	38.58771	-75.22277	480598.540	4271048.950	61.00	0.98	D	0.2	None
M-936	Export Cable	105	38.58759	-75.22325	480556.800	4271035.880	86.51	7.80	-M	0.3	None
M-937	Export Cable	105	38.58738	-75.22491	480412.320	4271013.480	52.99	8.42	D	0.4	None
M-938	Export Cable	105	38.58734	-75.22538	480371.250	4271009.190	10.71	3.44	+M	0.5	None
M-939	Export Cable	105	38.58723	-75.22608	480310.180	4270996.540	137.01	1.36	D	52.0	None
M-940	Export Cable	105	38.58728	-75.22590	480325.890	4271002.540	10.59	11.36	-M	0.5	None
M-941	Export Cable	106	38.58717	-75.22552	480358.590	4270990.170	404.55	10.34	+M	0.4	None
M-942	Export Cable	106	38.58710	-75.22593	480323.450	4270982.050	26.64	1.36	D	0.5	None
M-943	Export Cable	106	38.58713	-75.22580	480334.190	4270985.640	15.08	5.82	+M	0.4	None
M-944	Export Cable	106	38.58741	-75.22328	480554.010	4271015.820	347.12	8.92	+M	52.0	None
M-945	Export Cable	106	38.58788	-75.22147	480711.790	4271068.130	19.48	1.10	D	0.2	None
M-946	Export Cable	106	38.58845	-75.21990	480849.040	4271130.640	613.84	0.62	D	23.9	None
M-947	Export Cable	106	38.58857	-75.21956	480878.670	4271144.170	7.69	0.26	D	52.0	None
M-948	Export Cable	107	38.58876	-75.21926	480904.790	4271164.740	46.95	4.24	-M	0.3	None
M-949	Export Cable	107	38.58801	-75.22077	480772.870	4271081.850	10.23	4.16	-M	52.0	None
M-950	Export Cable	107	38.58744	-75.22265	480608.790	4271019.480	31.02	1.60	D	52.0	None
M-951	Export Cable	108	38.58867	-75.23092	479889.420	4271157.230	23.78	1.28	D	0.3	None
M-952	Export Cable	108	38.58883	-75.22932	480028.000	4271174.560	8.34	1.66	D	0.6	None
M-953	Export Cable	108	38.58900	-75.22774	480165.740	4271193.890	5.27	3.08	+M	0.3	None
M-954	Export Cable	108	38.58916	-75.22625	480295.530	4271210.790	22.54	2.26	D	0.2	None
M-955	Export Cable	108	38.58921	-75.22574	480340.570	4271216.340	190.14	8.42	+M	0.2	None
M-956	Export Cable	108	38.58922	-75.22567	480346.730	4271217.310	4.66	5.68	-M	0.2	None
M-957	Export Cable	108	38.58926	-75.22532	480376.480	4271221.890	24.87	5.42	+M	0.2	None
M-958	Export Cable	108	38.58935	-75.22363	480523.820	4271231.560	77.50	0.36	D	52.0	None
M-959	Export Cable	108	38.58956	-75.22246	480625.720	4271254.480	46.52	0.90	D	0.2	None
M-960	Export Cable	108	38.58994	-75.22201	480665.260	4271296.300	78.00	1.26	D	17.4	None
M-961	Export Cable	108	38.58938	-75.22289	480588.210	4271235.250	92.32	0.98	D	32.7	None
M-962	Export Cable	108	38.59007	-75.22168	480693.900	4271311.160	13.15	1.50	+M	22.8	None
M-963	Export Cable	108	38.59011	-75.22159	480702.120	4271315.130	11.50	0.52	D	47.6	None
M-964	Export Cable	108	38.59020	-75.22131	480726.170	4271325.740	35.21	4.18	-M	0.2	None
M-965	Export Cable	108	38.59041	-75.22074	480776.360	4271348.260	33.97	4.56	D	0.7	None
M-966	Export Cable	108	38.59056	-75.22031	480813.140	4271365.150	102.90	7.40	+M	0.7	None
M-967	Export Cable	108	38.59061	-75.22015	480827.890	4271370.590	16.06	3.62	D	0.5	None
M-968	Export Cable	108	38.59084	-75.21951	480883.530	4271395.720	16.17	2.04	D	1.0	None
M-969	Export Cable	108	38.59095	-75.21913	480916.020	4271407.790	12.04	2.72	D	0.8	S-569
M-970	Export Cable	108	38.59099	-75.21893	480933.910	4271412.440	21.46	1.86	D	0.9	None
M-971	Export Cable	108	38.59117	-75.21833	480986.090	4271432.360	12.01	4.44	+M	0.9	None
M-972	Export Cable	108	38.59121	-75.21825	480993.250	4271436.530	26.98	1.96	D	0.9	None
M-973	Export Cable	108	38.59127	-75.21790	481023.960	4271443.610	38.84	7.86	+M	0.9	None
M-974	Export Cable	108	38.59124	-75.21643	481152.000	4271439.390	26.53	10.10	-M	0.8	None
M-975	Export Cable	108	38.59203	-75.20998	481713.550	4271526.690	24.38	5.90	+M	1.1	None
M-976	Export Cable	108	38.59207	-75.20988	481722.170	4271530.030	28.84	5.26	+M	1.0	None
M-977	Export Cable	108	38.59211	-75.20974	481734.870	4271534.530	65.80	2.40	D	1.1	None
M-978	Export Cable	108	38.59247	-75.20445	482195.630	4271573.410	10.36	1.70	D	0.6	None
M-979	Export Cable	108	38.59236	-75.20371	482259.270	4271561.490	23.51	1.84	D	0.7	None
M-980	Export Cable	108	38.59221	-75.20264	482352.460	4271545.230	11.62	4.10	-M	0.5	None
M-981	Export Cable	108	38.59184	-75.20013	482570.960	4271503.170	95.92	1.62	D	0.4	None
M-982	Export Cable	108	38.59183	-75.19999	482583.290	4271501.560	19.30	3.24	+M	0.5	None
M-983	Export Cable	108	38.59172	-75.19938	482636.440	4271490.090	27.83	6.54	+M	0.5	None
M-984	Export Cable	108	38.59168	-75.19909	482661.500	4271485.020	27.44	13.66	-M	0.5	None
M-985	Export Cable	108	38.59163	-75.19872	482694.320	4271479.410	33.87	11.30	-M	0.5	None
M-986	Export Cable	109	38.59113	-75.19712	482833.000	4271423.810	19.67	14.60	-M	0.9	None
M-987	Export Cable	109	38.59135	-75.19856	482708.300	4271447.960	89.51	2.78	D	0.5	None
M-988	Export Cable	109	38.59151	-75.19958	482619.090	4271466.240	201.06	1.44	D	0.5	None
M-989	Export Cable	109	38.59170	-75.20095	482500.230	4271487.410	281.59	1.54	D	0.4	None
M-990	Export Cable	109	38.59183	-75.20190	482417.440	4271502.350	64.57	21.16	-M	0.5	None
M-991	Export Cable	109	38.59187	-75.20221	482390.230	4271506.850	24.19	11.00	-M	0.5	None
M-992	Export Cable	109	38.59191	-75.20243	482371.150	4271511.230	10.53	3.62	-M	0.5	None
M-993	Export Cable	109	38.59225	-75.20528	482123.230	4271549.890	46.71	2.92	D	0.8	None
M-994	Export Cable	109	38.59064	-75.21302	481448.790	4271372.940	41.72	2.46	D	2.1	None
M-995	Export Cable	109	38.59069	-75.21332	481422.730	4271378.630	62.08	2.30	D	1.3	None
M-996	Export Cable	109	38.59093	-75.21575	481210.580	4271405.140	63.26	3.72	D	0.5	None
M-997	Export Cable	109	38.59099	-75.21634	481159.540	4271411.820	14.86	5.64	-M	0.5	None
M-998	Export Cable	110	38.59101	-75.21607	481182.660	4271413.690	19.04	9.46	-M	0.5	None
M-999	Export Cable	110	38.59101	-75.21584	481202.540	4271414.660	106.57	1.92	D	0.5	None
M-1000	Export Cable	110	38.59103	-75.21570	481215.440	4271415.890	7.41	1.12	D	0.4	None
M-1001	Export Cable	110	38.59103	-75.21542	481239.510	4271415.980	7.77	3.34	+M	0.4	None
M-1002	Export Cable	110	38.59103	-75.21564	481220.800	4271416.200	7.95	4.00	+M	0.5	None
M-1003	Export Cable	110	38.59097	-75.21494	481281.540	4271409.520	52.74	12.28	-M	0.4	None
M-1004	Export Cable	110	38.59094	-75.21460	481311.150	4271406.270	18.39	10.30	-M	0.4	None
M-1005	Export Cable	110	38.59093	-75.21451	481318.480	4271405.060	22.07	6.80	+M	0.4	None
M-1006	Export Cable	110	38.59090	-75.21432	481335.340	4271401.510	11.49	1.10	D	0.4	None
M-1007	Export Cable	110	38.59087	-75.21410	481354.530	4271398.620	121.40	1.94	D	0.5	None
M-1008	Export Cable	110	38.59081	-75.21320	481432.870	4271391.570	36.01	10.96	+M	1.0	None
M-1009	Export Cable	111	38.59022	-75.20983	481725.880	4271324.980	16.21	1.46	D	0.6	None
M-1010	Export Cable	111	38.58946	-75.21164	481568.390	4271240.780	148.26	1.22	D	0.2	None
M-1011	Export Cable	111	38.58924	-75.21272	481474.430	4271217.630	11.41	1.62	D	0.7	None
M-1012	Export Cable	111	38.58955	-75.21581	481205.060	4271251.710	215.20	14.64	+M	1.4	None
M-1013	Export Cable	112	38.58940	-75.21598	481190.360	4271235.910	7.06	2.72	D	1.7	None
M-1014	Export Cable	112	38.58920	-75.21374	481385.080	4271212.970	6.50	1.80	D	1.2	None
M-1015	Export Cable	112	38.58917	-75.21339	481416.080	4271209.610	53.75	3.04	D	1.0	None
M-1016	Export Cable	112	38.58917	-75.21239	481503.320	4271208.940	79.30	10.88	-M	0.2	None
M-1017	Export Cable	112	38.58909	-75.21274	481472.450	4271200.110	18.96	3.22	D	0.3	None
M-1018	Export Cable	112	38.58927	-75.21179	481555.270	4271220.540	5.12	4.42	D	0.3	None
M-1019	Export Cable	112	38.59035	-75.20914	481786.530	4271339.570	37.44	1.12	D	0.2	None
M-1020	Export Cable	112	38.58952	-75.21705	481097.030	4271248.850	11.27	3.94	D	3.0	None
M-1021	Export Cable	113	38.59017	-75.20912	481788.290	4271320.090	21.85	1.12	D	27.2	None
M-1022	Export Cable	113	38.58998	-75.20933	481769.230	4271298.890	7.39	6.18	+M	0.8	None
M-1023	Export Cable	113	38.58984	-75.20967	481740.280	4271282.640	112.72	7.96	-M	0.6	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-1024	Export Cable	113	38.58950	-75.21040	481676.520	4271245.420	60.14	0.86	D	52.0	None
M-1025	Export Cable	113	38.58902	-75.21178	481555.830	4271192.920	7.95	5.80	-M	0.2	None
M-1026	Export Cable	113	38.58911	-75.21553	481229.200	4271203.540	11.36	6.12	D	1.5	None
M-1027	Export Cable	113	38.58926	-75.21708	481094.620	4271220.490	8.74	5.42	+M	22.7	None
M-1028	Export Cable	114	38.58909	-75.21711	481092.250	4271201.800	32.95	0.52	D	0.3	None
M-1029	Export Cable	114	38.58904	-75.21641	481153.190	4271195.650	95.23	2.28	D	0.9	None
M-1030	Export Cable	114	38.58878	-75.21374	481384.830	4271166.390	9.97	1.14	D	0.2	None
M-1031	Export Cable	115	38.58869	-75.21395	481367.190	4271156.690	5.56	2.84	+M	0.2	None
M-1032	Export Cable	115	38.58872	-75.21425	481341.020	4271159.490	5.65	9.58	-M	0.4	None
M-1033	Export Cable	115	38.58878	-75.21498	481277.170	4271166.620	40.75	8.18	+M	0.8	None
M-1034	Export Cable	116	38.58875	-75.21656	481139.820	4271163.180	22.78	4.58	-M	52.0	None
M-1035	Export Cable	117	38.59131	-75.21176	481558.580	4271446.490	22.78	1.98	D	1.0	None
M-1036	Export Cable	117	38.59187	-75.21069	481651.390	4271508.710	12.58	14.68	-M	0.9	None
M-1037	Export Cable	117	38.59220	-75.20999	481712.460	4271544.530	15.07	12.50	-M	0.6	None
M-1038	Export Cable	117	38.59278	-75.20658	482009.610	4271608.150	33.34	7.88	+M	0.7	None
M-1039	Export Cable	117	38.59271	-75.20593	482066.230	4271600.820	41.57	1.34	D	0.6	None
M-1040	Export Cable	117	38.59226	-75.20199	482409.010	4271549.660	47.29	11.46	+M	0.3	None
M-1041	Export Cable	117	38.59195	-75.19990	482591.210	4271515.080	110.59	1.26	D	0.2	None
M-1042	Export Cable	117	38.59192	-75.19969	482609.640	4271511.420	8.64	3.38	+M	0.2	None
M-1043	Export Cable	117	38.59162	-75.19765	482787.440	4271478.660	161.58	15.18	+M	0.4	None
M-1044	Export Cable	117	38.59148	-75.19678	482862.990	4271462.990	12.91	10.92	-M	0.7	None
M-1045	Export Cable	118	38.59136	-75.19775	482778.660	4271449.800	27.89	8.38	-M	0.4	None
M-1046	Export Cable	118	38.59138	-75.19785	482770.130	4271451.550	394.50	11.92	+M	0.4	None
M-1047	Export Cable	118	38.59187	-75.20110	482486.600	4271506.500	57.08	0.90	D	0.2	None
M-1048	Export Cable	118	38.59174	-75.20034	482553.260	4271492.500	16.24	9.26	-M	0.2	None
M-1049	Export Cable	118	38.59204	-75.20225	482386.980	4271525.630	33.67	5.74	+M	0.3	None
M-1050	Export Cable	118	38.59212	-75.20289	482331.030	4271534.680	290.13	4.28	D	0.4	S-387
M-1051	Export Cable	118	38.59239	-75.20508	482140.570	4271565.170	69.69	8.18	+M	0.6	None
M-1052	Export Cable	118	38.59242	-75.20543	482110.160	4271568.170	296.99	9.82	+M	0.6	None
M-1053	Export Cable	118	38.59227	-75.20826	481863.370	4271552.110	47.93	7.40	+M	1.6	None
M-1054	Export Cable	118	38.59213	-75.20881	481815.820	4271537.450	20.17	12.10	-M	2.2	None
M-1055	Export Cable	118	38.59181	-75.21019	481695.310	4271502.320	20.22	10.94	+M	2.4	None
M-1056	Export Cable	119	38.59035	-75.20612	482049.100	4271339.510	36.60	4.22	+M	0.2	None
M-1057	Export Cable	119	38.59029	-75.20500	482146.440	4271332.610	838.01	12.22	+M	0.2	None
M-1058	Export Cable	119	38.59031	-75.20461	482180.810	4271334.160	1373.88	9.86	+M	0.4	None
M-1059	Export Cable	119	38.59019	-75.20407	482227.870	4271320.950	61.84	10.14	-M	0.4	None
M-1060	Export Cable	119	38.58995	-75.20260	482355.890	4271294.180	170.87	2.12	D	0.5	None
M-1061	Export Cable	119	38.58987	-75.20196	482411.260	4271285.140	14.85	3.70	D	0.7	None
M-1062	Export Cable	119	38.58938	-75.19864	482700.660	4271229.950	34.07	1.36	D	0.9	None
M-1063	Export Cable	119	38.58928	-75.19789	482765.480	4271218.450	41.03	2.78	D	0.9	None
M-1064	Export Cable	119	38.58926	-75.19776	482777.400	4271216.560	20.17	11.78	-M	0.8	None
M-1065	Export Cable	119	38.58918	-75.19728	482819.170	4271207.820	152.11	1.86	D	0.9	None
M-1066	Export Cable	119	38.58903	-75.19619	482914.150	4271190.340	59.16	5.88	+M	0.8	None
M-1067	Export Cable	119	38.58898	-75.19585	482943.160	4271185.540	65.64	8.52	+M	0.7	None
M-1068	Export Cable	119	38.58894	-75.19550	482973.980	4271180.600	84.53	8.10	-M	0.7	None
M-1069	Export Cable	119	38.58895	-75.19513	483006.480	4271181.790	120.69	5.22	+M	0.8	None
M-1070	Export Cable	119	38.58896	-75.19503	483014.690	4271182.110	213.37	7.86	+M	0.8	None
M-1071	Export Cable	119	38.58896	-75.19482	483032.720	4271182.810	64.12	3.40	D	0.8	S-570
M-1072	Export Cable	119	38.58903	-75.19296	483194.650	4271189.780	28.28	9.40	+M	1.2	None
M-1073	Export Cable	119	38.58904	-75.19164	483310.010	4271190.700	14.04	1.42	D	1.2	None
M-1074	Export Cable	119	38.58906	-75.19116	483351.490	4271192.480	16.54	1.90	D	1.2	None
M-1075	Export Cable	119	38.58907	-75.19073	483389.350	4271193.660	22.16	3.40	D	1.2	None
M-1076	Export Cable	119	38.58918	-75.18677	483734.590	4271205.370	102.80	9.12	+M	0.9	None
M-1077	Export Cable	119	38.58920	-75.18603	483798.900	4271207.740	143.22	2.20	D	52.0	None
M-1078	Export Cable	119	38.58941	-75.18434	483945.510	4271230.680	34.10	11.56	-M	0.7	None
M-1079	Export Cable	120	38.59035	-75.17893	484417.480	4271334.280	58.40	4.88	+M	0.9	None
M-1080	Export Cable	120	38.58994	-75.18095	484241.450	4271288.530	371.50	7.14	+M	0.7	None
M-1081	Export Cable	120	38.58930	-75.18438	483942.260	4271218.000	66.38	2.60	D	0.9	None
M-1082	Export Cable	120	38.58898	-75.18991	483460.380	4271183.450	92.69	9.20	+M	1.4	None
M-1083	Export Cable	120	38.58897	-75.19050	483409.250	4271183.030	218.91	10.48	+M	42.5	None
M-1084	Export Cable	120	38.58897	-75.19106	483360.260	4271182.540	19.17	6.62	+M	1.4	None
M-1085	Export Cable	120	38.58888	-75.19411	483094.590	4271173.760	44.92	15.02	-M	0.9	None
M-1086	Export Cable	120	38.58885	-75.19470	483043.910	4271170.820	164.79	8.52	+M	0.9	None
M-1087	Export Cable	120	38.58884	-75.19523	482997.260	4271169.380	50.22	2.28	D	0.8	None
M-1088	Export Cable	120	38.58896	-75.19656	482881.180	4271182.350	41.26	1.52	D	0.7	None
M-1089	Export Cable	120	38.58916	-75.19788	482766.920	4271204.900	274.51	4.44	D	52.0	None
M-1090	Export Cable	120	38.58933	-75.19915	482656.370	4271224.940	72.32	8.00	+M	0.9	None
M-1091	Export Cable	120	38.58923	-75.19848	482714.130	4271213.490	17.79	14.84	+M	0.9	None
M-1092	Export Cable	120	38.58956	-75.20075	482516.580	4271249.950	1329.70	2.88	D	0.7	None
M-1093	Export Cable	120	38.58961	-75.20109	482486.860	4271255.510	338.33	1.32	D	0.7	None
M-1094	Export Cable	120	38.58962	-75.20116	482481.280	4271256.780	215.54	6.26	+M	0.7	None
M-1095	Export Cable	120	38.58994	-75.20323	482301.300	4271292.660	33.56	1.78	D	0.4	None
M-1096	Export Cable	120	38.59014	-75.20477	482166.720	4271315.800	43.50	2.16	D	0.2	None
M-1097	Export Cable	121	38.59043	-75.20514	482134.870	4271347.250	364.96	0.82	D	0.2	None
M-1098	Export Cable	121	38.59035	-75.20430	482207.780	4271338.370	14.76	7.94	-M	0.3	None
M-1099	Export Cable	121	38.59009	-75.20268	482348.570	4271309.750	7.36	0.96	D	0.5	None
M-1100	Export Cable	121	38.59007	-75.20221	482389.300	4271307.170	171.94	4.32	D	0.6	None
M-1101	Export Cable	121	38.59001	-75.20186	482420.530	4271300.110	14.68	4.66	D	0.5	None
M-1102	Export Cable	121	38.58996	-75.20153	482448.620	4271294.840	83.68	2.46	D	0.6	None
M-1103	Export Cable	121	38.58984	-75.20072	482519.750	4271281.110	31.68	8.44	+M	0.7	None
M-1104	Export Cable	122	38.58935	-75.20024	482561.460	4271227.380	382.40	12.28	+M	0.5	None
M-1105	Export Cable	122	38.58939	-75.20056	482533.270	4271231.780	8.93	7.76	+M	0.5	None
M-1106	Export Cable	122	38.58918	-75.19913	482658.020	4271207.860	22.87	13.88	-M	0.5	None
M-1107	Export Cable	122	38.58912	-75.19866	482698.260	4271201.360	21.32	10.12	+M	0.4	None
M-1108	Export Cable	122	38.58908	-75.19846	482716.060	4271197.050	23.04	23.50	+M	0.4	None
M-1109	Export Cable	122	38.58886	-75.19681	482859.370	4271171.910	31.09	2.74	D	0.4	None
M-1110	Export Cable	122	38.58880	-75.19648	482888.030	4271165.630	65.40	13.16	-M	0.4	None
M-1111	Export Cable	122	38.58874	-75.19599	482931.020	4271158.230	29.84	11.74	D	0.4	None
M-1112	Export Cable	122	38.58871	-75.19574	482953.200	4271154.670	240.11	1.60	D	0.4	None
M-1113	Export Cable	122	38.58871	-75.19428	483080.170	4271155.170	8.23	21.60	-M	0.7	None
M-1114	Export Cable	122	38.58877	-75.19265	483222.390	4271160.610	336.60	1.70	D	1.0	None
M-1115	Export Cable	122	38.58877	-75.19254	483231.160	4271160.750	37.54	5.62	+M	0.9	None
M-1116	Export Cable	122	38.58877	-75.19244	483240.490	4271161.060	329.36	1.68	D	1.0	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-1210	Export Cable	129	38.58923	-75.20224	482387.170	4271214.250	32.71	4.00	+M	0.2	None
M-1211	Export Cable	129	38.58924	-75.20235	482377.210	4271215.550	25.28	1.20	D	0.2	None
M-1212	Export Cable	130	38.59161	-75.21136	481593.540	4271479.630	15.98	2.52	D	1.2	None
M-1213	Export Cable	130	38.59208	-75.21052	481666.520	4271531.280	20.66	7.90	-M	0.4	None
M-1214	Export Cable	130	38.59222	-75.21027	481688.460	4271547.670	210.63	9.48	+M	0.3	None
M-1215	Export Cable	130	38.59245	-75.20935	481768.810	4271572.540	31.96	11.96	+M	0.5	None
M-1216	Export Cable	130	38.59267	-75.20830	481860.360	4271597.190	13.67	3.48	D	0.8	None
M-1217	Export Cable	130	38.59271	-75.20414	482222.400	4271600.120	34.13	10.90	-M	0.3	None
M-1218	Export Cable	130	38.59241	-75.20202	482406.890	4271566.550	267.34	6.46	-M	0.2	None
M-1219	Export Cable	130	38.59239	-75.20191	482416.690	4271564.550	33.32	1.20	D	0.2	None
M-1220	Export Cable	130	38.59177	-75.19773	482780.210	4271494.830	214.27	2.06	D	0.6	None
M-1221	Export Cable	131	38.59197	-75.19805	482752.520	4271517.600	54.59	1.32	D	0.5	None
M-1222	Export Cable	131	38.59207	-75.19872	482693.720	4271528.070	52.76	1.52	D	0.3	None
M-1223	Export Cable	131	38.59210	-75.19893	482676.270	4271531.640	99.41	10.16	-M	0.5	None
M-1224	Export Cable	131	38.59276	-75.20346	482281.300	4271606.240	16.21	7.26	+M	0.3	None
M-1225	Export Cable	131	38.59303	-75.20651	482016.080	4271636.310	18.11	1.34	D	0.6	None
M-1226	Export Cable	131	38.59252	-75.20983	481726.990	4271580.400	12.38	10.22	D	52.0	None
M-1227	Export Cable	132	38.59269	-75.20951	481754.960	4271598.790	557.38	7.84	+M	0.2	None
M-1228	Export Cable	132	38.59272	-75.20939	481764.860	4271602.190	492.52	1.68	D	0.2	None
M-1229	Export Cable	132	38.59278	-75.20910	481790.030	4271608.920	162.12	7.12	-M	0.4	None
M-1230	Export Cable	133	38.59283	-75.20879	481817.150	4271614.760	33.23	1.92	D	52.0	None
M-1231	Export Cable	133	38.59287	-75.20938	481765.650	4271619.680	52.30	8.98	-M	52.0	None
M-1232	Export Cable	133	38.59285	-75.20948	481757.040	4271617.030	55.79	11.16	-M	52.0	None
M-1233	Export Cable	134	38.59302	-75.20468	482175.530	4271635.390	21.70	4.40	+M	0.3	None
M-1234	Export Cable	134	38.59273	-75.20235	482378.210	4271601.830	17.69	1.48	D	0.2	None
M-1235	Export Cable	134	38.59257	-75.20121	482477.340	4271584.100	861.52	1.24	D	0.2	None
M-1236	Export Cable	134	38.59256	-75.20116	482481.680	4271583.270	43.25	2.50	-M	0.2	None
M-1237	Export Cable	134	38.59252	-75.20087	482506.750	4271578.200	35.86	0.86	D	0.2	None
M-1238	Export Cable	134	38.59213	-75.19821	482738.710	4271534.600	697.00	7.28	+M	0.6	None
M-1239	Export Cable	134	38.59207	-75.19783	482771.440	4271528.260	37.49	10.36	-M	0.9	None
M-1240	Export Cable	135	38.59229	-75.19807	482750.490	4271552.660	362.67	1.40	D	0.7	S-420
M-1241	Export Cable	135	38.59248	-75.19961	482616.460	4271574.370	19.17	12.20	-M	0.5	None
M-1242	Export Cable	135	38.59316	-75.20459	482183.550	4271650.940	116.59	1.12	D	0.6	None
M-1243	Export Cable	135	38.59335	-75.20689	481983.170	4271671.610	65.75	10.66	-M	0.6	None
M-1244	Export Cable	136	38.59321	-75.20375	482256.090	4271655.770	37.52	1.40	D	0.5	None
M-1245	Export Cable	136	38.59308	-75.20283	482336.840	4271641.050	129.43	15.56	-M	0.5	None
M-1246	Export Cable	136	38.59270	-75.20029	482557.550	4271598.310	737.21	1.98	D	0.5	None
M-1247	Export Cable	136	38.59266	-75.19997	482585.290	4271594.600	377.94	1.36	D	0.5	None
M-1248	Export Cable	136	38.59260	-75.19959	482618.250	4271587.780	51.63	2.06	D	0.6	None
M-1249	Export Cable	137	38.59259	-75.19820	482739.250	4271585.720	97.56	1.36	D	0.6	None
M-1250	Export Cable	137	38.59284	-75.20013	482571.780	4271614.550	582.34	1.44	D	0.6	None
M-1251	Export Cable	137	38.59321	-75.20273	482345.430	4271656.170	49.55	9.42	+M	0.3	None
M-1252	Export Cable	138	38.59368	-75.20606	482055.180	4271708.970	221.31	1.24	D	0.4	None
M-1253	Export Cable	138	38.59353	-75.20402	482233.160	4271691.350	57.74	13.90	-M	0.4	None
M-1254	Export Cable	138	38.59311	-75.20126	482473.130	4271644.560	377.70	12.66	+M	0.5	None
M-1255	Export Cable	138	38.59283	-75.19927	482646.050	4271612.310	35.39	14.58	+M	52.0	None
M-1256	Export Cable	139	38.59371	-75.20463	482180.060	4271711.760	37.19	8.82	-M	0.4	None
M-1257	Export Cable	139	38.59375	-75.20503	482144.980	4271715.720	275.03	1.30	D	0.4	None
M-1258	Export Cable	141	38.58757	-75.23616	479432.500	4271036.600	353.53	4.38	D	2.7	None
M-1259	Export Cable	143	38.58740	-75.23703	479356.690	4271017.750	20.96	2.40	D	52.0	None
M-1260	Export Cable	143	38.58746	-75.23737	479327.280	4271024.960	20.59	1.82	D	52.0	None
M-1261	Export Cable	144	38.58782	-75.23750	479316.120	4271064.390	35.27	7.40	-M	49.5	None
M-1262	Export Cable	179	38.59162	-75.09474	491749.030	4271464.360	206.26	15.56	-M	0.6	None
M-1263	Export Cable	180	38.59207	-75.09982	491306.960	4271514.200	10.04	1.44	D	0.7	None
M-1264	Export Cable	180	38.59229	-75.10111	491195.130	4271539.150	12.83	6.84	+M	0.7	None
M-1265	Export Cable	182	38.59136	-75.09269	491927.880	4271434.420	10.05	30.48	+M	0.9	None
M-1266	Export Cable	182	38.59202	-75.10117	491189.570	4271508.850	6.27	1.62	D	0.8	None
M-1267	Export Cable	183	38.59213	-75.10373	490966.340	4271521.180	13.01	4.20	D	1.4	None
M-1268	Export Cable	184	38.59227	-75.10358	490980.000	4271537.040	12.77	21.00	-M	1.4	None
M-1269	Export Cable	184	38.59299	-75.10789	490604.760	4271617.830	8.60	8.64	-M	1.5	None
M-1270	Export Cable	184	38.59317	-75.10905	490503.600	4271636.910	9.14	28.30	-M	1.4	None
M-1271	Export Cable	184	38.59448	-75.11724	489790.100	4271783.470	11.57	9.98	+M	1.5	None
M-1272	Export Cable	184	38.59452	-75.11753	489765.370	4271788.280	157.48	2.26	D	5.7	S-406
M-1273	Export Cable	184	38.59612	-75.12740	488905.800	4271967.210	30.35	20.02	-M	1.6	None
M-1274	Export Cable	185	38.59614	-75.13021	488661.370	4271969.570	5.95	3.66	+M	38.9	None
M-1275	Export Cable	185	38.59524	-75.12450	489158.560	4271868.630	6.64	12.20	+M	1.5	None
M-1276	Export Cable	185	38.59520	-75.12427	489178.540	4271864.560	13.72	13.60	+M	1.7	None
M-1277	Export Cable	185	38.59405	-75.11724	489790.550	4271736.460	5.85	16.40	-M	41.5	None
M-1278	Export Cable	187	38.59092	-75.09086	492087.070	4271385.690	11.39	1.90	D	31.0	None
M-1279	Export Cable	188	38.59018	-75.09796	491469.060	4271304.060	441.38	15.38	-M	0.7	None
M-1280	Export Cable	188	38.58995	-75.09515	491713.100	4271278.700	25.87	8.20	-M	0.8	None
M-1281	Export Cable	188	38.59013	-75.09243	491950.710	4271298.840	19.24	1.14	D	0.9	None
M-1282	Export Cable	189	38.59513	-75.12474	489137.450	4271856.710	19.38	2.78	D	1.4	None
M-1283	Export Cable	190	38.59546	-75.12676	488961.830	4271893.850	84.37	10.30	+M	1.3	None
M-1284	Export Cable	190	38.59580	-75.12884	488780.430	4271931.080	36.58	16.16	+M	42.0	None
M-1285	Export Cable	190	38.59635	-75.13232	488477.000	4271993.380	39.43	4.12	D	1.4	None
M-1286	Export Cable	190	38.59702	-75.13638	488124.340	4272068.010	10.90	6.74	+M	1.7	None
M-1287	Export Cable	190	38.59717	-75.13849	487940.350	4272084.640	13.39	23.68	+M	1.9	None
M-1288	Export Cable	191	38.59697	-75.13694	488074.960	4272062.360	21.85	8.20	-M	1.9	None
M-1289	Export Cable	191	38.59664	-75.13496	488247.770	4272025.630	17.37	17.58	D	1.8	None
M-1290	Export Cable	191	38.59575	-75.12956	488717.660	4271925.900	50.13	1.78	D	51.4	None
M-1291	Export Cable	191	38.59546	-75.12765	488883.710	4271893.110	46.75	3.54	D	1.4	None
M-1292	Export Cable	191	38.59526	-75.12645	488988.040	4271871.640	5.38	9.52	-M	1.0	None
M-1293	Export Cable	191	38.59485	-75.12400	489201.710	4271825.740	54.44	1.98	D	28.3	None
M-1294	Export Cable	191	38.59466	-75.12274	489311.710	4271804.000	13.31	1.72	D	28.6	None
M-1295	Export Cable	191	38.59214	-75.10717	490666.580	4271522.360	20.42	2.26	D	39.0	None
M-1296	Export Cable	191	38.59192	-75.10582	490784.350	4271498.450	9.93	3.04	D	43.6	None
M-1297	Export Cable	192	38.59077	-75.09953	491331.920	4271369.840	8.55	2.54	D	0.6	None
M-1298	Export Cable	192	38.59106	-75.10136	491172.780	4271402.750	67.89	1.28	D	25.0	None
M-1299	Export Cable	192	38.59176	-75.10559	490804.730	4271480.540	11.73	2.42	D	1.3	None
M-1300	Export Cable	192	38.59650	-75.13495	488248.190	4272009.520	17.89	26.60	+M	1.5	None
M-1301	Export Cable	192	38.59654	-75.13516	488230.090	4272014.530	12.77	16.04	+M	1.4	None
M-1302	Export Cable	193	38.59674	-75.13757	488020.240	4272036.730	76.34	7.94	+M	1.7	None

ID	Area	Line	Latitude	Longitude	X	Y	Amplitude	Duration	Signature	Altitude	Associated Sonar Targets
M-1861	Export Cable	106	38.60018	-75.12648	488986.380	4272416.890	13.95	9.47	+M	2.1	None
M-1862	Export Cable	109	38.60277	-75.09937	491347.060	4272702.040	15.65	85.37	D	2.8	None
M-1863	Export Cable	109	38.60319	-75.10592	490777.430	4272748.850	10.47	20.35	+M	2.2	None
M-1864	Export Cable	111	38.60082	-75.12487	489126.700	4272487.730	16.93	10.67	+M	0.3	None
M-1865	Export Cable	112	38.60227	-75.11039	490387.490	4272647.780	12.65	26.62	D	2.1	None
M-1866	Export Cable	112	38.60143	-75.09555	491679.530	4272552.350	36.34	109.52	D	6.4	None
M-1867	Export Cable	112	38.60280	-75.09918	491363.670	4272704.960	12.63	60.98	+M	3.0	None
M-1868	Export Cable	113	38.60352	-75.08127	492923.850	4272783.760	6.99	14.14	-M	3.2	None
M-1869	Export Cable	113	38.59853	-75.07879	493139.430	4272229.930	63.64	14.77	D	2.3	None
M-1870	Export Cable	114	38.59886	-75.07891	493128.800	4272266.020	8.13	12.28	D	2.2	None
M-1871	Export Cable	114	38.60292	-75.09936	491348.190	4272718.700	14.57	88.06	D	3.2	None
M-1872	Export Cable	116	38.60236	-75.10083	491220.370	4272656.320	35.82	111.23	D	5.0	None
M-1873	Export Cable	126	38.60305	-75.09923	491359.940	4272732.570	8.69	54.50	+M	2.6	None
M-1874	Export Cable	126	38.60156	-75.09530	491702.070	4272566.720	34.57	79.06	+M	2.9	None
M-1875	Export Cable	127	38.60167	-75.09528	491703.180	4272579.470	35.23	82.45	+M	2.8	None
M-1876	Export Cable	127	38.60075	-75.12629	489003.200	4272480.790	86.29	24.27	D	2.0	None
M-1877	Export Cable	128	38.60138	-75.12221	489358.230	4272549.870	600.50	19.29	D	1.9	None
M-1878	Export Cable	128	38.60140	-75.09410	491805.990	4272549.040	50.47	12.44	D	1.7	None
M-1879	Export Cable	129	38.60207	-75.09552	491682.970	4272623.890	42.66	74.80	D	1.9	None
M-1880	Export Cable	129	38.60233	-75.09619	491624.460	4272653.060	20.33	33.24	D	2.1	None
M-1881	Export Cable	129	38.60386	-75.10047	491251.770	4272822.770	22.92	13.29	+M	2.3	None
M-1882	Export Cable	129	38.60308	-75.10952	490463.720	4272737.390	15.50	13.67	+M	1.4	None
M-1883	Export Cable	129	38.60073	-75.12898	488769.010	4272478.060	18.69	9.99	+M	1.9	None
M-1884	Export Cable	136	38.60088	-75.09310	491893.350	4272490.910	77.81	13.38	D	1.8	None
M-1885	Export Cable	137	38.60050	-75.09128	492051.390	4272449.350	7.76	15.99	D	1.5	None
M-1886	Export Cable	137	38.60067	-75.08847	492296.470	4272467.730	12.99	11.58	D	1.0	None
M-1887	Export Cable	138	38.60324	-75.08543	492561.320	4272752.750	5.79	14.66	D	1.5	None
M-1888	Export Cable	139	38.60090	-75.09169	492015.820	4272493.770	17.36	11.85	D	1.6	None
M-1889	Export Cable	139	38.60068	-75.09014	492151.140	4272468.660	29.48	21.82	+M	1.3	None
M-1890	Export Cable	143	38.60249	-75.09500	491727.790	4272670.430	52.61	80.17	D	1.6	None
M-1891	Export Cable	143	38.60278	-75.09577	491660.790	4272702.420	190.19	20.06	D	1.9	None
M-1892	Export Cable	144	38.60110	-75.12954	488720.360	4272519.280	12.64	11.65	-M	2.3	None
M-1893	Export Cable	144	38.60234	-75.11865	489668.630	4272655.820	10.47	11.44	D	2.1	None
M-1894	Export Cable	144	38.60270	-75.09589	491650.110	4272693.140	13.58	15.92	D	1.7	None
M-1895	Export Cable	144	38.60239	-75.09509	491719.790	4272659.490	64.37	88.74	D	1.6	None
M-1896	Export Cable	145	38.60228	-75.09524	491706.630	4272647.060	62.71	111.84	D	1.6	None
M-1897	Export Cable	145	38.60362	-75.09885	491392.670	4272795.600	9.24	26.05	-M	2.1	None
M-1898	Export Cable	145	38.60400	-75.10666	490712.880	4272838.470	8.97	12.55	D	2.2	None
M-1899	Export Cable	146	38.60255	-75.09632	491613.020	4272677.090	28.26	12.79	D	2.0	None
M-1900	Export Cable	146	38.60219	-75.09537	491695.590	4272637.160	55.48	79.89	D	1.7	None
M-1901	Export Cable	147	38.60264	-75.10025	491271.260	4272687.540	19.73	81.91	D	2.4	None
M-1902	Export Cable	147	38.60250	-75.10703	490680.540	4272672.770	5.38	7.57	+M	1.5	None
M-1903	Export Cable	149	38.59957	-75.12693	488946.820	4272349.510	54.81	14.05	D	2.2	None
M-1904	Export Cable	150	38.60059	-75.11695	489816.830	4272461.920	9.45	12.15	D	2.3	None
M-1905	Export Cable	152	38.59936	-75.12542	489078.920	4272325.860	11.23	15.34	D	2.2	None
M-1906	Export Cable	152	38.59965	-75.12274	489311.850	4272358.380	10.42	8.70	+M	2.2	None
M-1907	Export Cable	152	38.59975	-75.12191	489384.750	4272369.140	5.83	8.76	+M	0.4	None
M-1908	Export Cable	154	38.59963	-75.12051	489506.210	4272355.620	7.34	28.54	-M	2.3	None
M-1909	Export Cable	154	38.60030	-75.11460	490020.660	4272429.350	23.95	16.63	D	2.3	None
M-1910	Export Cable	154	38.60066	-75.11151	490289.780	4272468.780	6.28	17.37	-M	2.0	None
M-1911	Export Cable	155	38.60225	-75.10284	491045.210	4272644.340	9.24	65.52	+M	3.7	None
M-1912	Export Cable	155	38.60204	-75.10149	491162.690	4272620.590	20.63	115.45	D	3.6	None
M-1913	Export Cable	158	38.60109	-75.09610	491632.100	4272514.630	16.80	9.63	D	1.4	None
M-1914	Export Cable	158	38.60091	-75.09562	491673.950	4272495.500	33.55	67.41	+M	1.8	None
M-1915	Export Cable	168	38.60202	-75.08156	492897.800	4272616.830	52.87	10.94	D	1.2	None
M-1916	Export Cable	169	38.59956	-75.08677	492444.620	4272344.560	9.74	4.97	-M	0.5	None
M-1917	Export Cable	169	38.60160	-75.09988	491302.640	4272571.730	9.04	9.24	+M	1.0	None
M-1918	Export Cable	170	38.60257	-75.10037	491260.030	4272679.830	27.66	112.12	D	2.7	None
M-1919	Export Cable	170	38.60084	-75.09581	491657.580	4272487.460	55.56	164.28	D	1.5	None
M-1920	Export Cable	171	38.60345	-75.08046	492994.100	4272775.360	7.45	19.07	D	2.2	None
M-1921	Export Cable	176	38.60228	-75.07868	493149.040	4272645.960	7.08	22.72	D	3.7	None
M-1922	Export Cable	177	38.60141	-75.07856	493159.350	4272548.730	8.48	14.91	D	1.7	None
M-1923	Export Cable	180	38.59953	-75.09326	491879.410	4272342.010	11.22	20.81	D	0.3	None
M-1924	Export Cable	195	38.60073	-75.09599	491641.440	4272474.760	64.60	153.05	D	1.6	None
M-1925	Export Cable	195	38.60247	-75.10063	491237.630	4272668.070	31.13	122.41	D	4.3	None
M-1926	Export Cable	196	38.60054	-75.09667	491582.580	4272454.570	46.95	148.19	D	1.2	None
M-1927	Export Cable	196	38.60212	-75.10090	491214.280	4272630.240	26.25	69.20	+M	4.1	None
M-1928	Export Cable	197	38.60068	-75.09624	491619.570	4272469.140	49.98	97.34	D	1.2	None
M-1929	Export Cable	198	38.60046	-75.09720	491535.750	4272444.730	36.41	101.84	D	1.1	None
M-1930	Export Cable	199	38.60059	-75.09643	491603.560	4272459.390	44.17	112.63	D	1.1	None
M-1931	Export Cable	199	38.60225	-75.10095	491210.100	4272644.040	34.02	100.08	D	4.7	None
M-1932	Export Cable	203	38.60042	-75.08058	492983.250	4272439.110	10.71	11.25	D	1.7	None
M-1933	Export Cable	206	38.60050	-75.13352	488373.140	4272453.490	18.26	27.89	D	2.5	None
M-1934	Export Cable	212	38.59924	-75.12531	489088.210	4272312.370	8.15	7.25	+M	2.4	None