



ATTACHMENT I-3B

**Key Observation Points Visual Simulations
of Proposed Action - Project Design Envelope (PDE)
Horizontal Occupation Assessment**

(Source: EDR 2022a, Sunrise Wind 2023)



LI01: Camp Hero State Park Overlook, East Hampton, NY

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 122 degrees of open ocean and 238 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 15 degrees of the horizon, all of which occurs over open ocean horizon (12 percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.27 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.0 percent of this field of view.

Screening Resulting from Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (89.7 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 42 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 51 miles, the entire WTG will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.


Sunrise Wind Farm Project

Outer Continental Shelf

LI01: View from Camp Hero State Park Overlook, East Hampton, NY

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 1 of 40





LI04: Montauk Point State Park, East Hampton, NY

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 92 degrees of open ocean and 268 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 15 degrees of the horizon, all of which occurs over open ocean horizon (16 percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.25 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.9 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (48 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 40 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 46 miles, the entire WTG will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

LI04: View from Montauk Point State Park, East Hampton, NY

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 2 of 40





CI01: Cuttyhunk Island, Gosnold, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 132 degrees of open ocean and 228 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 44 degrees of the horizon, all of which occurs over open ocean horizon (33 percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.39 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.7 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.5 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (151.3 feet AMSL) and screening effects of the curvature of the earth, WTGs become partially screened after approximately 30 miles. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine platform (and, therefore, portions of the WTGs below the platform) will be screened, and for WTGs beyond approximately 35 miles, the WTG mid-tower will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

CI01: Cuttyhunk Island, Gosnold, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 3 of 40





MM01: Gooseberry Island, Westport, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 93 degrees of open ocean and 267 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 40 degrees of the horizon, all of which occurs over open ocean horizon (43% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.22 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (16.0 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP) the WTG mid-tower will be screened from view and for WTGs beyond approximately 35 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MM01: Gooseberry Island, Westport, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 4 of 40





MM04: Nobska Lighthouse, Falmouth, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 64 degrees of open ocean and 296 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 29 degrees of the horizon, all of which occurs over open ocean horizon (7% percent of the open ocean horizon available).

Vertical Field of View Occupation


From this KOP, the Project would occupy a maximum of 0.01 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.02 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.04 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (53.7 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 35 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 40 miles, the entire WTG will be screened from view.

It was also observed that 105 of the total 122 WTGs (86 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.


Sunrise Wind Farm Project

Outer Continental Shelf

Viewpoint MM04: Nobska Lighthouse, Falmouth, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 5 of 40





MM06: Demarest Lloyd State Park, Dartmouth, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 10 degrees of open ocean and 350 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 37 degrees of the horizon, all of which occurs over open ocean horizon (100% percent of the open ocean horizon available).

Vertical Field of View Occupation


From this KOP, the Project would occupy a maximum of 0.15 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.3 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.6 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (12.8 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 35 miles, the entire WTG will be screened from view.

It was also observed that 91 of the total 122 WTGs (75 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

Viewpoint MM06: Demarest Lloyd State Park, Dartmouth, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 6 of 40





MM07: Fort Taber District, New Bedford, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 10 degrees of open ocean and 350 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 32 degrees of the horizon, all of which occurs over open ocean horizon (100% percent of the open ocean horizon available).

Vertical Field of View Occupation


From this KOP, the Project would occupy a maximum of 0.09 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.2 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.3 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (21.5 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 35 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 35 miles, the entire WTG will be screened from view.

It was also observed that 71 of the total 122 WTGs (58 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MM07: Fort Taber District, New Bedford, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 7 of 40





MV02: Philbin Beach, Aquinnah, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 136 degrees of open ocean and 224 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 46 degrees of the horizon, all of which occurs over open ocean horizon (34% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.41 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.7 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.6 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (10.5 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 25 miles, the mid-tower of the WTG will be screened from view.

Inset 1 WTG Location / Screening Legend





Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project
Outer Continental Shelf
Viewpoint MV02: Philbin Beach, Aquinnah, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 8 of 40





MV03: Lucy Vincent Beach, Chilmark, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 127 degrees of open ocean and 233 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 39 degrees of the horizon, all of which occurs over open ocean horizon (16% percent of the open ocean horizon available).

Vertical Field of View Occupation


From this KOP, the Project would occupy a maximum of 0.38 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.7 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.4 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (27.7 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 30 miles, the WTG mid-tower will be screened from view.

It was also observed that 29 of the total 122 WTGs (24 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MV03: Lucy Vincent Beach, Chilmark, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 9 of 40





MV05: Moshup Beach, Aquinnah, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 134 degrees of open ocean and 226 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 46 degrees of the horizon, all of which occurs over open ocean horizon (35% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.43 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.8 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.6 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (23.1 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 30 miles, the WTG mid-tower will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MV05: Moshup Beach, Aquinnah, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 10 of 40






MV07: Aquinnah Overlook, Aquinnah MA

Horizon Occupation
 From this key observation point (KOP), the horizon is occupied by approximately 130 degrees of open ocean and 230 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 46 degrees of the horizon, all of which occurs over open ocean horizon (36% percent of the open ocean horizon available).



Vertical Field of View Occupation
 From this KOP, the Project would occupy a maximum of 0.47 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.9 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction
 As a result of the elevation of the viewer from this KOP (145.5 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine will fully visible, and for WTGs beyond approximately 30 miles, the WTG platform will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



MV09: Gay Head Lighthouse, Aquinnah, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 128 degrees of open ocean and 232 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 46 degrees of the horizon, all of which occurs over open ocean horizon (36% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.47 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.9 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (162.1 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine will fully visible, and for WTGs beyond approximately 30 miles, the WTG platform will be screened from view.

Inset 1 WTG Location / Screening Legend





Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project

Outer Continental Shelf

MV09: Gay Head Lighthouse, Aquinnah, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 12 of 40



MV10: South Beach State Park, Edgartown, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 148 degrees of open ocean and 212 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 27 degrees of the horizon, all of which occurs over open ocean horizon (18% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.26 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.0 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (17.0 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 25 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 35 miles, the WTG hub will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MV10: South Beach State Park, Edgartown, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 13 of 40





MV11: Wasque Point, Edgartown MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 147 degrees of open ocean and 213 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 20 degrees of the horizon, all of which occurs over open ocean horizon (14% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.24 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.9 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (13.6 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 35 miles, the WTG hub will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MV11: Wasque Point, Edgartown, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 14 of 40





MV12: Peaked Hill Reservation, Chilmark, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 137 degrees of open ocean and 223 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 39 degrees of the horizon, all of which occurs over open ocean horizon (29% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.46 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.8 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.7 percent of this field of view.



Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (305.1 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 25 miles (as measured from the KOP), the WTG will be fully visible, and for WTGs beyond approximately 35 miles, the WTG platform will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Edwin DeVries Vanderhoop Homestead, Aquinnah, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 52 degrees of open ocean and 308 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 46 degrees of the horizon, all of which occurs over open ocean horizon (49% percent of the open ocean horizon available).

Vertical Field of View Occupation


From this KOP, the Project would occupy a maximum of 0.47 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.9 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (17.0 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the WTG will be fully visible, and for WTGs beyond approximately 30 miles, the WTG mid-tower will be screened from view.

It was also observed that 41 of the total 122 WTGs (34 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

MV13: Edwin DeVries Vanderhoop Homestead, Aquinnah, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 16 of 40





NI10: Madaket Beach, Nantucket, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 167 degrees of open ocean and 193 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 10 degrees of the horizon, all of which occurs over open ocean horizon (6% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.10 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.2 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.4 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (20.6 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 35 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.



Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project
 Outer Continental Shelf
 NI10: Madaket Beach, Nantucket, MA
 Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 17 of 40





NL01: Nomans Land Island National Wildlife Refuge, Chilmark, MA

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 187 degrees of open ocean and 173 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 55 degrees of the horizon, all of which occurs over open ocean horizon (29% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.66 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 1.2 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 2.5 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 15 miles (as measured from the KOP), the WTG will be fully visible, and for WTGs beyond approximately 25 miles, the WTG mid-tower will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

NL01: Nomans Land Island National Wildlife Refuge, Chilmark, MA

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 18 of 40





AI01: Brenton Point State Park, Newport, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 127 degrees of open ocean and 233 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 36 degrees of the horizon, all of which occurs over open ocean horizon (29% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.27 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.0 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (33.9 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 40 miles, the WTG will be fully screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

AI01: Brenton Point State Park, Newport, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 19 of 40





AI03: Newport Cliffwalk, Newport, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 138 degrees of open ocean and 222 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 37 degrees of the horizon, all of which occurs over open ocean horizon (27% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.23 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.9 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (22.8 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 40 miles, the WTG hub will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

AI03: Newport Cliffwalk, Newport, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 20 of 40





Sachuest Point National Wildlife Refuge, Middletown, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 121 degrees of open ocean and 239 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 38 degrees of the horizon, all of which occurs over open ocean horizon (31% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.23 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.9 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (21.7 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 40 miles, the WTG will be fully screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.


Sunrise Wind Farm Project

Outer Continental Shelf

AI05: Sachuest Point National Wildlife Refuge, Middletown, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 21 of 40





AI06: Sachuest Beach (Second Beach), Middletown, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 70 degrees of open ocean and 290 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 37 degrees of the horizon, all of which occurs over open ocean horizon (37% percent of the open ocean horizon available).

Vertical Field of View Occupation


From this KOP, the Project would occupy a maximum of 0.20 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (10.2 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 35 miles, the WTG will be fully screened from view.

It was also observed that 17 of the total 122 WTGs (14 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

AI06: Sachuest Beach (Second Beach), Middletown, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 22 of 40





A107: Hanging Rock (Norman Bird Sanctuary), Middletown, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 67 degrees of open ocean and 293 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 36 degrees of the horizon, all of which occurs over open ocean horizon (39% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.21 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (67.3 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 35 miles, the WTG will be fully screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

A107: Hanging Rock (Norman Bird Sanctuary), Middletown, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 23 of 40





AI09: Easton's Beach, Newport, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 65 degrees of open ocean and 295 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 36 degrees of the horizon, all of which occurs over open ocean horizon (55% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.21 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (12.4 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 35 miles, the WTG will be fully screened from view.

Inset 1 WTG Location / Screening Legend





Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project

Outer Continental Shelf

AI09: Easton's Beach, Newport, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 24 of 40



BI02: Great Salt Pond, New Shoreham, RI

Horizon Occupation

From this key observation point (KOP), the wind turbine generators (WTGs) and offshore substations would occupy approximately 29 degrees of the horizon, all of which occurs over open ocean horizon (0% percent of the open ocean horizon available) as illustrated in Inset 1.


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.44 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.8 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.7 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (9.8 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the WTGs will be fully visible, and for WTGs beyond approximately 30 miles, the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view. It was also observed that 72 of the total 122 WTGs (59 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

BI02: Great Salt Pond, New Shoreham

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 25 of 40





BI04: Southeast Lighthouse, New Shoreham, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 208 degrees of open ocean and 152 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 30 degrees of the horizon, all of which occurs over open ocean horizon (15% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.61 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 1.1 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 2.3 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (161.1 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the WTGs will be fully visible, and for WTGs beyond approximately 30 miles, the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

BI04: Southeast Lighthouse, New Shoreham

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 26 of 40





BI06: New Shoreham Beach, New Shoreham, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 149 degrees of open ocean and 211 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 28 degrees of the horizon, all of which occurs over open ocean horizon (19% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.52 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.9 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 2.0 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (11.0 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 30 miles, the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

BI06: New Shoreham Beach, New Shoreham

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 27 of 40





BI08: Fred Benson Beach, New Shoreham, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 117 degrees of open ocean and 243 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 31 degrees of the horizon, all of which occurs over open ocean horizon (26% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.53 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 1.0 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 2.0 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (10.4 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 30 miles, the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

BI08: Fred Benson Beach, New Shoreham

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 28 of 40





BI12: Clayhead Trail, New Shoreham, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 141 degrees of open ocean and 219 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 32 degrees of the horizon, all of which occurs over open ocean horizon (23% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.50 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.9 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.9 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (78.8 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 30 miles, the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

BI12: Clayhead Trail, New Shoreham

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 29 of 40





BI16: Mohegan Bluffs, New Shoreham, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 164 degrees of open ocean and 196 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 30 degrees of the horizon, all of which occurs over open ocean horizon (18% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.56 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 1.0 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 2.1 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (13.0 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 20 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 30 miles, the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

BI16: Mohegan Bluffs, New Shoreham, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 30 of 40





C01: Beavertail Lighthouse, Jamestown, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 117 degrees of open ocean and 243 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 35 degrees of the horizon, all of which occurs over open ocean horizon (30% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.24 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.9 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (27.5 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 40 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

C01: Beavertail Lighthouse, Jamestown, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 31 of 40






RI01: Watch Hill Lighthouse, Westerly, RI

Horizon Occupation
 From this key observation point (KOP), the horizon is occupied by approximately 116 degrees of open ocean and 244 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 13 degrees of the horizon, all of which occurs over open ocean horizon (0% percent of the open ocean horizon available).



Vertical Field of View Occupation
 From this KOP, the Project would occupy a maximum of 0.05 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.09 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.2 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction
 As a result of the elevation of the viewer from this KOP (24.1 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 35 miles (as measured from the KOP), the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view, and for WTGs beyond approximately 40 miles, will be fully screened from view. It was also observed that 88 of the total 122 WTGs (72 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



RI02: Weekapaug Breechway, Westerly, NY

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 99 degrees of open ocean and 270 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 17 degrees of the horizon, all of which occurs over open ocean horizon (6% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.16 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.3 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.6 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (12.4 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 40 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

RI02: Weekapaug Breechway, Westerly, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 33 of 40





RI03: Point Judith Lighthouse, Narragansett, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 175 degrees of open ocean and 185 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 35 degrees of the horizon, all of which occurs over open ocean horizon (20% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.29 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.1 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (29.6 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 25 miles (as measured from the KOP), the turbine platform (and, therefore, all portions of the WTGs below the platform) will be screened from view, and for WTGs beyond approximately 35 miles, the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view.

Inset 1 WTG Location / Screening Legend





Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project

Outer Continental Shelf

RI03: Point Judith Lighthouse, Narragansett, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 34 of 40



RI04: South Shore Beach, Little Compton, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 75 degrees of open ocean and 285 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 39 degrees of the horizon, all of which occurs over open ocean horizon (52% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.18 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.3 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.7 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (8.6 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 35 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

RI04: South Shore Beach, Little Compton, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 35 of 40





RI06: Trustum Pond NWR, South Kingstown, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 104 degrees of open ocean and 256 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 27 degrees of the horizon, all of which occurs over open ocean horizon (26% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.20 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (13.8 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 40 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.


Sunrise Wind Farm Project

Outer Continental Shelf

RI06: Trustum Pond NWR, South Kingstown, RI

Source: COP Appendix Q1, Appendix C3: Horizon Occupation Study: Sheet 36 of 40





RI08: Scarborough Beach State Park, Narragansett, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 118 degrees of open ocean and 242 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 34 degrees of the horizon, all of which occurs over open ocean horizon (29% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.27 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.0 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (14.8 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 40 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

RI08: Scarborough Beach State Park, Narragansett, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 37 of 40





RI09: Narragansett Beach, Narragansett, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 97 degrees of open ocean and 263 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 33 degrees of the horizon, all of which occurs over open ocean horizon (34% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.22 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.4 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.8 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (10.5 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 35 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.



Sunrise Wind Farm Project

Outer Continental Shelf

RI09: Narragansett Beach, Narragansett, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 38 of 40





RI11: Matanuck Beach, South Kingstown, RI

Horizon Occupation

From this key observation point (KOP), the horizon is occupied by approximately 110 degrees of open ocean and 250 degrees of terrain and/or vegetation, as illustrated in Inset 1. The wind turbine generators (WTGs) and offshore substations would occupy approximately 31 degrees of the horizon, all of which occurs over open ocean horizon (25% percent of the open ocean horizon available).


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.27 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.5 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 1.0 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (18.1 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 40 miles, the turbine hub (and, therefore, all portions of the WTGs below the hub) will be screened from view.

Inset 1 WTG Location / Screening Legend




Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project

Outer Continental Shelf

RI11: View from Matanuck Beach, South Kingstown, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 39 of 40



RI12: Ninigret National Wildlife Refuge, Charlestown, RI

Horizon Occupation

From this key observation point (KOP), the wind turbine generators (WTGs) and offshore substations would occupy approximately 21 degrees of the horizon, all of which occurs over open ocean horizon (0% percent of the open ocean horizon available) as illustrated in Inset 1.


Vertical Field of View Occupation

From this KOP, the Project would occupy a maximum of 0.13 degrees of the vertical field of view based on the nearest WTG with the turbine blade in the upright position. This is equal to 0.2 percent of the human field of view (55 degrees). The simulated photograph in Inset 2 has a vertical field of view of 26.4 degrees, and the Project occupies a maximum of 0.5 percent of this field of view.

Screening Resulting From Curvature of the Earth or Obstruction

As a result of the elevation of the viewer from this KOP (5.7 feet AMSL) and screening effects of the curvature of the earth, all WTGs will be at least partially screened. For WTGs beyond approximately 30 miles (as measured from the KOP), the turbine mid-tower (and, therefore, all portions of the WTGs below the mid-tower) will be screened from view, and for WTGs beyond approximately 35 miles, the WTGs will be fully screened from view. It was also observed that 115 of the total 122 WTGs (94 percent) were screened by curvature of the earth, terrain, vegetation and/or structures.

Inset 1 WTG Location / Screening Legend



Note: See Appendix C of the VIA for additional KOP information, simulations, and photographs.

Sunrise Wind Farm Project

Outer Continental Shelf

RI12: Ninigret National Wildlife Refuge, Charlestown, RI

Source: COP Appendix Q1, Appendix C3 : Horizon Occupation Study : Sheet 40 of 40

