

SITE INFORMATION

Site Name: Assateague Island State Park
 Location: Assateague, MD
 Date: 3/22/2016
 Time: 10:15 AM (*5:35 PM)
 Coordinates (Northing/Easting, UTM Zone 18 meters): 486315.24, 4227155.15
 Landscape Zone: Barren Land (Rock/Sand/Clay) - Beach

VIEW AND CAMERA DETAILS

Direction of View:	East
Ground Elevation (ft msl):	13.3
Camera/Viewing Elevation (ft msl):	18.4
Camera Used for Simulation Photography:	Nikon D810
Camera Lens Focal Length:	50 mm
Photo Resolution (DPI):	2400
Horizontal Field of View (Panoramas):	124°
Horizontal Field of View (Single Frame):	39.6°

ENVIRONMENT

Weather Conditions:	Partly Cloudy
Temperature:	53 F
Humidity:	92%
Lighting Conditions:	Clear
Visibility:	10 Miles

DEVELOPMENT DETAILS


Total Number of Turbines: 89
 Total Number of Offshore Substations: 3
 Number of Turbines Visible: 89
 Number of Offshore Substations Visible: 0
 Turbine Output: Approximately 18MW
 Turbine Maximum Blade Height: 938 ft
 Turbine Rotor Diameter: 820 ft
 Distance to Nearest Turbine (Statute Miles): 20.4
 Distance to Farthest Visible Turbine (Statute Miles): 28.9
 Nearest Turbine Visible Height (ft, %): 814.4 ft, 87%
 Farthest Turbine Visible Height (ft, %): 619.2 ft, 66%

SHEET INDEX AND VIEWING INSTRUCTIONS

- Sheet 1 – Simulation Context Information
- Sheet 2 – Panorama View With Simulation
- Sheet 3 – Single Frame (50-mm Lens) With Simulation
- Sheet 4 – Supplemental Simulation in Conditions with Highest Visual Contrast (5:35 PM)*

Panorama Viewing Instructions:
 To approximate the field of view represented by a 14.5" panorama it should be printed on an 11" x 17" sheet of paper and viewed from 7 inches away¹. If viewed in a digital format (i.e. on screen) then similar size and distance should be used.

Care must be taken to not over or underrepresent the visual contrasts². Typical binocular human field of view is assumed to be 124-degrees horizontal and 55-degrees vertical.



¹ "The Best Paper Format and Viewing Distance to Represent the Scope and Scale of Visual Impacts", Journal of Landscape Architecture, 4-2019, pp. 142-151, J. Palmer
² Sheppard, S. 1989. Visual Simulation: A User's Guide for Architects, Engineers, and Planners. New York: Van Nostrand Rheinhold.




See Detail

KOP 3 ASSATEAGUE ISLAND STATE PARK, MARYLAND
PANORAMA VIEW (124°) WITH SIMULATION

Maryland Offshore Wind Project Viewshed Alternative

Sheet 2

VIEWING INSTRUCTIONS: To approximate the field of view represented by a 14.5" panorama it should be printed on an 11" x 17" sheet of paper and viewed from 7 inches away¹. If viewed in a digital format (i.e. on screen) then similar size and distance should be used. In all cases care must be taken to not over or underrepresent the visual contrasts². Typical binocular human field of view is assumed to be 124-degrees horizontal and 55-degrees vertical. See Sheet 1 for citations.



VIEWING INSTRUCTIONS: To approximate the field of view represented by a 15.7" single frame simulation captured with a 50-mm lens it should be printed on an 11" x 17" sheet of paper and viewed from 22 inches away¹. For the most realistic experience when viewing in a digital format, position your computer screen 20" away and adjust the PDF viewing software's zoom so that the calibration bar is 1 inch long:

1" Measured On Screen – View from 20" Away

In all cases care must be taken to not over or underrepresent the visual contrasts². Typical binocular human field of view is assumed to be 124-degrees horizontal and 55-degrees vertical. See Sheet 1 for citations.

KOP 3 ASSSATEAGUE ISLAND NATIONAL SEASHORE, MARYLAND
Maryland Offshore Wind Project Viewshed Alternative

SHEET 3 - SINGLE FRAME (50-mm LENS) WITH SIMULATION





KOP 3 ASSSATEAGUE ISLAND NATIONAL SEASHORE, MARYLAND
Maryland Offshore Wind Project Viewshed Alternative

**SHEET 4 - SUPPLEMENTAL SIMULATION IN CONDITIONS WITH
HIGHEST VISUAL CONTRAST**

VIEWING INSTRUCTIONS: To approximate the field of view represented by a 15.7" single frame simulation captured with a 50-mm lens it should be printed on an 11" x 17" sheet of paper and viewed from 22 inches away¹. For the most realistic experience when viewing in a digital format, position your computer screen 20" away and adjust the PDF viewing software's zoom so that the calibration bar is 1 inch long:

1" Measured On Screen – View from 20" Away

In all cases care must be taken to not over or underrepresent the visual contrasts². Typical binocular human field of view is assumed to be 124-degrees horizontal and 55-degrees vertical. See Sheet 1 for citations.

